ELSEVIER

Inorganica Chimica Acta 241–253 (1996) 119–126

Inorganica Chimica Acta

Cumulative Author Index of Volumes 241–253

Abbott, E.H., **247**, 267
Abidi, R., **246**, 275
Abraham, M.M., **248**, 85
Abram, S., **248**, 193
Abram, U., **244**, 109; **248**, 193
Abrams, M.J., **244**, 199
Adamian, V.A., **252**, 375
Adams, H., **246**, 81; **250**, 139
Adani, F., **253**, 77
Adiukwu, P.U., **250**, 173
Aguilar, J.A., **246**, 287
Ahmad, M., **245**, 59
Ahvazi, B., **241**, 31
Aime, S., **246**, 423
Ainscough, E.W., **249**, 47
Aizawa, S., **248**, 215
Akbar Ali, M., **249**, 207
Akita, M., **250**, 177
Alain, V., **242**, 43
Alam, M.N., **249**, 207
Al-Baker, S., **241**, 101
Alberto, R., **248**, 193
Alcock, N.W., **246**, 109; **248**, 241
Alessio, E., **253**, 87
Alexander, V., **249**, 93
Ali, M.M., **241**, 5
Al-Juaid, S.S., **250**, 173
Allan, C.B., **246**, 241
Allwar, ., **241**, 31
Alonso, B., **251**, 5
Alonso, P.J., **250**, 241
Altava, B., **252**, 123
Alvarez de Cienfuegos, G., **247**, 51
Alvarez de Cienfuegos-López, G., **241**, 61
Alvarez, M.L., **242**, 239
Amigó, J.-M., **248**, 153
Amin, S., **246**, 99
Amouri, H.E., **250**, 379
An, D.L., **249**, 125
Anderson, O.P., **242**, 71; **243**, 1
Ando, I., **249**, 201
Andor, J.A., **249**, 17
Andruh, M., **251**, 309
Angermaier, K., **251**, 249
Ankersmit, H.A., **252**, 141, 203, 339
Anson, F.C., **242**, 11
Antipin, M., **250**, 365
Aono, T., **246**, 13
Aoyagi, K., **252**, 91
Aoyagi, M., **246**, 53
Appleton, T.G., **252**, 79
Archer, R.D., **251**, 81
Arena, C.G., **248**, 257
Arif, A.M., **250**, 15
Arranz-Mascarós, P., **247**, 203
Arrington, Jr., C.A., **242**, 91
Arriortua, M.I., **249**, 25
Arul Joseph Aruna, V., **249**, 93
Ashley, K.R., **248**, 23
Atkins, M.J., **244**, 277
Atmani, A., **252**, 375
Atzei, D., **248**, 203
Auburn, P.R., **242**, 293
Ayala, J.D., **246**, 423

Babcock, G.T., **243**, 345
Babian-Kibala, E., **250**, 359
Bachrach, M., **243**, 135
Baggio, R., **248**, 247
Bailey, J.A., **243**, 47
Bailey, N.A., **246**, 81; **250**, 139
Bain, A.D., **251**, 355
Baistrocchi, P., **252**, 367
Bakalova, M., **247**, 169
Baker, M.V., **246**, 275
Ballesteros, R., **245**, 75
Balzani, V., **242**, 281
Bandoli, G., **247**, 119
Banks, W.A., **242**, 201
Barbaro, P., **252**, 157
Barbe, J.-M., **252**, 375
Barckholtz, T.A., **252**, 405
Barclay, J.E., **247**, 113
Bardwell, D.A., **241**, 125
Barge, A., **246**, 423
Barigelletti, F., **242**, 281
Barker, P.D., **252**, 71
Barranco, M., **251**, 5
Barrau, J., **241**, 9
Barton, J.K., **243**, 101; **252**, 333
Barzoukas, M., **242**, 43
Basch, H., **242**, 191; **252**, 265
Bashkin, J.K., **253**, 91
Bass, L.A., **253**, 91
Bastian, M., **250**, 185
Bauer, A., **251**, 249
Baumann, F., **251**, 239
Baumgartner, M.R., **252**, 319
Bavoso, A., **244**, 207
Bazzicalupi, C., **244**, 255; **246**, 125
Beatty, A.M., **253**, 91
Becht, M., **248**, 27
Beckett, R.P., **251**, 265
Beer, P.D., **246**, 133, 143; **251**, 335
Begum, J., **249**, 207
Behlendorf, M., **252**, 13
Bein, T., **242**, 115
Belinskiy, M., **243**, 91
Bell, I.M., **252**, 157
Bell, N.A., **250**, 345
Belluco, U., **252**, 355
Belser, P., **242**, 281
Bencini, A., **244**, 231, 255; **246**, 125
Benedix, R., **247**, 147
Benetollo, F., **245**, 223
Benito, A., **247**, 139
Bensch, W., **252**, 47
Benzekri, A., **252**, 413
Beratan, D.N., **243**, 167
Bercaw, J.E., **242**, 205
Béreau, V., **252**, 101
Bergamini, P., **252**, 33
Berger, R.M., **241**, 1
Berkesi, O., **249**, 17
Bernal, I., **252**, 391
Berno, P., **244**, 37
Berre-Cosquer, N.L., **250**, 119
Bertani, R., **244**, 11; **245**, 157, 269; **252**, 355
Berthon, G., **247**, 175; **253**, 106
Bertini, I., **243**, 91
Bertrand, P., **250**, 139
Beswick, M.A., **248**, 9
Biagini-Cingi, M., **248**, 35
Bianchi, A., **244**, 255; **246**, 125; **249**, 13; **252**, 123
Bianchi, C., **249**, 79
Bickelhaupt, A., **248**, 111
Bickler, P.E., **243**, 15
Bielski, J.M., **245**, 7
Bill, E., **252**, 195
Bino, A., **251**, 75
Blaise, D., **241**, 31
Blake, A.J., **241**, 11
Blanchard, S.S., **241**, 95; **244**, 121
Blanchard-Desce, M., **242**, 43
Blinn, E.L., **246**, 295
Boatner, L.A., **244**, 247; **248**, 85
Boeyens, J.C.A., **246**, 321
Boggs, S.E., **247**, 129
Bollinger, J.E., **242**, 201
Bolos, C., **248**, 209
Bolzati, C., **247**, 119
Bombieri, G., **245**, 223; **246**, 423
Bonander, N., **243**, 127
Bond, A.H., **250**, 105
Bond, A.M., **251**, 185
Bondietti, G., **247**, 65
Bor, G., **251**, 35
Bortolini, O., **252**, 33
Boschi, T., **241**, 55
Bosque, R., **244**, 141
Bossmann, S.H., **243**, 101; **252**, 333
Bott, S.G., **241**, 71; **247**, 161; **250**, 195
Botta, M., **246**, 423; **247**, 143
Bottomley, L.A., **251**, 29, 105
Boubekeur, K., **246**, 249
Bour, J.J., **245**, 133
Bourassa, J., **251**, 291
Bowler, B.E., **242**, 97
Boxer, S.G., **242**, 323
Boyer, P.M., **245**, 7
Braga, D., **244**, 11
Bras, J.L., **250**, 379
Brasack, I., **250**, 271
Braunstein, P., **250**, 337
Breeze, S.R., **250**, 163
Bremer, C., **241**, 13
Brewer, K.J., **250**, 155; **253**, 7
Brewer, R.G., **250**, 155
Bridson, J.N., **244**, 87; **250**, 227
Britton, D., **243**, 1
Brodie, A.M., **249**, 47
Brook, M.A., **250**, 49
Brooker, S., **246**, 171
Brorson, M., **247**, 189
Brown, C.T., **251**, 135
Brown, J.M., **252**, 229
Brown, M.A., **247**, 135
Brown, T.L., **242**, 271
Browning, C.S., **241** 111
Bruce, A.E., **243**, 147
Bruce, M.I., **250**, 129
Brücher, E., **249**, 191
Brudenell, S.J., **247**, 35
Bruice, T.C., **247**, 195
Bu, X.H., **249**, 125
Buchem, R., **245**, 17
Buchler, J.W., **251**, 227
Buncel, E., **253**, 53
Bünzli, J.-C.G., **246**, 195; **252**, 221

Elsevier Science S.A.

Burgess, V.A., **251**, 265
Burojevic, S., **251**, 75
Burrows, C.J., **251**, 193
Bursten, B.E., **252**, 405
Busch, D.H., **246**, 109
Bush, T.L., **244**, 185
Bustos, C., **249**, 245
Butcher, R.J., **241**, 31
Butler, A., **243**, 201
Butler, J.L., **252**, 71
Butler, L.G., **243**, 309
Butzlaff, C., **246**, 387

Cacciapaglia, R., **246**, 181
Cadot, E., **252**, 101
Calabi, L., **249**, 13
Calligaris, M., **243**, 109
Calogero, G., **251**, 255
Calvin, M., **246**, 241
Caminade, A.-M., **246**, 47
Caminiti, R., **248**, 203
Campagna, S., **251**, 255
Campardo, L., **245**, 269
Campbell, C.J., **245**, 257
Canales, F., **244**, 95
Caneschi, A., **243**, 295; **247**, 231; **248**, 139
Canty, A.J., **251**, 185
Cao, X.-C., **245**, 109
Capon, J.-F., **250**, 119
Carcelli, M., **245**, 43
Careri, M., **252**, 367
Carey, J.M., **249**, 157
Cargill Thompson, A.M.W., **250**, 29
Carlson-Day, K.M., **244**, 151
Carmalt, C.J., **248**, 263
Carmona, A., **244**, 79, 239
Carpenter, J.P., **251**, 151
Carré, F., **250**, 21
Carrillo, D., **249**, 245
Cartier, C., **252**, 413
Carvalho, M.F.N.N., **248**, 45
Casado, C.M., **251**, 5
Casas, J.S., **241**, 117
Casellato, U., **241**, 117; **247**, 143
Čásenský, B., **247**, 123
Casnati, A., **252**, 19
Castineiras, A., **245**, 257
Castiñeiras Campos, A., **241**, 39
Castro, I., **250**, 219
Castro, R., **245**, 119
Caulton, K.G., **251**, 41
Cauzzi, D., **252**, 367
Cea-Olivares, R., **241**, 47; **253**, 31
Cecutti, C., **248**, 15
Cermak, J., **244**, 115
Černý, Z., **247**, 123
Cerrada, E., **249**, 163
Ceulemans, A., **251**, 15
Chacon, D.R., **251**, 273
Chak, B., **246**, 349
Chakoumakos, B.C., **248**, 85
Champness, N.R., **244**, 65; **251**, 13
Chandrasekhar, S., **246**, 59
Chang, I.-J., **242**, 179
Chang, Y., **244**, 199
Chang, Y.D., **245**, 119, 177
Chaudhuri, P., **252**, 195
Cheek, J., **243**, 317
Che, C.-M., **242**, 105
Chen, C.-T., **242**, 43
Chen, E., **242**, 149
Chen, H., **250**, 359
Chen, J.-D., **249**, 115
Chen, L., **244**, 87; **252**, 239
Chen, S.-M., **244**, 155; **249**, 143
Chen, Y., **249**, 239; **253**, 65
Chen, Y.T., **249**, 125
Chen, Z., **246**, 143
Cheng, P., **248**, 135
Cheng, W.-C., **242**, 105
Cheung, K.-K., **242**, 105
Chibotaru, L.F., **251**, 15
Chinea, E., **241**, 39
Chiosis, G., **246**, 181
Chisholm, M.H., **243**, 283
Chmielewski, P.J., **246**, 109
Choppin, G.R., **245**, 51; **252**, 299
Christiansen, J., **243**, 229
Christidis, P.C., **248**, 209
Chua-anusorn, W., **243**, 121
Chuburu, F., **250**, 119
Chuit, C., **250**, 21
Chung, Y.K., **253**, 39
Churchill, M.R., **243**, 109; **246**, 99
Cindrić, M., **248**, 103
Cingolani, A., **249**, 215
Cini, R., **251**, 111
Ciriano, M.A., **250**, 241
Císařová, I., **245**, 129
Clark, D.L., **244**, 269
Clark, G.R., **251**, 65
Clark, R.J.H., **243**, 249; **252**, 157
Clarke, R.E., **247**, 129
Clément, J.-C., **244**, 105
Clement, O., **253**, 53
Clopton, D.A., **242**, 57
Coddington, J., **242**, 159
Cola, L.D., **242**, 281
Colapietro, M., **249**, 215
Colin, J.C., **246**, 249
Collin, J.-P., **245**, 69
Collinson, S.R., **246**, 81; **250**, 139
Colón, J.L., **243**, 161
Coltrain, B.K., **246**, 109
Constable, E.C., **252**, 9, 281
Cook, J., **252**, 421, 427
Cook, L., **246**, 321
Cooper, A.C., **251**, 41
Cooper, J.B., **251**, 185
Coquelet, C., **246**, 217
Corain, B., **249**, 131
Corbin, J.L., **243**, 147
Coret, E., **245**, 75
Corma, A., **244**, 79, 239
Cornia, A., **243**, 295
Corriu, R.J.P., **250**, 21
Cortés, R., **249**, 25
Costa, E., **252**, 33
Costello, M.T., **249**, 101
Cotton, F.A., **245**, 115; **247**, 105; **249**, 9, 57; **250**, 359; **251**, 101; **252**, 239, 251, 257, 293
Coucouvanis, D., **243**, 255
Coughlin, E.B., **242**, 205
Coulter, E.D., **243**, 317
Cowan, J.A., **242**, 25; **251**, 285
Crabtree, R.H., **247**, 93; **250**, 69
Cramer, S.P., **243**, 229
Creber, K.A.M., **246**, 361
Creutz, C., **243**, 39
Crimp, S.J., **247**, 35
Crociani, L., **249**, 131
Cronin, J.A., **251**, 81
Crutchley, R.J., **242**, 63
Csihony, J., **245**, 1
Cuadrado, I., **251**, 5
Cukrowski, I., **246**, 159
Cullen, W.R., **251**, 53
Cummings, S.D., **242**, 225
Cunningham, K.L., **242**, 143
Czernuszewicz, R.S., **247**, 11; **253**, 103

Da Cunha, C.J., **242**, 293
Dahiyat, B.I., **243**, 207
Dahmen, K.-H., **248**, 27
Daizadeh, I., **243**, 271
Dallaire, C., **250**, 49
Danby, A., **246**, 395
Daniels, L.M., **247**, 105; **249**, 9; **250**, 359; **252**, 293
Dapporto, P., **252**, 383
Darensbourg, M.Y., **250**, 283
Da Silva, R.S., **245**, 215
Davies, S.C., **251**, 13
Davies, S.G., **251**, 265
Davies, P.J., **246**, 1
Davis, W., **244**, 121
Davison, A., **241**, 95; **244**, 121; **252**, 421, 427
Dawson, J.H., **243**, 317
Dearden, D.V., **246**, 259
Debaerdemaeker, T., **248**, 153
Decurtins, S., **244**, 165
De Filippo, D., **248**, 203
De Giacomo, L., **248**, 225
De Graaff, R.A.G., **248**, 35
DeGrado, W.F., **243**, 213
Delis, J.G.P., **250**, 87
Del Zotto, A., **247**, 183
Denning, R.G., **248**, 51
De Oliveira, P., **252**, 71
Depaoli, G., **245**, 223
De Rege, P.J.F., **242**, 211
Derwahl, A., **247**, 19; **248**, 93
Des Abbayes, H., **244**, 105
Desmangles, N., **250**, 1
Di Bilio, A.J., **243**, 141
Dietrich, M., **252**, 13
Dilonardo, M., **249**, 237
Dim, C.O.B., **243**, 147
Ding, Y., **251**, 29
Dixon, W.J., **242**, 233
Dohta, Y., **252**, 5
Doi, M., **249**, 1
D'Olieslager, W., **244**, 191
Domasevitch, K.V., **249**, 151
Doménech, A., **252**, 123
Donovan, R.J., **251**, 299
Dooley, D.M., **242**, 239
Doorn, S.K., **242**, 91
Dorsey, B., **249**, 85
Douglas, B.E., **248**, 89
Dousse, G., **252**, 25
Drago, R.S., **250**, 265
Dreveni, I., **249**, 17
Drew, M.G.B., **246**, 73, 133, 143
Driessen, W.L., **247**, 43
Drillon, M., **248**, 35
Drommi, D., **248**, 257
D'Souza, F., **252**, 375
Dubler, E., **252**, 319
Duckworth, P.A., **246**, 1, 321
Duesler, E.N., **247**, 29
Duffey, C.H., **246**, 229
Duffy, N., **247**, 99
Dulay, M.T., **246**, 23
Dunbar, K.R., **242**, 91
Durham, B., **243**, 193
Dürichen, P., **252**, 47
Durrant, M.C., **251**, 13
Dutton, P.L., **243**, 213
Dyson, P.J., **241**, 11

Eckert, R., **251**, 95
Edmondson, D.E., **252**, 399
Edwards, A.J., **247**, 139; **248**, 9; **250**, 241
Eglin, J.L., **244**, 151; **245**, 81
Eisenberg, R., **242**, 225
El Amraoui, T., **241**, 9
Elder, S.M., **252**, 281
Eldik, R.v., **242**, 185
El Fallah, M.S., **247**, 85, 231
Elias, H., **246**, 267; **251**, 347
El-Jammal, A., **245**, 199
Ellis II, D.D., **241**, 1
El Mardi, S., **247**, 175
English, A.M., **242**, 261
Ensling, J., **244**, 165
Eriksen, K., **252**, 203
Ernst, R.D., **250**, 15
Erre, L.S., **248**, 99
Erxleben, A., **247**, 79; **252**, 167
Escrivà, E., **245**, 75
Escuer, A., **247**, 85; **248**, 59
Espinosa-Pérez, G., **241**, 47
Espinoza, R., **246**, 23
Evans, D.J., **247**, 113
Eveland, J.R., **249**, 41
Evenzahav, A., **243**, 101

Fabbrizzi, L., **244**, 7; **246**, 379
Fabrizi de Biani, F., **244**, 231; **248**, 139
Facchin, G., **245**, 157; **252**, 355
Fahim, M., **252**, 375
Fairris, J.L., **243**, 193
Faleschini, P., **243**, 109
Falvello, L.R., **250**, 359
Fanizzi, F.P., **251**, 111
Fanwick, P.E., **242**, 81

Faraone, F., **248**, 257
Farmer, P.J., **243**, 135
Farrar, D.H., **241**, 111
Farrell, N., **245**, 265
Farrugia, L.J., **246**, 343; **248**, 263
Farver, O., **243**, 127
Fasano, M., **246**, 423
Faulmann, C., **245**, 27
Faure, R., **241**, 61
Fee, J.A., **243**, 141
Feng, S., **242**, 115
Fenton, D.E., **246**, 81; **250**, 139
Fenwick, C., **242**, 261
Ferko, A.L., **249**, 85
Fernando, Q., **246**, 401; **248**, 231
Ferraudi, G., **247**, 5
Ferrence, G.M., **242**, 115
Ferrini, L., **249**, 13; **252**, 123
Fickert, C., **251**, 157
Fiedler, J., **250**, 379
Fielder, S.S., **242**, 293
Fikar, R., **243**, 333
Finnis, G.M., **242**, 91
Fischer, C., **252**, 19
Fish, F.P., **246**, 229
Fitzpatrick, M.G., **244**, 131
Fitzsimmons, P.M., **246**, 301
Flamigni, L., **242**, 281
Flamini, A., **247**, 75
Flatt, P., **242**, 97
Fleischhauer, P., **252**, 13
Fletcher, N.C., **251**, 335
Floris, R., **243**, 345
Folgado, J.-V., **245**, 75; **248**, 153
Font-Bardia, M., **247**, 85; **248**, 59
Ford, P.C., **242**, 51; **247**, 129; **251**, 291
Forster, L.S., **247**, 1
Fort, A., **242**, 43
Fowler, C.M., **243**, 309
Fox, M.A., **242**, 253
Fraanje, J., **247**, 215; **250**, 87
Frampton, C.S., **244**, 65
Frank, M., **242**, 281
Frank, W., **251**, 95
Frankel, D.C., **241**, 111
Fraser, D.M., **247**, 237
Freeman, J.W., **250**, 15
Frey, S.T., **242**, 329
Fronczek, F.R., **246**, 119
Fujihara, T., **249**, 135
Fujita, M., **246**, 53
Fumagalli, A., **247**, 71
Funahashi, S., **248**, 215
Furlan, M., **252**, 355
Furuichi, K., **248**, 147
Fusch, E.C., **252**, 167
Fusch, G., **252**, 167
Fusek, J., **247**, 123
Fusi, V., **244**, 255; **246**, 125

Gaede, P.E., **241**, 11
Gagnon, J., **242**, 137
Galas, O., **243**, 91
Gallegos, C.H., **243**, 309
Galsworthy, J.R., **248**, 9
Gambardella, M.T.P., **245**, 215
Gambarotta, S., **244**, 37; **250**, 1
Gambino, O., **250**, 379
Gamble, G., **247**, 5
Gan, X., **247**, 29
García, A.M., **248**, 247
García-España, E., **246**, 287; **252**, 123
García-Jaca, J., **249**, 25
García-Lozano, J., **245**, 75
García Martínez, E., **241**, 117
García-Tojal, J., **249**, 25
Garcia-Vazquez, J.A., **245**, 119
Gardinier, I., **244**, 105
Garland, M.T., **248**, 247
Gatteschi, D., **247**, 231; **248**, 139
Gatto, S., **249**, 131
Gautheron, B., **253**, 71
Gehlen, J.N., **243**, 271
Gehring, S., **252**, 13
Geib, S.J., **243**, 177
Geoffroy, M., **245**, 69
Geraldes, C.F.G.C., **251**, 201
Geremia, S., **253**, 87
Gernet, D., **251**, 157
Gervasio, G., **251**, 35
Gewirth, A.A., **243**, 67
Giannandrea, R., **249**, 237
Giannotti, C., **249**, 111
Gibney, B.R., **243**, 213
Gili, P., **244**, 25
Gimeno, B., **248**, 153
Gimeno, C., **244**, 95
Gimeno, M.C., **249**, 69
Giorgi, C., **246**, 125
Girardini, R., **252**, 19
Giuffrida, G., **251**, 255
Gladfelter, W.L., **242**, 125
Gleizes, A., **248**, 15
Glowiak, T., **248**, 99, 159
Gnonlonfoun, N., **247**, 175; **253**, 106
Gobbo, M., **245**, 269
Gobetto, R., **248**, 257
Goddard, R., **244**, 147
Godfrey, S.M., **247**, 257
Godino-Salido, M.L., **247**, 203
Goedken, V.L., **241**, 21
Goettee, J.D., **243**, 309
Gokel, G.W., **250**, 59
Goll, J.G., **242**, 219
González, O., **248**, 247
González-García, S., **253**, 23
González-Lagoa, J., **243**, 161
González Pérez, J.M., **241**, 39
Goodgame, D.M.L., **251**, 141
Gordon, J.C., **244**, 269
Gorrichon, J.-P., **248**, 15
Goubitz, K., **247**, 215; **250**, 87; **252**, 203
Gouzerh, P., **249**, 245
Graiff, C., **252**, 367
Gramlich, V., **248**, 27
Grant, G.J., **244**, 73; **246**, 31
Grätzel, M., **247**, 237
Gray, A.T., **243**, 15
Gray, G.M., **246**, 229
Gray, H.B., **243**, 25
Gray, M.H.B., **243**, 239
Graziani, R., **241**, 117
Gregáň, F., **250**, 185
Grell, E., **241**, 13
Grepioni, F., **244**, 11
Grigsby, W.J., **251**, 273
Größ, S., **251**, 347
Grove, D.M., **252**, 55
Grün, K., **244**, 147
Grundy, S.L., **243**, 47
Gruselle, M., **250**, 379
Grutsch, P.A., **247**, 5
Grzybowski, J.J., **241**, 21
Guardigli, M., **252**, 19
Guckert, J.A., **243**, 67
Guedes da Silva, M.F.C., **244**, 25
Guerrero, J.A., **246**, 287
Guglielmo, G., **251**, 255
Guilard, R., **252**, 375
Gultneh, Y., **241**, 31
Gundlach, E.M., **246**, 295
Günther, P., **251**, 157
Gupta, H.K., **250**, 49; **251**, 355
Gurrieri, S., **246**, 7
Gust, R., **250**, 203
Gutiérrez-Valero, M.D., **247**, 203

Haapakka, K., **247**, 209
Haase, W., **252**, 13
Haasnoot, J., **248**, 35
Haasnoot, J.G., **245**, 27, 237; **247**, 43
Hadawi, B., **244**, 213
Haefner, S.C., **247**, 105
Hage, R., **245**, 237
Hahn, I., **249**, 33
Hahner, C., **244**, 147
Haiduc, I., **241**, 47
Halbert, T.R., **243**, 147
Hall, D.A., **253**, 105
Halpern, J., **243**, 19
Hambley, T.W., **246**, 65
Hamilton, J., **244**, 265
Hancock, R.D., **246**, 159; **250**, 35
Handa, M., **244**, 137; **250**, 227
Handel, H., **244**, 105
Hanton, L.R., **244**, 131
Hao, S., **244**, 37
Hara, R., **252**, 91
Hardin, R.N., **249**, 85
Harding, C.J., **246**, 73, 81
Harmer, M.A., **243**, 147
Harper, J.D., **249**, 5
Harriott, P., **246**, 1
Harris, T.A., **249**, 101
Harrowfield, J.M., **246**, 275
Hartl, F., **252**, 157
Hartmann, W.K., **243**, 239
Harverson, P., **252**, 9
Harvey, P.D., **242**, 137; **250**, 337; **251**, 89
Harwood, D.J., **244**, 277
Hascall, T., **251**, 273
Hatano, K., **248**, 215
Hatzidimitriou, A.G., **249**, 105
Hay, R.W., **246**, 395
Hayward, P.K., **244**, 273; **253**, 97
Hecker, C.R., **242**, 143
Heerman, L., **244**, 191
Hegetschweiler, K., **250**, 35
Heilmann, M., **251**, 239
Helmer, O., **252**, 47
Henderson, J.I., **242**, 115
Henderson, R.A., **250**, 311
Henderson, R.C., **242**, 7
Hendges, S.K., **244**, 185
Henling, L.M., **242**, 205
Hernández-Ortega, S., **253**, 31
Hernlem, B.J., **244**, 179
Herrmann, L.M., **242**, 97
Heylen, G.A., **251**, 15
Hierso, K., **250**, 337
Higgs, J.K.E., **247**, 35
Hill, H.A.O., **252**, 71
Hill, M.G., **243**, 141, 219
Hill, S.T., **249**, 157
Hiraki, K., **245**, 243
Hirako, K., **250**, 149
Hirao, T., **248**, 129
Hirose, T., **251**, 135
Hitchcock, P.B., **250**, 173
Hockless, D.C.R., **246**, 371; **247**, 169
Hodder, R.A., **244**, 253
Hofbauer, M., **247**, 147
Hoffman, B.M., **243**, 233
Ho, D.S.-C., **246**, 275
Hogarth, G., **248**, 167; **251**, 167
Hoggard, P.E., **250**, 385
Höhmann, S., **247**, 79
Hollis, R.S., **242**, 239
Holthenrich, D., **248**, 175
Holub, J., **245**, 129
Holwerda, R.A., **242**, 1
Hopkins, M.D., **243**, 177
Horn, E., **252**, 55
Horváth, O., **248**, 107
Horwitz, C.P., **246**, 311
Hoshino, Y., **245**, 87
Hossain, M.E., **249**, 207
House, D.A., **247**, 19; **248**, 93
Hu, Q.-M., **245**, 109; **249**, 175
Hu, S., **252**, 179
Hu, Y., **242**, 261
Hua, R., **250**, 177
Huang, H., **248**, 23
Huang, X.-Y., **249**, 175
Hübener, R., **244**, 109
Hüber, M., **252**, 13
Hueso-Ureña, F., **241**, 61
Huffman, J.C., **243**, 283; **244**, 185
Hug, S.J., **242**, 323
Hughes, D.L., **251**, 13
Hughes, G.D., **252**, 229
Hunt, N.I., **252**, 71
Hurlburt, P.K., **242**, 71
Huskens, J., **245**, 51
Hüttermann, J., **252**, 167
Huynh, B.H., **252**, 399
Hynes, R.C., **249**, 207; **253**, 105

Ianelli, S., **245**, 43
Ibers, J.A., **243**, 57

Iglesias, M., **244**, 79, 239; **248**, 67
Ihringer, F., **246**, 195
Iijima, S., **253**, 47
Ikeda, I., **248**, 129; **250**, 149
Inamoto, K., **249**, 251
Ingham, S.L., **249**, 47
Inomata, Y., **249**, 121
Inoue, M., **246**, 401; **248**, 231
Inoue, M.B., **246**, 401; **248**, 231
Intini, F.P., **251**, 111
Ishihara, K., **241**, 81
Ishikawa, M., **241**, 81
Ishikawa, Y., **244**, 51
Ishimura, D., **249**, 201
Iveson, P., **251**, 119
Iwasawa, H., **253**, 1
Iyer, S.S., **243**, 283

Jackels, S.C., **246**, 301
Jackson, Jr., J.L., **249**, 5
Jacobsen, C.J.H., **247**, 189
Jagirdar, B.R., **250**, 317
Jambrina, E., **249**, 69
James, B.D., **247**, 169
James, B.R., **250**, 351
James, C.A., **242**, 91
Jaouen, G., **250**, 379
Jasinski, J., **241**, 31
Jeffery, J.C., **241**, 125; **251**, 9
Jenkins, H., **250**, 1
Jenkins, H.A., **246**, 207
Jensen, C.M., **247**, 189
Jensen, G.E., **250**, 155
Jessop, P.G., **250**, 351
Jiang, Z., **248**, 135
Jiménez, H.R., **244**, 171
Jircitano, A.J., **241**, 21
Johnson, A.O.M., **246**, 143
Johnson, B.F.G., **241**, 11
Johnson, J.A., **242**, 233
Jokela, J., **248**, 1
Jonasdottir, S., **243**, 255
Jones, A.G., **241**, 95; **244**, 121; **252**, 421, 427
Jones, J.A., **251**, 105
Jones, P.G., **249**, 163
Jones, S.W., **250**, 155
Jordanov, J., **251**, 119, 239
Jouaiti, A., **245**, 69
Journaux, Y., **246**, 249
Julve, M., **246**, 249; **250**, 81, 219

Kaden, T.A., **246**, 41; **251**, 177
Kadish, K.M., **252**, 375
Kaim, W., **251**, 239
Kaizaki, S., **249**, 135
Kaizu, Y., **247**, 155
Kamenar, B., **248**, 103
Kampf, J., **243**, 255
Kane-Maguire, K.A., **249**, 5
Kane-Maguire, L.A.P., **245**, 209; **249**, 5
Kane-Maguire, N.A.P., **249**, 5
Kang, H.W., **249**, 231
Kanitz, R., **245**, 209
Kappen, T.G.M.M., **245**, 133
Karlin, K.D., **242**, 329
Kassyk, A.L., **250**, 345
Kastin, A.J., **242**, 201
Kasuga, K., **244**, 137
Kato, M., **249**, 1
Kellett, P.J., **242**, 71
Kelly, C., **243**, 39
Kelly, C.A., **246**, 295
Kelly, R.S., **249**, 85
Kemp, T.J., **241**, 105; **248**, 241
Kennedy, J.M., **252**, 185
Kergoat, R., **250**, 119
Kettler, P.B., **244**, 199
Keyes, T.E., **245**, 237
Khokhar, A.R., **241**, 101
Khono, S., **245**, 243
Kiefer, W., **251**, 157
Kim, C.-G., **243**, 255
Kim, J.S., **250**, 283
Kim, K., **243**, 57
Kimura, E., **246**, 151; **249**, 125
King, R.B., **252**, 115
Király, R., **249**, 191
Kitagawa, H., **253**, 1
Kitchen, S.J., **246**, 81; **250**, 139
Klabunde, K.J., **250**, 317
Klaus, U., **250**, 327
Klein, H.-F., **248**, 111
Klemens, F.K., **250**, 75
Kliger, D.S., **242**, 149
Knoch, F., **244**, 213; **247**, 147
Knox, S.A.R., **251**, 167
Kobashi, H., **251**, 207
Koch, B., **246**, 295
Koch, M., **249**, 33
Koch, S.A., **243**, 333
Kodaka, M., **252**, 5
Kodama, Y., **246**, 151
Koetzle, T.F., **250**, 69
Koikawa, M., **249**, 251
Koike, T., **246**, 151
Kolnaar, J.A., **245**, 237
Kondo, Y., **241**, 81
Kondratiev, V.V., **242**, 63
Kong, P.-C., **245**, 251
Kooijman, H., **252**, 141
Korneeva, E.N., **243**, 9
Kortes, R., **244**, 15
Kortes, R.A., **245**, 149
Kositzyna, N., **250**, 365
Kosnic, E.J., **244**, 253
Kostić, N.M., **243**, 9
Kozlowski, H., **248**, 99
Kraemer, R., **246**, 47
Krauser, R., **250**, 203
Krausz, E., **249**, 231
Krebs, B., **252**, 13
Kreiter, C.G., **251**, 95
Krippner, G.Y., **251**, 265
Kříž, O., **247**, 123
Krüger, C., **244**, 147
Kubiak, C.P., **242**, 115
Kubicki, M.M., **247**, 263
Kubow, S.A., **241**, 21; **245**, 167
Kühn, F.E., **252**, 251, 257
Kulmala, S., **247**, 209
Kunkely, H., **250**, 375
Kurihara, H., **249**, 201
Kuroda-Sowa, T., **248**, 147; **249**, 183
Kurosawa, H., **250**, 149
Kurtz, Jr., D.M., **242**, 245
Kutal, C., **247**, 5
Kuwahara, T., **245**, 243
Kuz'mina, L.G., **253**, 71

LaCroix, L.B., **243**, 67, 229
Laguna, A., **244**, 95; **249**, 69, 163
Laguna, M., **249**, 69, 163
Lahoz, F.J., **250**, 241
Laidlaw, W.M., **248**, 51
Laitalainen, T., **248**, 121
Lakin, M.T., **245**, 27
Lambs, L., **247**, 175; **253**, 106
Lane, H.P., **247**, 257
Lanfranchi, M., **252**, 367
Lange, C., **246**, 241
Langemann, K., **243**, 79
Langen, R., **243**, 141
Langley, K.J., **253**, 77
Larsson, S., **250**, 189
Latour, J.-M., **252**, 413
Latva, M., **247**, 209
Lauceri, R., **246**, 7
Laurenczy, G., **247**, 65
Lavayssière, H., **252**, 25
Lawrance, G.A., **246**, 65
Lawrence, S.M., **243**, 141
Layh, M., **249**, 33
Lebuis, A.-M., **253**, 105
Leciejewicz, J., **248**, 241
Lee, C.C., **243**, 147
Lee, C.-T., **249**, 115
Lee, J.F., **243**, 333
Lee, S.S., **253**, 39
Lee, S.W., **253**, 39
Lee, T.-Y., **252**, 131
Leeson, P.B., **246**, 133
Le Floc'h, C., **251**, 13
Leising, R.A., **245**, 167
Le Mest, Y., **248**, 181
Lemos, M.A.N.D.A., **244**, 25
Lenormand, A., **251**, 119
Leong, A.J., **246**, 371
Leonoudakis, D.J., **243**, 15
Leonowicz, M.E., **243**, 147
Levason, W., **244**, 65
Lever, A.B.P., **242**, 293
Lewis, N.S., **242**, 311
Lewis, W., **243**, 309
L'Her, M., **248**, 181
Li, S., **250**, 303
Liao, D., **248**, 135
Liard, D.J., **251**, 9
Licchelli, M., **246**, 379
Licoccia, S., **241**, 55
Lieber, C.M., **243**, 305
Liesegang, J., **247**, 169
Li, A., **246**, 241
Li, Y.J., **246**, 89
Lightfoot, P., **246**, 395
Lilie, J., **246**, 59
Limosin, D., **252**, 413
Lin, C.-Y., **252**, 179
Lin, F.-T., **244**, 15; **245**, 149
Lin, K.-S., **242**, 179
Lin, R.-J., **242**, 179
Lindner, G.-G., **252**, 39
Lindoy, L.F., **246**, 371
Lindsay, E., **242**, 51; **250**, 5
Liou, L.-S., **249**, 115
Lippard, S.J., **243**, 295
Lippert, B., **247**, 79; **248**, 175; **252**, 167
Liu, G., **249**, 239
Liu, G.-X., **251**, 319
Liu, J., **243**, 305
Llinares, J.M., **246**, 287
LLoret, F., **246**, 249; **250**, 81, 219, 227
Lloris, J.M., **247**, 139
Lloyd, B.R., **251**, 167
Lober, J., **245**, 17
Löcke, R., **252**, 13
Loeb, S.J., **246**, 207
Loeber, C., **242**, 137
Løken, B.H., **252**, 141
López, C., **244**, 141
López-Garriga, J., **243**, 161
López-Garzón, R., **247**, 203
López-Mejía, R., **243**, 161
Lorösch, J., **252**, 13
Losi, P., **249**, 13
Lovatt, P.A., **246**, 343
Lowery, M.D., **243**, 67
Lowry, R.B., **244**, 277
Lu, Q., **251**, 365
Luchinat, C., **243**, 91
Luck, J.S., **242**, 71
Luckay, R., **246**, 159
Lui, S.M., **242**, 25
Luis, S.V., **246**, 287; **252**, 123
Luitwieler, I.F., **252**, 55
Lukehart, C.M., **251**, 151
Luo, F., **246**, 295
Lynch, V., **246**, 23
Lynn, M.A., **243**, 283
Lyssenko, K., **250**, 365

Maaskant, W.J.A., **245**, 27
Macey, D.J., **243**, 121
Macháček, J., **247**, 123
Machado, I.L.F., **244**, 25
Machnik, D., **251**, 299
Macpherson, K.A., **251**, 167
Maeder, M., **246**, 65
Maekawa, M., **248**, 147; **249**, 183
Maes, T.L., **251**, 15
Maeyama, M., **251**, 207
Mague, J.T., **250**, 295
Mahaffy, C.A.L., **244**, 265
Majestic, V.K., **246**, 119
Majoral, J.P., **246**, 47
Mak, T.C.W., **245**, 109, 123; **249**, 169; **253**, 15
Malachowski, M.R., **249**, 85
Maldonado, M., **243**, 161
Malisch, W., **244**, 147
Mallah, T., **246**, 249
Malmström, B.G., **243**, 141

Maloney, D.J., **249**, 9; **252**, 293
Manchanda, R., **245**, 91
Mandolini, L., **246**, 181
Manet, I., **252**, 19
Manini, P., **252**, 367
Mann, B.E., **245**, 215
Mann, K., **250**, 219
Mann, K.R., **243**, 219
Manna, J., **243**, 177
Manotti-Lanfredi, A.-M., **248**, 35
Manzur, C., **249**, 245
Manzur, J., **248**, 247
Marcelino, V., **252**, 123
Marchesini, A., **243**, 317
Marchetti, F., **249**, 215
Marcus, R.A., **243**, 271
Marder, S.R., **242**, 43
Mardi, S.E., **253**, 106
Maresca, K.P., **252**, 421, 427
Maricondi, C., **244**, 15; **245**, 149; **248**, 89
Maritano, S., **243**, 317
Markó, L., **251**, 35
Marks, C., **246**, 99
Marques, H.M., **248**, 115
Marteletti, A., **248**, 27
Martell, A.E., **246**, 89; **251**, 365
Martínez-Máñez, R., **247**, 139
Martin Reyes, M.G., **244**, 25
Martins, L.M.D.R.S., **250**, 311
Martin Zarza, P., **244**, 25
Maruyama, M., **247**, 155
Marvin, J.R., **247**, 267
Marzin, C., **246**, 217
Mašková, E., **242**, 17
Mastrorilli, P., **249**, 237
Masui, C.S., **251**, 325
Masui, H., **242**, 293
Matheis, W., **251**, 239
Matijašić, I., **252**, 383
Matilla-Hernández, A., **253**, 23
Matković-Čalogović, D., **248**, 103
Matsubayashi, G., **245**, 101
Matsumoto, N., **246**, 13; **247**, 57; **253**, 47
Matt, D., **242**, 137
Matthews, R.J., **244**, 185
Mauk, A.G., **242**, 171
Maverick, A.W., **243**, 309
Mavilla, L., **245**, 43
Mayer, J.M., **251**, 325
Mayo, S.L., **243**, 207
Mayr, A., **252**, 131
Mazières, S., **252**, 25
McAdam, J., **247**, 99
McAuley, A., **246**, 349
McAuliffe, C.A., **247**, 257
McCleverty, J.A., **250**, 29
McClymont, E.L., **244**, 253
McCormick, J.M., **243**, 79
McCosar, B.M., **244**, 73
McFarlan, J.T., **244**, 269
McGlashen, M.L., **252**, 179
McGlinchey, M.J., **251**, 355
McKee, V., **246**, 171
McKenna, S., **243**, 147
McLachlan, G.A., **251**, 193
McLean, M., **243**, 193
McLendon, G., **242**, 7
McMillin, D.R., **242**, 143; **250**, 75
Meade, T.J., **243**, 207; **246**, 109
Mederos, A., **241**, 39
Mehdi, A., **250**, 21
Mehne, L.F., **244**, 73; **246**, 31
Meienberger, M.D., **250**, 35
Meier, M., **242**, 185
Mejeritskaia, E., **246**, 295
Melanson, R., **245**, 251; **251**, 309
Menabue, L., **244**, 207
Menzer, S., **251**, 141
Merola, J.S., **245**, 7
Metcalfe, T., **246**, 171
Mettendorf, R., **245**, 17
Meyer, T.E., **243**, 25
Miah, Md.A.A., **245**, 231
Micera, G., **248**, 99
Michalska, D., **248**, 159
Michelin, R.A., **245**, 269; **252**, 355
Michita, Y., **245**, 243
Mikó, I., **248**, 107
Miletić, V.D., **248**, 89
Milicic-Tang, A., **252**, 221
Milius, W., **241**, 87; **250**, 327
Millar, M., **243**, 333
Miller, D.O., **250**, 227
Miller, K.F., **243**, 147
Miller, S., **246**, 395
Millett, F., **243**, 193
Milne, S.B., **251**, 151
Minhas, R.K., **244**, 37
Mink, J., **249**, 17
Miravet, J.F., **252**, 123
Mitchell, E.M., **252**, 405
Mitsumi, M., **249**, 201; **253**, 47
Miyasaka, H., **247**, 57
Mizutani, F., **253**, 47
Mneimne, O., **251**, 299
Moasser, B., **242**, 125
Möbius, M., **247**, 147
Mody, T.D., **246**, 23
Moffat, J., **253**, 107
Moïse, C., **247**, 263
Mollar, M., **246**, 249
Momenteau, M., **244**, 171
Monari, M., **247**, 131
Montoneri, E., **253**, 77
Moran, G., **249**, 231
Morán, M., **251**, 5
Morehouse, S.M., **243**, 327
Moreno, J.M., **247**, 203
Moreno-Carretero, M.N., **241**, 61
Morise, X., **250**, 337
Moriuchi, T., **248**, 129
Moriwaki, N., **244**, 137
Moro-oka, Y., **250**, 177
Morris, D.E., **242**, 91
Morrow, J.R., **246**, 99
Mortensen, O.S., **243**, 249
Morton, D.A.V., **251**, 167
Morzyk, B., **248**, 159
Moser, C.C., **243**, 213
Mosny, K.K., **247**, 93
Mota de Freitas, D., **251**, 201
Motekaitis, R.J., **251**, 365
Motoda, K., **246**, 13
Moubaraki, B., **247**, 35
Moya, A., **251**, 5
Mozzon, M., **245**, 269; **252**, 355
Muller, J.G., **251**, 193
Mullica, D.F., **244**, 247, 273; **248**, 85; **253**, 97
Munakata, M., **248**, 147; **249**, 183
Munno, G.D., **250**, 81
Muñoz, S., **250**, 59
Muñoz-Hernández, M.-A., **253**, 31
Murakami, T., **244**, 51
Murase, I., **246**, 89
Murata, K., **244**, 51
Murillo, C.A., **245**, 115; **249**, 9; **252**, 293
Murray, H.H., **249**, 69
Murray, K.S., **247**, 35
Murthy, N.N., **242**, 329

Nagano, T., **249**, 1
Naji, M., **246**, 217
Nakashima, M., **249**, 251
Naklicki, M.L., **242**, 63
Nallas, G.N.A., **253**, 7
Nardin, G., **245**, 157; **247**, 183
Natile, G., **251**, 35, 111
Natsume, T., **248**, 215
Navarro, A.M., **243**, 161
Nawra, M., **251**, 227
Nazimuddin, M., **249**, 207
Neenan, T.X., **247**, 43
Nelson, J., **246**, 73
Nervi, C., **247**, 99
Nesper, R., **247**, 237; **250**, 35
Newkome, G.R., **246**, 119
Ng, J.B., **253**, 105
Nicholls, D., **244**, 259; **245**, 97
Nicholson, T., **241**, 95; **244**, 121; **252**, 421, 427
Niclós Gutiérrez, J., **241**, 39; **253**, 23
Nieckarz, G.F., **242**, 303
Nieger, M., **242**, 281
Nielsen, M.J., **243**, 249
Nifant'ev, I., **253**, 71
Nikolakopoulos, J., **251**, 201
Nilsson, T., **243**, 345
Nishihara, Y., **252**, 91
Niu, S., **252**, 333
Nivorzhkin, A.N., **251**, 291
Nobile, C.F., **249**, 237
Nocera, D.G., **243**, 239
Nolan, K.B., **245**, 257
Nolan, S.P., **252**, 107
Nordlander, E., **247**, 131
Norman, N.C., **248**, 263
Norman, T., **248**, 167

Oberholzer, M.R., **246**, 41
Ochando, L.-E., **248**, 153
O'Connor, C.J., **243**, 1; **250**, 303
Ogden, M.I., **246**, 133
Ogura, K., **246**, 53
Ohba, M., **246**, 13
Ojima, I., **251**, 299
Okada, T., **252**, 5
Okamoto, K., **252**, 5
Ōkawa, H., **247**, 57; **253**, 47
Okuno, H., **252**, 5
Okuno, S., **245**, 101
Okura, I., **249**, 1
Oldenburg, K., **248**, 107
Olmstead, M.M., **251**, 273
Onishi, M., **245**, 243
Onuchic, J.N., **243**, 167
Oram, P., **246**, 401; **248**, 231
Oro, L.A., **250**, 241
Orpen, A.G., **251**, 167
Ortner, K., **244**, 109
Osella, D., **247**, 99; **250**, 379
Oskam, A., **247**, 215
O'Sullivan, T., **243**, 333
Otvos, J.W., **246**, 241
Oudet, P., **247**, 263
Ough, E.A., **246**, 361
Ovchinnikov, M.V., **243**, 9
Owens, S.J.R., **243**, 249

Pace, G., **252**, 355
Paci, M., **241**, 55
Pacifico, C., **251**, 111
Paine, R.T., **247**, 29
Pallavicini, P., **244**, 7
Palmer, C.A., **252**, 281
Palmer, R., **250**, 317
Palmer, S.M., **251**, 81
Pan, W.-H., **243**, 147
Pan, X., **243**, 1
Panusa, A., **247**, 75
Paolesse, R., **241**, 55
Paoletti, P., **244**, 255; **246**, 125
Paoli, P., **252**, 383
Papaefthymiou, G.C., **243**, 295
Parodi, L., **244**, 7
Parvez, M., **248**, 89
Pasini, A., **248**, 225
Pasternack, R.F., **246**, 7
Patinec, V., **244**, 105
Paulus, P.M., **245**, 27
Paver, M.A., **248**, 9
Payá, J., **247**, 139
Peacock, R.D., **246**, 343
Pecht, I., **243**, 127
Pelizzi, C., **245**, 43
Pelizzi, G., **245**, 43
Peña, O., **248**, 247
Pence, L.E., **242**, 91
Penfield, K.W., **243**, 67
Peng, G., **243**, 229
Peng, S., **242**, 105
Perera, S.D., **244**, 115; **245**, 59
Perotti, A., **244**, 7
Perry, J.W., **242**, 43
Peters, J.A., **245**, 51
Pettinari, C., **249**, 215
Pfeffer, M., **249**, 63
Pfeiffer, R., **247**, 131
Phillips, D.J., **245**, 231

Phillips, I.G., **244**, 3
Pichierri, F., **248**, 175
Pierloot, K., **251**, 15
Pierpont, C.G., **245**, 1
Pierre, T.G.St., **243**, 121
Pikl, R., **251**, 157
Plass, W., **244**, 221
Platzek, J., **249**, 191
Poë, A.J., **252**, 311
Poggi, A., **246**, 379
Poli, N., **247**, 75
Polimante, R., **249**, 215
Pollagi, T.P., **243**, 177
Pombeiro, A.J.L., **244**, 25; **248**, 45; **250**, 311
Ponce, A., **243**, 135, 239
Poon, C.-K., **242**, 105
Pootrakul, P., **243**, 121
Pope, S.J., **251**, 13
Porta, F., **247**, 71; **249**, 79
Portalone, G., **249**, 215
Posner, B.I., **253**, 105
Pospíšil, L., **250**, 379
Potenza, J.A., **243**, 33
Power, P.P., **251**, 273
Predieri, G., **252**, 367
Preece, S.R., **244**, 65
Pregosin, P.S., **250**, 365
Pressler, M.A., **243**, 345
Pringle, P.G., **252**, 33
Prins, R., **248**, 35
Puddephatt, R.J., **251**, 319
Purrello, R., **246**, 7

Qiao, T., **242**, 7
Qu, Y., **245**, 265
Que, Jr., L., **243**, 1
Quirós, M., **247**, 51
Quirós-Olozábal, M., **241**, 61

Rabanal, F., **243**, 213
Rabu, P., **248**, 35
Rack, J.J., **242**, 71
Radanović, D.J., **248**, 89
Radonovich, L.J., **250**, 317
Radüchel, B., **249**, 191
Rae, A.D., **245**, 231
Rafferty, S.P., **242**, 171
Rahardjo, S.B., **246**, 321
Rahmani, A., **247**, 51
Raithby, P.R., **247**, 139; **248**, 9; **252**, 281
Ramacher, B., **250**, 49
Ramakrishna, B.L., **248**, 73
Ramírez, J.A., **246**, 287
Rammo, J., **251**, 125
Randaccio, L., **248**, 175
Rasmussen, J.C., **251**, 291
Rastar, G., **250**, 351
Ratner, M.A., **243**, 233
Rauf Khan, A., **251**, 89
Ravera, M., **247**, 99
Rawlings, J., **244**, 265
Raymond, K.N., **243**, 79
Read, P.A., **241**, 105
Real, J.A., **250**, 81
Recchia, S., **249**, 79
Redding, R.N., **244**, 185
Reedijk, J., **245**, 27, 237; **247**, 43; **248**, 35
Refosco, F., **247**, 119; **249**, 131
Reibenspies, J.H., **246**, 89, 159; **250**, 283
Reid, G., **251**, 13
Reiff, W.M., **247**, 169
Reinen, D., **252**, 39
Reinhoudt, D.N., **246**, 181
Reising, J., **244**, 147
Reiß, G.J., **251**, 95
Reller, A., **252**, 47
Ren, J., **246**, 331
Renkema, K.B., **244**, 185
Rennie, M.-A., **248**, 9
Rentschler, E., **247**, 231
Rep, M., **250**, 87
Rettig, S.J., **251**, 53
Reunanen, A., **248**, 121
Rey, P., **252**, 413
Reyé, C., **250**, 21
Ribbing, C., **251**, 15
Ricevuto, V., **251**, 255
Richards, J.H., **243**, 141
Richards, R.L., **251**, 13
Richardson, T.B., **250**, 69
Richmond, M.G., **241**, 71; **247**, 161; **250**, 195
Richmond, W.R., **246**, 275
Rickard, C.E.F., **251**, 65
Rickel, D.G., **243**, 309
Riera, A.M.i., **246**, 207
Rigby, S.S., **251**, 355
Rigo, P., **247**, 183
Rima, G., **241**, 9
Riordan, C.G., **243**, 19
Robert, F., **249**, 245
Robinson, B., **247**, 99
Robinson, K.D., **253**, 91
Robinson, W.T., **247**, 19
Rocchi, R., **245**, 269
Rochon, F.D., **245**, 251; **251**, 309
Roe, S.M., **248**, 241
Roelofsen, A.M., **245**, 133
Rogers, R.D., **250**, 105
Rojo, T., **249**, 25
Rokita, S.E., **251**, 193
Romero, J., **245**, 119
Romero, M.A., **247**, 51
Rong, C., **242**, 11
Roper, W.R., **251**, 65
Ros, R., **244**, 11; **247**, 65
Rose, D., **244**, 199
Rose, D.J., **252**, 421, 427
Rosenzweig, A.C., **242**, 239
Rösler, R., **241**, 47
Ross, A.T., **251**, 141
Ross, F.B., **252**, 79
Rossenaar, B.D., **247**, 215, 247; **250**, 5
Rossi, A., **248**, 203
Roszak, A.W., **253**, 53
Roulet, R., **247**, 65
Roundhill, D.M., **242**, 201; **250**, 295
Rousseau, A., **248**, 115
Roy, C.P., **245**, 7
Rudsander, U., **247**, 131
Ruf, M., **250**, 271
Ruffolo, R., **250**, 49
Rülke, R.E., **250**, 87
Ruppa, K.B., **250**, 1
Rupprecht, S., **243**, 79
Russell, C.A., **248**, 9

Sabbatini, N., **252**, 19
Saccani, A., **248**, 73
Sackett, J.G., **249**, 85
Sadun, C., **248**, 203
Saha, A., **250**, 185
Saha, N., **250**, 185
Saillard, J.-Y., **248**, 181; **250**, 119
Sakai, K., **246**, 413
Sakane, G., **251**, 207
Saladini, M., **244**, 207
Salas, J.M., **247**, 51
Salas-Peregrín, J.M., **241**, 61
Sales, J., **244**, 141
Salta, J., **250**, 303; **252**, 431, 435
Saltman, P., **242**, 57
Sánchez, A., **241**, 117
Sánchez, F., **244**, 79, 239
Sánchez González, A., **241**, 117
Sancho, A., **248**, 153
Sanders, D., **243**, 141
Sanders, J.R., **251**, 13
Sandrolini, F., **248**, 73
Santos, A., **248**, 67
Santos, R.H.A., **245**, 215
Sanzenbacher, R., **246**, 267
Sappenfield, E.L., **244**, 247, 273; **248**, 85; **253**, 97
Sardone, N., **244**, 7; **246**, 379
Sargeson, A.M., **241**, 5
Sarti, G., **252**, 19
Satgé, J., **252**, 25
Sato, T., **246**, 413
Sato, Y., **247**, 57
Sayles, G.D., **244**, 179
Sazama, U., **252**, 47
Schaab, K.M., **252**, 299
Schäffer, C.E., **252**, 185
Schibli, R., **248**, 193
Schichman, S.A., **243**, 25
Schier, A., **251**, 249
Schilling, P.J., **246**, 119
Schiødt, N.C., **248**, 139
Schlaich, H., **252**, 39
Schlebos, P.P.J., **245**, 133
Schmalle, H., **252**, 319
Schmalle, H.W., **244**, 165; **250**, 35
Schmid, B., **250**, 203
Schmid, G., **250**, 359
Schmidbaur, H., **251**, 249
Schmidt, I., **247**, 189
Schneider, H.-J., **251**, 125
Schneider, W., **251**, 249
Scholl, H.-J., **252**, 167
Scholz, P., **251**, 157
Schönenberger, H., **250**, 203
Schönherr, T., **249**, 135
Schubert, A., **253**, 109
Schugar, H.J., **243**, 33
Schulz, A., **251**, 239
Schulz, D., **246**, 387
Schwarz, H.A., **243**, 39
Schwarze, B., **241**, 87
Scopelliti, R., **250**, 81
Scott, B., **248**, 73
Scott Browning, C., **241**, 111
Scott, G.W., **243**, 185
Scott, J.R., **243**, 193
Scott, R.A., **242**, 245
Sécheresse, F., **252**, 101
See, R.F., **243**, 109
Seitz, G., **250**, 219
Sellmann, D., **244**, 213
Senocq, F., **248**, 15
Senter, R.A., **247**, 161
Seok, W.K., **243**, 57
Sequeira, C., **253**, 107
Serimaa, R., **248**, 121
Serron, S.A., **252**, 107
Server-Carrió, J., **245**, 75
Sessler, J.L., **246**, 23; **251**, 135
Sessoli, R., **243**, 295
Setzer, W.N., **244**, 73; **246**, 31
Severns, J.C., **250**, 75
Shadle, S.E., **243**, 67
Shamsuddin, S., **241**, 101
Shaver, A., **253**, 105
Shaw, B.L., **244**, 115; **245**, 59
Sheil, M.M., **245**, 209
Shen, H., **241**, 71; **247**, 161; **250**, 195
Shen, J.-Y., **249**, 175
Shepherd, R.E., **244**, 15; **245**, 149; **253**, 65
Sheppard, C.L., **250**, 227
Sherry, A.D., **246**, 331
Shiba, K., **250**, 149
Shibahara, T., **251**, 207
Shim, Y.K., **252**, 179
Shionoya, M., **246**, 151; **249**, 125
Shklover, V., **247**, 237
Shrophire, I.M., **248**, 45
Shuchart, C.E., **243**, 109
Shweky, I., **251**, 75
Sicilia Zafra, A.G., **241**, 39
Siddik, Z.H., **241**, 101
Siegfried, L., **251**, 177
Siegfried, L.C., **246**, 41
Sieler, J., **249**, 151
Sigel, H., **250**, 185
Sillanpää, R., **245**, 35; **248**, 1
Silva, D.d.O., **249**, 57
Silver, M.E., **244**, 185
Silvestru, C., **241**, 47
Simándi, L.I., **248**, 81
Simpson, J., **244**, 131; **247**, 99
Škawa, H., **246**, 13
Skelton, B.W., **246**, 275; **247**, 169; **250**, 129
Skopenko, V.V., **249**, 151
Skourtis, S.S., **243**, 167
Skov, L.K., **243**, 127
Slebodnick, C., **243**, 57
Sletten, J., **250**, 219

Sligar, S.G., **243**, 193
Slutter, C.E., **243**, 141
Smeets, W.J.J., **252**, 55
Smith, D.K., **246**, 143
Smith, E.T., **242**, 245
Smith, F.E., **249**, 207
Smith, J.D., **250**, 173
Smith, K.M., **252**, 179
Smith, M., **242**, 171
Smith, P.H., **247**, 29
Snoeck, T.L., **252**, 157
Snow, S.A., **244**, 185
Socol, S.M., **251**, 89
Sola, M., **244**, 207
Solans, X., **247**, 85; **248**, 59
Solomon, E.I., **243**, 67, 229
Somoza, F., **252**, 391
Sondhi, S.M., **253**, 91
Song, B., **250**, 185
Song, L.-C., **245**, 109; **249**, 175
Song, X., **242**, 271
Sordo, J., **241**, 117
Soriano, A., **251**, 285
Soriano, C., **246**, 287
Soto, J., **247**, 139
Soto, L., **248**, 153
Sousa, A., **245**, 119
Spangler, N.J., **246**, 31
Speier, G., **245**, 1
Spek, A.L., **245**, 27; **252**, 55, 141, 203, 339
Spencer, P., **246**, 143
Spiccia, L., **247**, 35
Spiro, T.G., **252**, 179
Spodine, E., **248**, 247
Spreer, L.O., **246**, 241
Squattrito, P.J., **244**, 253; **253**, 77
Stager, C.V., **251**, 309
Steel, P.J., **244**, 3
Stegge, J.M., **250**, 385
Steggerda, J.J., **245**, 133
Stephenson, G.R., **248**, 45
Štíbr, B., **245**, 129
Stibrany, R.T., **243**, 33
Stiefel, E.I., **243**, 147
Stiegman, A.E., **243**, 185
Stillman, M.J., **246**, 361
Stobart, S.R., **243**, 47
Stock, S.R., **251**, 151
Strähle, J., **244**, 109
Strauss, S.H., **242**, 71
Stuchebrukhov, A.A., **243**, 271
Stufkens, D.J., **247**, 215, 247; **250**, 5
Stynes, D.V., **242**, 293
Su, J., **251**, 101
Suenaga, Y., **248**, 147; **249**, 183
Suganuma, A., **244**, 1
Summers, D.A., **251**, 75
Sun, H.H.J., **242**, 329
Sundberg, M.R., **245**, 35; **248**, 1
Sutin, N., **243**, 39
Sutter, J.-P., **249**, 63
Sutton, K.H., **251**, 265
Suzuki, N., **245**, 105; **252**, 91
Suzuki, T., **245**, 87
Svendsen, C., **243**, 249
Swarts, J.C., **242**, 165
Swiegers, G.F., **246**, 371
Sykes, A.G., **242**, 165
Symons, M.C.R., **241**, 5
Szalda, D.J., **243**, 39
Szczepura, L.F., **245**, 167
Szulbinski, W.S., **247**, 11; **253**, 103

Tabl, A.S., **241**, 5
Taglietti, A., **244**, 7
Taiwo, T., **241**, 5
Takahashi, T., **252**, 91
Takeda, H., **246**, 413
Takeishi, H., **251**, 1
Takeuchi, K.J., **241**, 21; **245**, 167
Takeuchi, T., **249**, 121
Tamburini, S., **247**, 143
Tamilarasan, R., **250**, 75
Tan, M.X., **242**, 311
Tanase, T., **249**, 1
Tandon, S.S., **250**, 227
Tang, W., **249**, 239
Tarrago, G., **246**, 217
Tassan, A., **244**, 11
Tassoni, E., **241**, 55
Taura, T., **252**, 1
Taylor, L.F., **243**, 1
Taylor, M.R., **246**, 1, 321
Tebbe, K.-F., **245**, 17
Tedesco, E., **244**, 11
Tedesco, V., **251**, 185
Teixidor, F., **245**, 129
Templeton, D.M., **245**, 199
Tendero, M.J.L., **247**, 139
Tercero-Moreno, J.M., **253**, 23
Terroba, R., **249**, 69
Tfouni, E., **245**, 215
Therien, M.J., **242**, 211
Thompson, L.K., **244**, 87; **250**, 163, 227
Thompson, R.C., **251**, 75
Thornton-Pett, M., **244**, 115; **245**, 59
Thorp, H.H., **242**, 219
Tiripicchio, A., **250**, 241; **252**, 367
Tiripicchio Camellini, M., **250**, 241
Tisato, F., **247**, 119; **249**, 131
Tocher, D.A., **252**, 281
Todone, F., **253**, 87
Toftlund, H., **251**, 291
Tokii, T., **249**, 251
Tolbert, L.M., **251**, 29
Tollari, S., **247**, 71; **249**, 79
Tomasin, P., **247**, 143
Tong, C., **251**, 105
Toomey, L.M., **246**, 99
Tóth, É., **249**, 191
Trabesinger, G., **250**, 365
Traill, P.R., **251**, 185
Tran, K., **243**, 185
Tran, K.C., **243**, 121
Trautwein, A.X., **246**, 387
Trifunović, S.R., **248**, 89
Truter, M.R., **245**, 223
Tsiamis, C., **249**, 105
Tsubomura, T., **246**, 413
Tsukahara, S., **245**, 105
Tsukube, H., **251**, 1
Tuck, D.G., **247**, 123, 135
Tullius, T.D., **242**, 233
Turro, C., **243**, 101; **252**, 333
Turro, N.J., **243**, 101; **252**, 333
Tušek-Božić, L., **252**, 383
Tyler, D.R., **242**, 303

Uchihara, T., **242**, 253
Uddin, M., **249**, 105
Uggeri, F., **249**, 13
Uggla, R., **245**, 35
Ugozzoli, F., **248**, 35
Uhl, W., **249**, 33
Ujimoto, K., **249**, 201
Ulbrich, D., **250**, 49
Umeda, H., **245**, 87
Ungaretti, L., **246**, 379
Ungaro, R., **252**, 19
Urfer, A., **251**, 177
Urriolabeitia, E.P., **249**, 63
Urrutigoïty, M., **248**, 15
Urtiaga, M.K., **249**, 25
Utsuno, S., **244**, 1
Uytterhoeven, M.G., **244**, 231
Uzoukwu, B.A., **250**, 173

Vahrenkamp, H., **250**, 271
Vahvaselkä, S., **248**, 121
Valente, E.J., **244**, 73, 151; **245**, 81
Valtancoli, B., **244**, 255; **246**, 125; **249**, 13
Van Axel Castelli, V., **246**, 181
Van Bekkum, H., **245**, 51
Vance, F.W., **244**, 185
Van der Linden, J.G.M., **245**, 133
VanDerveer, D.G., **246**, 31
Van Dyke, B.R., **242**, 57
Vane, L.M., **244**, 179
Van Eldik, R., **251**, 341
Van Koten, G., **252**, 55, 141, 203, 339
Van Leeuwen, P.W.N.M., **250**, 87
Van Nyen, H., **244**, 191
Vanquickenborne, L.G., **251**, 15
Van Veggel, F.C.J.M., **246**, 181
Varnek, A., **246**, 275
Varotsis, C., **243**, 345
Vassalli, O., **246**, 379
Vastag, S., **251**, 35
Vatter, K., **252**, 55
Veldhuizen, Y.S.J., **245**, 27
Veldman, N., **245**, 27; **252**, 203, 339
Verdaguer, M., **252**, 413
Verhorevoort, K.L., **248**, 9
Vicente, R., **247**, 85; **248**, 59
Vichard, D., **250**, 379
Vigato, P.A., **247**, 143
Villacampa, M.D., **244**, 95
Villadsen, J., **247**, 189
Villarroya, B.E., **250**, 241
Viñas, C., **245**, 129
Vincent-Hollis, R.L., **244**, 269
Viotte, M., **253**, 71
Vlček, Jr., A., **242**, 17; **247**, 247; **250**, 5; **252**, 157
Vogler, A., **248**, 107; **250**, 375
Vogler, L.M., **250**, 155
Vögtle, F., **242**, 281
Vollenbroek, E., **243**, 345
von Zelewsky, A., **242**, 281
Vos, J.G., **245**, 237
Vrieze, K., **250**, 87; **252**, 141, 203, 339

Wada, H., **246**, 13
Wainwright, K.P., **246**, 1, 321
Walke, E.N., **247**, 105
Walker, J.V., **243**, 201
Walton, R.A., **242**, 81; **249**, 101
Waltz, W.L., **246**, 59
Wang, G., **248**, 135
Wang, H., **248**, 135
Wang, J., **248**, 93
Wang, J.-C., **249**, 115
Wang, K., **243**, 193
Wang, R., **251**, 135
Wang, R.-J., **245**, 109
Wang, S., **250**, 163
Wang, X., **245**, 115
Ward, M.D., **241**, 125; **250**, 29; **251**, 9
Warden, J.T., **246**, 311
Wasgestian, F., **245**, 17
Watase, T., **251**, 207
Waters, J.M., **249**, 47
Watkin, J.G., **244**, 269
Watkins, S.F., **246**, 119
Watson, R.T., **249**, 5
Way, D.M., **251**, 185
Wear, T., **251**, 335
Webb, J., **243**, 121
Webster, M., **244**, 65
Wehman-Ooyevaar, I.C.M., **252**, 55
Wei, L., **243**, 147
Wei, P.-R., **249**, 169
Weintraub, S.T., **246**, 311
Weis, K., **250**, 271
Wen-Fu, F., **251**, 341
Werstiuk, N.H., **251**, 355
Westwood, A., **244**, 259; **245**, 97
Weyhermüller, T., **246**, 387; **252**, 195
Whalen, A.M., **245**, 1
Wheeler, D.E., **249**, 157
Wherland, S., **242**, 159; **243**, 147
Whitcombe, T.W., **246**, 349
White, A.H., **246**, 275; **247**, 169; **250**, 129
White, C.A., **242**, 63
Whitmire, K.H., **249**, 41
Whittaker, M., **251**, 265
Wieghardt, K., **246**, 387; **252**, 195
Wiehl, L., **248**, 209
Wienkötter, T., **247**, 79

Wild, S.B., **246**, 371
Wilkes, E.N., **246**, 65
Will, G., **248**, 209
Willett, R., **248**, 73
Williams, D.J., **251**, 141
Williams, T., **250**, 317
Winfield, K.R., **245**, 81
Winkler, J.R., **243**, 135, 141
Wipff, G., **246**, 275
Witke, K., **252**, 39
Wittig, J.E., **251**, 151
Wittung, P., **243**, 141
Witzel, H., **252**, 13
Woessner, S.M., **250**, 385
Wojcicki, A., **243**, 109
Wojciechowski, W., **248**, 159
Wojtczak, W.A., **252**, 239
Wong, P.A., **243**, 239
Wong, P.S.H., **246**, 259
Woodruff, W.H., **242**, 91
Wörle, M., **250**, 35
Wrackmeyer, B., **241**, 87; **250**, 327
Wright, D.S., **248**, 9
Wright, L.J., **251**, 65
Wu, D.-D., **245**, 123; **249**, 169; **253**, 15
Wu, H.-P., **245**, 143
Wu, L.P., **248**, 147; **249**, 183
Wu, W., **242**, 81

Xia, X., **252**, 391

Yamada, J., **249**, 121
Yamamoto, T., **251**, 207
Yamamoto, Y., **249**, 1
Yan, S., **243**, 1; **248**, 135
Yang, J.-S., **245**, 109
Yang, Q.-C., **245**, 143
Yano, S., **249**, 1
Yao, X., **248**, 135
Yao, Z., **250**, 359
Yaouanc, J.-J., **244**, 105
Yap, V.P.D., **251**, 65
Yin, Y.-Q., **245**, 143
Yokochi, A., **252**, 251
Yokoyama, T., **253**, 1
Yordanov, A.T., **250**, 295
Yoshida, Z., **251**, 1
Yoshikawa, Y., **244**, 1
Yoshimura, Y., **244**, 57
Yost, C.S., **243**, 15
Young, A.T., **243**, 229
Yu, X., **246**, 259
Yu, W.-Y., **242**, 105

Zachariah, C., **251**, 201
Zaegel, F., **252**, 375
Záhonyi-Budó, É., **248**, 81
Zaitseva, N.N., **250**, 129
Zakeeruddin, S.M., **247**, 237
Zakrzewski, J., **249**, 111
Zangrando, E., **248**, 175; **252**, 355
Zanotto, L., **245**, 157; **252**, 355
Zeng, Q., **242**, 245
Zenki, M., **253**, 1
Zhang, H., **251**, 53
Zhang, H.-Y., **247**, 195
Zhang, J.H., **243**, 1
Zhang, S., **244**, 15; **253**, 65
Zhang, Z.H., **249**, 125
Zhao, J., **250**, 185
Zhao, X., **251**, 29
Zheng, L.-M., **244**, 165
Zheng, Y., **252**, 311
Zhou, J., **246**, 241
Zhu, J., **242**, 105
Zubieta, J., **244**, 199; **245**, 119, 177; **250**, 303; **252**, 431, 435
Zubieta, J.A., **252**, 421, 427
Zubkowski, J.D., **244**, 73, 151; **245**, 81
Zumft, W.G., **242**, 239
Zwick, B.D., **244**, 269

ELSEVIER

Inorganica Chimica Acta 253 (1996) 127–179

Inorganica Chimica Acta

Cumulative Subject Index of Volumes 241–253

Acetamide complexes
isomerism of amides coordinated to platinum. X-ray crystal structure of dichloro-bisacetamide-platinum(II), **251**, 111
Acetate complexes
effect of substituents on the electrochemical behavior of basic iron acetates, **245**, 91
binuclear chromium(III) complexes bridged by hydroxide and acetate groups, **247**, 35
Acetato-bridged complexes
synthesis and structure of *trans*-[di(μ-acetato)dichlorodi-(μ-bis-(diphenylphosphino)methylamine)dimolybdenum(II)] and the structure of bis(diphenylphosphino)methylamine, **252**, 251
Acetato complexes
the crystal structure of potassium *trans*(O_6)-1,3-propanediamine-*N*,*N*′-diacetato-*N*,*N*′-di-3-propionatocobaltate(III) trihydrate and consideration of ring strain, K*trans*(O_6)-[Co(1,3-pddadp)]·$3H_2O$, **248**, 89
breast cancer inhibiting diastereomeric diacetato[1,2-bis(4-fluorophenyl)ethylenediamine]platinum(II) derivatives: synthesis and studies on the relationship between reactivity and antitumor activity, **250**, 203
Acetonitrile complexes
photochemistry of deca(acetonitrile) dirhodium(II) cation: evidence for kilosecond-lived photoinduced charge separation, **242**, 91
the resolution of *cis*-$[Ru(phen)_2(CH_3CN)_2]^{2+}$ (phen = 1,10-phenanthroline), and its use in the synthesis of chiral *cis*-$[Ru(phen)_2X_2]^{n+}$ species ($n = 0, 2$; X = CN^-, Cl^-, py), **249**, 5
synthesis and problematic crystal structures of $[Al(CH_3CN)_6]$-$[MCl_6]_3(CH_3CN)_3$ (M = Ta, Nb or Sb), **250**, 359
FT-IR and fluorometric investigation of rare-earth and metal ion solvation. Part 16. Solid state and solution study of acetonitrile-coordinated lanthanide solvates $[Ln(CH_3CN)_9](AlCl_4)_3$, **252**, 221
Acetylacetone complexes
two novel types of metal complexes derived from tripod amines and acetylacetone, **246**, 413
Acetyl complexes
methyl-, acetyl- and allyl-palladium and -platinum complexes containing novel terdentate PNS and NN′S ligands, **252**, 339
Acetylene linker complexes
amplification of metal-to-metal communication in the ruthenium(IV)–ruthenium(III) mixed-valence state of binuclear β-diketonato-ruthenium complexes by inserting thiophene and anthracene units into acetylene linkers, **245**, 87
Acridinium
direct intercalation of pyridinium-derivative cations into the α-zirconium phosphate interlayer by a redox reaction and fluorescence behavior of the intercalation compounds, **245**, 101
Activation parameters
outer-sphere electron transfer in methylene chloride: concentration, salt, and temperature dependences of the oxidation of *trans*-ReX_2(*cis*-1,2-bis(diphenylphosphino)ethylene)$_2$ (X = Cl, Br) by the clathrochelate [Co(1,2-cyclohexanedionedioximate)$_3$-(BButyl)$_2$]BF_4, **242**, 159
Activation volume
kinetic study of the reaction of tetramethylplatinum(IV) complexes with acids, **241**, 81
Acyl transfer reactions
the uranyl unit as electrophilic catalyst of acyl transfer reactions, **246**, 181
Adduct formation
effect of second-sphere coordination 6. Adduct formation of monoammine-, diammine-, triammine- and tetraammineruthenium(II) complexes with 18-crown-6 ether, **249**, 201
Adsorption
spontaneous adsorption of heteropolytungstates and heteropolymolybdates on the surfaces of solid electrodes and the electrocatalytic activity of the adsorbed anions, **242**, 11
Aggregation of porphyrins
metal complexes with tetrapyrrole ligands. 71. Heteroaggregation of cationic metal mono- and bisporphyrinates with anionic metal porphyrinates or indigosulfonates, **251**, 227
Alkali metal cations complexes
complexation of the *p*-t-butyl-calix[4]arene anion with alkali metal cations in polar, non-aqueous solvents: experimental and theoretical studies, **246**, 275
Alkali metal complexes
complexes of *p*-tert-butylcalix[4]arene with mono- and dipositive cations in the gas phase, **246**, 259
Alkaline earth metal complexes
complexes of *p*-tert-butylcalix[4]arene with mono- and dipositive cations in the gas phase, **246**, 259
Alkoxo complexes
molecular structure of $[W(N)(O\text{-}2,6\text{-}C_6H_3{}^iPr_2)_3]_2$: a metal-nitrido compound with a cyclic diyne structure, **243**, 177
Alkyl aluminum hydroxides
μ-hydroxo organo aluminium and gallium compounds, **249**, 33
Alkylation
transition metal complexes with sulfur ligands. Part CXIV. Alkylation, substitution reactions, electrochemistry and structure of nitrosyl and carbonyl complexes with the [Mo('S_4')] fragment ('S_4'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−)), **244**, 213
Alkyl complexes
alkyl-dependent photochemistry of Mn(R)(CO)$_3$(R′-DAB) (R = Me, Bz; R′ = iPr, pTol): homolysis of the Mn–R bond for R = Bz and release of CO for R = Me, **247**, 215
complexation equilibria and structures of dimethyltin(IV) complexes with *N*-methyliminodiacetate, pyridine-2,6-dicarboxylate, ethylenediamine-*N*,*N*′-diacetate and ethylenediamine-*N*,*N*,*N*′,*N*′-tetraacetate, **248**, 215
reactions between primary amines and magnesium or zinc dialkyls: intermediates in metal imide formation, **251**, 273
methyl-, acetyl- and allyl-palladium and -platinum complexes containing novel terdentate PNS and NN′S ligands, **252**, 339
Alkyl compounds
an improved synthesis of trimethylsilylcyanide and its reaction with trimethylaluminium, **245**, 97

Elsevier Science S.A.

Alkyl gallium hydroxides
μ-hydroxo organo aluminium and gallium compounds, **249**, 33
Alkylidyne-capped complexes
reaction of $FcCCo_3(CO)_9$ with 2,3-bis(diphenylphosphino)maleic anhydride (bma). X-ray diffraction structure and redox properties of $Co_3(CO)_6[\mu_2\text{-}\eta^2\text{:}\eta^1\text{-}C(Fc)C{=}C(PPh_2)C(O)OC(O)](\mu_2\text{-}PPh_2)$, **250**, 195
Alkylidyne complexes
reaction of (η^1-allenyl)dicarbonyl(η^5-cyclopentadienyl)ruthenium with nonacarbonyldiiron: synthesis and characterization of iron-ruthenium mixed-metal products, **243**, 109
Fischer-type alkylidyne tungsten complexes containing strong π donor ligands, **252**, 131
Alkyne-bridged complexes
synthesis, reactions and characterization of μ-alkyne molybdenum complexes containing a functionally substituted cyclopentadienyl ligand. The crystal structure of $[(\eta^5\text{-}MeO_2CC_5H_4)(CO)_2Mo]_2(\mu\text{-}\eta^2,\eta^2\text{-}C_2H_2)$, **249**, 175
Alkyne complexes
steric control in the formation of $Co_2(CO)_6$–alkyne complexes from Group 14 tetraalkynes and their reactions with acid, **250**, 49
Alkynepyridine complexes
transition metal compounds of 1,2-bis(2-pyridyl)ethyne. Synthesis, spectroscopic characterization and X-ray structures of dinuclear $[Cu_2(1,2\text{-bis}(2\text{-pyridyl})\text{ethyne})_3(NO_3)_4]$ and polynuclear $[Co(1,2\text{-bis}(2\text{-pyridyl})\text{ethyne})(NO_3)_2]_n$, **247**, 43
Alkynylamines
silylcyclocarbonylation (SiCCa) of alkynylamines catalyzed by rhodium complexes, **251**, 299
Allenyl complexes
reaction of (η^1-allenyl)dicarbonyl(η^5-cyclopentadienyl)ruthenium with nonacarbonyldiiron: synthesis and characterization of iron-ruthenium mixed-metal products, **243**, 109
Allenylidene complexes
reactivity, variable temperature solution ^1H NMR studies and MO calculations of dimolybdenum allenylidene complexes of the type $[(\eta^5\text{-}C_5H_5)_2Mo_2(CO)_4(\mu,\eta^2(4e)\text{-}C{=}C{=}CR1R2)]$, **250**, 119
Allyl complexes
synthesis and characterisation of Pd(II) allyl complexes derived from the diterpene carvone, **250**, 365
methyl-, acetyl- and allyl-palladium and -platinum complexes containing novel terdentate PNS and NN′S ligands, **252**, 339
Allyl ligand complexes
π-2-methylallylpalladium(II) complexes containing a nine-membered chelate ring with an azine diphosphine ligand: crystal structure of $[(\eta^3\text{-}2\text{–}MeC_3H_4)Pd\{E,Z\text{–}PPh_2CH_2C(Bu^t){=}N\text{–}N{=}C(Bu^t)CH_2PPh_2\}]Cl$, **244**, 115
Aluminum complexes
reaction of carbon dioxide with tetra-t-butylphthalocyaninato-aluminium(III)-ethylate or -ethoxide, **244**, 137
photoreduction of zinc- and aluminium-2,3-naphthalocyanine in the presence of azaferrocene and under irradiation with red light ($\lambda > 600$ nm), **249**, 111
synthesis and problematic crystal structures of $[Al(CH_3CN)_6]\text{-}[MCl_6]_3(CH_3CN)_3$ (M = Ta, Nb or Sb), **250**, 359
Amide complexes
reactions between primary amines and magnesium or zinc dialkyls: intermediates in metal imide formation, **251**, 273
Amidoaryl complexes
reactions of functionalised aryl groups σ-bound to ruthenium(II), **251**, 65
Amido complexes
imido and amido complexes of hydrotris(pyrazolyl)borate-rhenium, **251**, 325
Amine complexes
mononuclear and dinuclear ruthenium(III) and ruthenium(IV) complexes of 1,4-dicyanamido-2,5-dimethylbenzene dianion, **242**, 63
association of mononuclear and dinuclear platinum tetraamine cations with nucleotides studied by ^{15}N NMR relaxation, **245**, 265
nickel(II) complexes of 15-membered tetraaza macrocycles with a primary amine or carboxylate pendant: structural characterization of a one-dimensional chain compound, **246**, 65
the kinetics of the sequential steps in the Hg^{2+}-assisted chloride release from some *trans*-$[CrCl_2(NH_2R)_4]^+$ complexes (R = Et, Pr, Bu) and the X-ray structure of *trans*-$[CrCl_2(NH_2Et)_4]Cl$, **248**, 93
aspects of the stereochemistry of bis-guanosine-5′-monophosphate diamine platinum complexes, **248**, 225
the phenomenon of conglomerate crystallization. Part 44. The crystallization behavior of [*cis*-$Co(tren)(NO_2)_2]BF_4$ (**I**), [*cis*-$Co(tren)(NO_2)_2]_2SiF_6$ (**II**), the space group of [*cis*-$Co(tren)(NO_2)_2]I$ (**III**) and some bio-inorganic observations derived from their stereochemistry, **252**, 391
Amines
catalytic oxidation of benzylic amines to imines by M(TPP)CL (M = Fe, Mn) followed by reduction to secondary amines, **247**, 71
Amine sulfur coordination complexes
amine-thioether and amine-pyridine complexes of palladium(II) and the reactivity of the methyl complexes towards CO and allenes, **252**, 203
Aminidato complexes
transition metal complexes with amidinato ligands: the ubiquitous tris-chelated structural motif, **242**, 31
Amino acidato complexes
solubilization of *fac*-tris(amino acidato)cobalt(III) by sulfuric acid and sodium sulfate, **244**, 57
Amino acid complexes
mixed-ligand copper(II) complexes with *N*-methyl derivatives of iminodiacetato or imidazole: crystal structures of (*N*-methyl-iminodiacetato)(imidazole)copper(II), [Cu(MIDA)(ImH)] and diaqua(iminodiacetato)(*N*-methyl-imidazole)copper(II) monohydrate, $[Cu(IDA)(1MeImH)(H_2O)_2]\cdot H_2O$, **241**, 39
fast atom bombardment studies of amino acid and peptide complexes of the uranyl ion: ligand attachment, dissociation and fragmentation, **241**, 105
stabilities and spectral properties of five-coordinate mixed-ligand copper(II) complexes containing *N*,*N*,*N*′,*N*″,*N*″-pentamethyldiethylenetriamine and α-amino acids, **244**, 51
coordination and reactivity of benzyloxycarbonyl-Ala(CN)-OR (R = H, CH_3) in complexes of platinum(II), **245**, 269
ternary complex of cisplatin with glycine and 1-methyluracil: *cis*-$[(NH_3)_2Pt(glyH\text{-}N)(1\text{-}MeU\text{-}N^3)]ClO_4\cdot H_2O$, **247**, 79
amino acid induced iron–sulfur cluster interconversions studied by ^1H NMR and Mössbauer spectroscopies, **247**, 113
characterization and crystal structures of cadmium(II) halide complexes with amino acids and their derivatives IV. Crystal structure of dichloro(L-piperidine-3-carboxylic acid)cadmium(II) , **249**, 121
Aminoaryl complexes
reactions of functionalised aryl groups σ-bound to ruthenium(II), **251**, 65
Aminoketone complexes
the reaction of acetone with $[Cu(en)_2]^{2+}$: the crystal structure of the copper(II)-β-aminoketone complex initially formed and the kinetics of its base-catalysed conversion to the copper(II) complex of *trans*[14]dieneN_4, **246**, 395
Aminomethylpyrrolidine complexes
copper(II) binary complex equilibria with [*S*]- and [*R*]-2-benzylamino-methylpyrrolidines under physiological conditions, **247**, 175
Aminopolycarboxylate complexes
complexation equilibria and structures of dimethyltin(IV) complexes with *N*-methyliminodiacetate, pyridine-2,6-dicarboxylate, ethylenediamine-*N*,*N*′-diacetate and ethylenediamine-*N*,*N*,*N*′,*N*′-tetraacetate, **248**, 215

Ammine complexes
solid-state circular dichroism spectra of *trans*-diamminetetranitrocobaltate(III) salts and *mer*-triamminetrinitrocobalt(III), **244**, 1
binding properties of ^{t}butylamine in pentaammine complexes of chromium(III) and cobalt(III), **245**, 17
structural properties of *trans*-chloro(4-acetylpyridine)(1,4,8,11-tetraazacyclotetradecane)ruthenium(II) tetrafluoroborate, *trans*-[RuCl(cyclam)(4-acpy)](BF_4), by X-ray diffraction and NMR spectroscopy, **245**, 215
the effect of solvent mobility on $Cr(NH_3)_2(NCS)_4^-$ photolysis, **247**, 1
syntheses of *cis*- and *trans*-tetraamminedichlororuthenium(III) chloride, **247**, 129
preparation and characterization of the first series of molybdenum(III) ammine complexes, *fac*-[$MoX_3(NH_3)_3$] (X = Cl, Br, I). Spectrochemical parameters for molybdenum(III), **247**, 189
effect of second-sphere coordination 6. Adduct formation of monoammine-, diammine-, triammine- and tetraammineruthenium(II) complexes with 18-crown-6 ether, **249**, 201
synthesis and spectroelectrochemical characterization of binuclear complexes of bis(bipyridine)ruthenium and pentaammineruthenium bridged with α,ω-dipyridylcyanines, **251**, 29
reactions of the *cis*-diamminediaquaplatinum(II) cation with histidine and related molecules, **252**, 79
Amorphous complexes
preparation and small-angle X-ray scattering study of Pt–pyrimidine greens in aqueous solution, **248**, 121
a new amorphous trinuclear complex of Pt(II) with 1,3-thiazolidine-2-thione: $[Pt_3(ttz)_8]Cl_6$, **248**, 203
Analysis of lone pairs
geometrical and algebraical invariances and general angular dependences of sets of s–p hybrid orbitals. Their angular overlap model relevance, **252**, 185
Anation reaction
kinetic study of anation reaction of *meso*-tetrakis-(*p*-sulfonatophenyl)porphinatodiaquaruthenate(III) with thiocyanate ion in aqueous solution, **248**, 23
Angular overlap model
geometrical and algebraical invariances and general angular dependences of sets of s–p hybrid orbitals. Their angular overlap model relevance, **252**, 185
Aniline complexes
N,N,2,4,6-Pentamethylanilinetricarbonylchromium(0): an interesting case of restricted rotation in the arenetricarbonylchromium series, **244**, 265
Anionic complexes
a study of the geometry of the $[Re_2Br_8]^{2-}$, $[Re_2I_8]^{2-}$ and $[Mo_2Cl_8]^{4-}$ ions in the lowest $^1A_{2u}$ excited state by the application of the sum-over-states method to resonance Raman band intensities, **243**, 249
two novel complexes of glutarimide with palladium(II) *trans*-K_2[Pd($C_5H_6NO_2$)$_2Cl_2$]·4.5H_2O and *trans*-KNa[Pd($C_5H_6NO_2$)$_2Cl_2$]·6H_2O. Crystal structures and vibrational spectra, **248**, 159
Anthracene complexes
amplification of metal-to-metal communication in the ruthenium(IV)–ruthenium(III) mixed-valence state of binuclear β-diketonatoruthenium complexes by inserting thiophene and anthracene units into acetylene linkers, **245**, 87
Anthranilic acid complexes
the roles of N- and O-coordination in the crystal and molecular structures of uranyl complexes with anthranilic and pyrazinic acids, **248**, 241
Antiferromagnetism
the hexachloroferrate(III) anion stabilized in hydrogen bonded packing arrangements. A comparison of the X-ray crystal structures and low temperature magnetism of tetrakis(methylammonium)hexachloroferrate(III) chloride (**I**) and
tetrakis(hexamethylenediammonium)hexachloroferrate(III) tetrachloroferrate(III) tetrachloride (**II**), **247**, 169
slow paramagnetic relaxation and magnetic splittings in Mössbauer spectra observed for mixed-metal assemblies {$NBu_4MFe(ox)_3$}$_x$ (NBu_4^+ = tetra(n-butyl)ammonium ion; ox^{2-} = oxalate ion; M = Zn^{2+}, Ni^{2+}, Mn^{2+}), **253**, 47
Antimony complexes
synthesis and problematic crystal structures of [$Al(CH_3CN)_6$]-[MCl_6]$_3$(CH_3CN)$_3$ (M = Ta, Nb or Sb), **250**, 359
Antitumor activity
breast cancer inhibiting diastereomeric diacetato[1,2-bis(4-fluorophenyl)ethylenediamine]platinum(II) derivatives: synthesis and studies on the relationship between reactivity and antitumor activity, **250**, 203
Antitumor agents
synthesis and antitumor activity of new *trans*-1*R*,2*R*-diaminocyclohexaneplatinum(II) complexes containing disubstituted sulfide groups, **241**, 101
Aqua complexes
reactions of the *cis*-diamminediaquaplatinum(II) cation with histidine and related molecules, **252**, 79
hydrolytic species of the ion *cis*-diaqua(ethylenediamine)palladium(II) complex and of *cis*-dichloro(ethylenediamine)-palladium(II): fitting its equilibrium models in aqueous media with or without chloride ion, **253**, 23
Aqueous syntheses
aqueous syntheses and crystal structures of the hexa- and pentacoordinated nickel(II) isothiocyanato derivatives of bulky triamines: (H_2Et_5dien)$_2$[$Ni(NCS)_6$], [$Ni(Me_5dien)(NCS)_2$] and [$Ni(Me_4Etdien)(NCS)_2$], **248**, 59
Aquo complexes
kinetic study of anation reaction of *meso*-tetrakis-(*p*-sulfonatophenyl)porphinatodiaquaruthenate(III) with thiocyanate ion in aqueous solution, **248**, 23
Arene complexes
photoinduced arene deligation of a dicationic bis(arene)–iron(II) complex, **247**, 5
importance of steric effects upon the synthesis of {(η_6-arene)RuCl}-*C,N*-cyclometallated amines, **249**, 63
mono-η^6 complexes of chromium(II) and chromium(0). Electron demanding substituents, structural and spectroscopic data comparisons, **250**, 317
Arsenic
reactivity of carbonyl stabilized ylides with Zeise's salt. Synthesis, characterization of mono- and bis-ylidic Pt(II) derivatives and X-ray crystal structure of the {$PtCl_2$[$C(H)COCH_3$(PPh_2-*o*-C_6H_4)]}[$PPh_3CH_2COCH_3$] complex, **245**, 157
Arsine complexes
synthesis and properties of ruthenium and palladium iodide complexes of phosphorus, arsenic and antimony ligands, **244**, 65
conformationally flexible arsine ligands: two forms of bis[1,1′-bis-(dimethylarsino)ferrocene]dibromonickel(II), **244**, 131
rhenium polyhydrides stabilized by arsine ligands, **249**, 101
Arsocane complexes
synthesis and characterization of oxa and thia metallocanes substituted with phosphorodithioate ligands and crystal and molecular structure of 1,3,6-trithia-2-arsocane dimethylphosphorodithioate, **253**, 31
Artificial peptidase
peptide hydrolysis promoted by polynuclear and organometallic complexes of palladium(II) and platinum(II), **243**, 9
Arylamine complexes
intramolecular C–H activation and oxidative addition reactions of iridium complexes containing arylamines with bulky substituents on nitrogen; X-ray structures of [$Ir^I(C_6H_4CH_2NEt_2$-2-*C,N*)(cod)] and [$Ir^{III}(C_6H_4CH_2NEt(CHMe)$-2-*C,N,C′*)I(cod)] (cod = cycloocta-1,5-diene), **252**, 55

Aryl complexes
evidence for C–C coupling between two mutually *cis* carbon ligands, η^3-crotyl and aryl in organopalladium(II) complexes, **250**, 149
Aryl phosphine complexes
an M–H...H–C hydrogen bonding interaction, **250**, 69
Association constant
azide binding and active site dynamics of position-82 variants of ferricytochrome *c*, **242**, 171
As-ylide complexes
influence of ancillary ligands in the coordination mode of P and As carbonyl stabilized ylides on Pt(II) systems. X-ray structure of *trans*-$[Pt(PPh_3)_2(CF_3)\{OC(OCH_3)=C(H)(PPh_3)\}][BF_4]\cdot 0.5CH_2Cl_2$, **252**, 355
Asymmetric complexes
synthesis, structure and magnetic properties of an asymmetric dinuclear oxocitratovanadate(IV) complex, **251**, 75
ATP-hydrolysis
complexation of nucleotides and molecular catalysis of ATP-hydrolysis by a protonated hexaaza macrocyclic ligand, **251**, 365
Aurophilicity
aurophilicity at sulfur centers. Synthesis of the polyaurated species $[S(AuPR_3)_n]^{(n-2)+}$ ($n=2$–6), **244**, 95
Axial coordination
coordination of donor solvent molecules to nickel square-planar complexes, **253**, 1
Azaferrocene complexes
photoreduction of zinc- and aluminium-2,3-naphthalocyanine in the presence of azaferrocene and under irradiation with red light ($\lambda>600$ nm), **249**, 111
Azamacrocycle complexes
electron transfer barriers for ground- and excited-state redox couples: *trans*-dioxo(1,4,8,11-tetramethyl-1,4,8,11-tetraazacyclotetradecane)osmium(VI)/osmium(V), **243**, 39
nickel(II) complexes of 15-membered tetraaza macrocycles with a primary amine or carboxylate pendant: structural characterization of a one-dimensional chain compound, **246**, 65
synthesis and characterization of the yttrium(III) and lutetium(III) complexes of 1,4,7-tris(carbamoylmethyl)-1,4,7-triazacyclononane (TCMT). Crystal structure of $[Y(TCMT)(CF_3SO_3)_2(H_2O)](CF_3SO_3)$, **246**, 99
study of protonation of 1,4,7-tris(2-hydroxyethyl)-1,4,7-triazacyclononane, and its complexes with metal ions, by crystallography, polarography, potentiometry, molecular mechanics and NMR, **246**, 159
kinetics and mechanism of incorporation of nickel(II) into N_4 macrocycles of the cyclam type: how many steps and intermediates are involved?, **246**, 267
the reduction of carbon dioxide employing 1,4,7,10-tetramethyl-1,4,7,10 tetraazacyclododecane nickel(II) as a electron relay catalyst, **246**, 295
structural requirements for rapid metal ion ingress into hydroxyethylated tetraaza macrocycles, **246**, 321
a structural and magnetochemical study of some copper(II) complexes containing the ligands 1,4,7-triazacyclononane-*N*-acetate (L^1) and *N*-(2-hydroxybenzyl)-1,4,7-triazacyclononane (HL^2), **246**, 387
macrocyclic complexes of lanthanides in identical ligand frameworks. Part 2. Synthesis of lanthanide(III) and yttrium(III) complexes of an 18-membered hexaaza macrocycle , **249**, 93
equilibrium and kinetic studies on complexes of 10-[2,3-dihydroxy-(1-hydroxymethyl)-propyl]-1,4,7,10-tetraazacyclododecane-1,4,7-triacetate, **249**, 191
Azamacrocycles
synthesis and protonation behaviour of the macrocycle 2,6,10,13,17,21-hexaaza[22]metacyclophane. Thermodynamic and NMR studies on the interaction of 2,6,10,13,17,21-hexaaza[22]metacyclophane and on the open-chain polyamine 4,8,11,15-tetraazaoctadecane-1,18-diamine with ATP, ADP and AMP, **246**, 287
Azamacrocyclic ligand complexes
synthesis, crystal structure and properties of the copper(II) complex of a new dioxocyclam appended with two 8-methylquinolines as additional donor pendants (dioxocyclam = 1,4,8,11-tetraazacyclotetradecane-5,7-dione), **249**, 125
kinetics and mechanism of complex formation: the reaction of nickel(II) with 1,4,7-triazacyclononane-*N*,*N'*,*N''*-triacetic acid, **251**, 347
Azamacrocyclic ligands
complexation of nucleotides and molecular catalysis of ATP-hydrolysis by a protonated hexaaza macrocyclic ligand, **251**, 365
Azaporphyrin complexes
electrochemistry and spectroscopy of magnesium octaethyltetraazaporphyrin and magnesium octakis(methylthio)tetraazaporphyrin, **246**, 361
Azathia-macrocycle complexes
novel geometries exhibited by three palladium(II) macrocyclic complexes: crystal and solution structures, **246**, 349
Azide
azide binding and active site dynamics of position-82 variants of ferricytochrome *c*, **242**, 171
Azide-bridged complexes
a structurally characterized azide-bridged dinuclear nickel(II) cryptate, **244**, 7
polynuclear copper(II) complexes with μ_2-1,1-azide bridges. Structural and magnetic properties, **250**, 227
Azide complexes
μ_2-N pseudohalide as mediator of magnetic exchange in dicobalt(II) complexes, **246**, 73
Azido complexes
synthesis, structure and magnetic properties of several nickel–azido complexes with tetraammines as blocking ligands, **247**, 85
linkage isomerism in exchange coupled dinuclear Ni(II) complexes with three azide bridges; tris(μ-1,1-azido) versus tris(μ-1,3-azido) binding. Crystal structures of $[L_2Ni_2(\mu\text{-}1,1\text{-}N_3)_3]ClO_4$ and $[L_2Ni_2(N_3)_2\text{-}(\mu\text{-}1,3\text{-}N_3)_2]$ (L = 1,4,7-trimethyl-1,4,7-triazacyclononane), **252**, 195
Azole compounds
molecular structures of tri-*N*-pyrrolylboranes and the dynamic behaviour of tri-*N*-indolylboranes in solution, **241**, 87

Barium complexes
the mononuclear barium and dinuclear copper(II) complexes of a 24-membered bibracchial tetraimine Schiff base macrocycle derived from tris(2-aminoethyl)amine and 2,5-diformylfuran, **246**, 81
Basic complexes
effect of substituents on the electrochemical behavior of basic iron acetates, **245**, 91
Benzimidazole complexes
crystal and molecular structure and electronic properties of $[Cu(bbimpy)(H_2O)_2(ONO_2)](NO_3)\cdot H_2O$ (bbimpy = 2,6-bis(2-benzimidazolyl)pyridine), **245**, 75
structural and electrochemical studies of dicopper complexes of a binucleating ligand involving sulfides and benzimidazoles, **252**, 413
Benzoate complexes
crystal structures of *trans*-di(2-fluorobenzoato-*O*)di-(1,3-diaminopropane-*N*,*N'*)nickel(II) and its copper(II) analogue. Variation in the coordination modes, **248**, 1
Benzyne complexes
benzynechromium tricarbonyl. Further synthetic studies, **251**, 53
Betaine complexes
a polymeric cadmium(II) complex with an olefinic double-betaine containing metal centers in four different coordination environments, $[\{Cd_3(L)_3I_2(H_2O)_6\}_n](CdI_4)_{2n}\cdot nH_2O$ (L = *cis*-(*p*-$Me_2N^+C_5H_4N)_2C_2(CO_2^-)_2$), **245**, 123
Bibracchial Schiff base complexes

the mononuclear barium and dinuclear copper(II) complexes of a 24-membered bibracchial tetraimine Schiff base macrocycle derived from tris(2-aminoethyl)amine and 2,5-diformylfuran, **246**, 81
Bidentate amine complexes
conformational flexibility of the di(1,3-diaminopropane)-copper(II) cation. Part 2. Structure determination for aqua-di(1,3-diaminopropane-*N*,*N*′)-copper(II) dichloride and chlorodi(1,3-diaminopropane-*N*,*N*′)-copper(II) chloride methanol solvate and DFT calculations for aqua-di(1,3-diaminopropane-*N*,*N*′)copper(II) cation, **245**, 35
Bidentate amine ligand complexes
unusual complexation behavior of 1,3-diaminopropane, **244**, 255
Bidentate nitrogen ligand complexes
synthesis and characterisation of chiral Cu(I) complexes of substituted pyrrolidine ligands. Efficient catalysts for cyclopropanation reactions, **244**, 239
coordination modes of the novel bifunctional nitrogen ligands 8-(2-pyridyl)quinoline and 8-(6-methyl-2-pyridyl)quinoline towards palladium and platinum. X-ray crystal structures of (8-(2-pyridyl)quinoline)Pd(Me)Cl, (8-(2-pyridyl)quinoline)-Pd(C(O)Me)Cl and (8-(2-pyridyl)quinoline)Pd(PEt_3)Cl_2, **250**, 87
Bidentate phosphine complexes
outer-sphere electron transfer in methylene chloride: concentration, salt, and temperature dependences of the oxidation of *trans*-ReX_2(*cis*-1,2-bis(diphenylphosphino)ethylene)$_2$ (X = Cl, Br) by the clathrochelate [Co(1,2-cyclohexanedionedioximate)$_3$-(BButyl)$_2$]BF_4, **242**, 159
Bidentate P–N ligand complexes
complexes of tert-butyl diphenylphosphinomethyl ketone *N*-phenylhydrazone, *Z*-$PPh_2CH_2C(Bu^t)$=NNHPh, with molybdenum, palladium or platinum: crystal structure of *cis*-[$PdCl_2${*Z*-$PPh_2CH_2C(Bu^t)$=NNHPh}$_2$], **245**, 59
synthesis, NMR characterisation and crystal structure of the silver(I) annular complex [Ag_2(μ-ppye)$_2$][PF_6]$_2$·2(CH_3)$_2$CO (ppye = 1-(diphenylphosphino)-2-(2-pyridyl)ethane) , **247**, 183
Binuclear complexes
pyrazolyl-bridged iridium dimers. 15. Synthesis of binuclear cyclopentadienyl Ir(III) complexes and the rhodium analogues: reductive access to the bimetal (II) state, **243**, 47
amplification of metal-to-metal communication in the ruthenium(IV)–ruthenium(III) mixed-valence state of binuclear β-diketonato-ruthenium complexes by inserting thiophene and anthracene units into acetylene linkers, **245**, 87
syntheses, structures and magnetic properties of the tricyanoethenolate adducts of quadridentate Schiff base manganese(III) complexes, **247**, 57
magnetic interaction in the keto and enol forms of binuclear copper(II) complexes with a Robson-type ligand. X-ray crystal structure of [Cu_2(HL)(μ-N_3)(H_2O)(C_2H_5OH)(ClO_4)], **248**, 135
Binuclear copper
electron-transfer studies with the CuA domain of *Thermus thermophilus* cytochrome ba_3, **243**, 141
Binuclear ligand complexes
dicopper(II) complexes with hexaaza binucleating ligands derived from isophthaldehyde and di(2-pyridyl)methylamine, **248**, 247
Binucleating ligand complexes
structural and electrochemical studies of dicopper complexes of a binucleating ligand involving sulfides and benzimidazoles, **252**, 413
Biological activity
spectral and magnetic properties, and biological activity of several coordination compounds of dinegative isoorotato and 2-thioisoorotato ligands. Crystal structure of the tetrameric complex [Cu_4(isoorotato^{2-})$_4$(NH_3)$_4$(H_2O)$_2$]·4H_2O, **241**, 61
a new example of μ_3-sulfato coordination in a Cd(II) complex of 5,7-dimethyl[1,2,4]triazolo[1,5-*a*]pyrimidine (dmtp). Characterisation and biological activity of several metal complexes of dmtp containing the sulfato anion, **247**, 51
the preparation, characterization, crystal structure and biological activities of some copper(II) complexes of the 2-benzoylpyridine Schiff bases of *S*-methyl- and *S*-benzyldithiocarbazate, **249**, 207
Biological oxygen activation
diiron-cluster intermediates in biological oxygen activation reactions, **252**, 399
Bioorganometallic chemistry
electrochemical behavior of some bioorganometallic complexes, **250**, 379
Bipyridine complexes
unusual electrochemical and spectroscopic behavior in a ligand-bridged binuclear complex of ruthenium(II): tetrakis(2,2′-bipyridine)-(μ-2,4,6-tris(2-pyridyl)triazine)diruthenium(II), **241**, 1
dinuclear Ru^{II} and/or Os^{II} complexes of bis-bipyridine bridging ligands containing adamantane spacers: synthesis, luminescence properties, intercomponent energy and electron transfer processes, **242**, 281
crystal structure of tris(4,4′-dimethoxy-2,2′-bipyridine)iron(II) bis(hexafluorophosphate), solvate with *N*-methyl-2-pyrrolidone, **247**, 237
Bipyridyl receptor complexes
halide anion recognition by new acyclic ruthenium(II) bipyridyl–polypyridinium receptors, **251**, 335
Bipyrimidine complexes
synthesis, crystal structure and magnetic properties of the chiral iron(II) chain [Fe(bpym)($NCS)_2$]$_n$ (bpym = 2,2′-bipyrimidine), **250**, 81
Biquinoline complexes
tuning of the photostability of bis(2,2′-biquinoline)ruthenium(II) complexes containing pyridyltriazole ligands by variation of pH, **245**, 237
Bis-bipyridine complexes
bis(2,2′-bipyridine)(1,2-diimino-9,10-anthraquinone)ruthenium(II): a complex containing an exceptionally strong pi-accepting α–α' diimine ligand. I. Synthesis, crystal and electronic structures, **242**, 293
Bis-macrocycle complexes
kinetics and mechanism of Cu^{2+} incorporation into homo- and heteroditopic bis-macrocycles studied by the stopped-flow/photodiode-array technique, **251**, 177
Bis-macrocyclic complexes
axial ligand effects on redox properties of a strongly-coupled bis-macrocyclic diiron compound, **246**, 241
Bismuth complexes
synthesis and structure of [Bi_2(N^tBu)$_4$]$_2Li_2$·2THF; a bimetallic cubane fragment containing a [Bi_2(N^tBu)$_4$]$^{2-}$ anion, **248**, 9
syntheses and X-ray crystal structures of the bismuth(III) thiocyanate and selenocyanate complexes [K_3(dmpu)$_4$][Bi($SCN)_6$] and [K_3(dmpu)$_4$][Bi($SeCN)_6$] (dmpu = *N*,*N*′-dimethylpropylene urea), **248**, 263
complexes of bismuth(III) chloride with oxygen donor ligands. Structural characterization of $BiCl_3$·3THF, $BiCl_3$·diglyme and $BiCl_3$·diethylcarbitol, **249**, 41
synthesis and characterization of $SrCu_2$($O_2CR)_3$(bdmap)$_3$ and Bi_2($O_2CCH_3)_4$(bdmap)$_2$(H_2O) (R = CH_3, CF_3; bdmap = 1,3-bis(dimethylamino)-2-propanolato), **250**, 163
four-site four-electron model for Bi(III)–Bi(V) mixed valence complex, **250**, 189
Bis-thiohydroxamic complexes
coordination chemistry of bis-thiohydroxamic acids: synthesis and characterization of their lead(II) complexes and stability constant determination, **243**, 79
Bite angle
coordination modes of the novel bifunctional nitrogen ligands 8-(2-pyridyl)quinoline and 8-(6-methyl-2-pyridyl)quinoline towards

palladium and platinum. X-ray crystal structures of (8-(2-pyridyl)quinoline)Pd(Me)Cl, (8-(2-pyridyl)quinoline)-Pd(C(O)Me)Cl and (8-(2-pyridyl)quinoline)Pd(PEt_3)Cl_2, **250**, 87
Bivalent complexes
new bivalent germanium, tin and lead compounds with M–O bond, **241**, 9
Blue copper protein
X-ray magnetic circular dichroism at temperatures < 1 K: demonstration with the blue copper site in plastocyanin, **243**, 229
tunneling matrix element in Ru-modified blue copper proteins: pruning the protein in search of electron transfer pathways, **243**, 271
Bond dissociation energies
bond dissociation energies in organometallic compounds, **252**, 265
Boron complexes
coordination chemistry of mixed pyridine–phenol ligands. The crystal structure of $[Zn(L^1)_2(BPh_2)][BPh_4]$ (HL^1 = 6-(2-hydroxyphenyl)-2,2′-bipyridine), the first example of a phenolate bridge between a transition metal and boron, **241**, 125
Bovine serum albumin
chiral recognition of tris(oxalato)cobaltate(III) anions by bovine serum albumin, **252**, 1
Bromide compounds
^{71}Ga NMR spectroscopy of solutions of gallium tribromide in aromatic solvents, **247**, 123
Bromoperoxidase
vanadium bromoperoxidase-catalyzed oxidation of thiocyanate by hydrogen peroxide, **243**, 201

Cadmium
nanosecond laser flash photolysis of thiophenolate-capped cadmium sulfide particles in acetonitrile, **242**, 253
Cadmium complexes
a polymeric cadmium(II) complex with an olefinic double-betaine containing metal centers in four different coordination environments, $[\{Cd_3(L)_3I_2(H_2O)_6\}_n](CdI_4)_{2n}\cdot nH_2O$ (L = *cis*-(*p*-$Me_2N^+C_5H_4N)_2C_2(CO_2^-)_2$), **245**, 123
a new example of μ_3-sulfato coordination in a Cd(II) complex of 5,7-dimethyl[1,2,4]triazolo[1,5-*a*]pyrimidine (dmtp). Characterisation and biological activity of several metal complexes of dmtp containing the sulfato anion, **247**, 51
characterization and crystal structures of cadmium(II) halide complexes with amino acids and their derivatives IV. Crystal structure of dichloro(L-piperidine-3-carboxylic acid)cadmium(II) , **249**, 121
crown ether mediated cadmium halide dimers and polymers, **250**, 105
formation of polymeric cadmium(II) complexes by interlinkage through 1,4-diazoniobicyclo[2.2.2]octane-1,4-diacetate: $[\{Cd(L)X_2(H_2O)_2\}_n]\cdot nH_2O$ (X = Cl, Br) and $[\{Cd(L)I_2\}_n]\cdot nH_2O$ (L = $^-O_2CCH_2N^+(CH_2CH_2)_3$-$N^+CH_2CO_2^-$), **253**, 15
Calcium salts
structures of fluorobenzylphosphonic acid isomers and their calcium salts, **253**, 77
Calix[4]arene complexes
preparation, luminescence and interactions with Li^+, Na^+ and UO_2^{2+} of two new metallocalix[4]arene complexes of iridium(I), **242**, 137
extraction selectivites of lower rim substituted calix[4]arene hosts induced by variations in the upper rim substituents, **250**, 295
Calix[4]arene-crown ligands
luminescence of Eu^{3+} and Tb^{3+} complexes of new macrobicyclic ligands derived from *p*-tert-butylcalix[4]arene, **252**, 19
Calixarene complexes
metal complexes of a calix[4]arene diamide: syntheses, crystal structures and molecular mechanics calculations on [Fe(L^1–2H)][$FeCl_4$] and [Er(L^1–2H)(picrate)] (L^1 = 5,11,17,23-tetra-*tert*-butyl-25,27-bis(diethylcarbamoylmethoxy)calix[4]arene), **246**, 133
photophysical properties of lanthanide dinuclear complexes with *p*-nitro-calix[8]arene, **246**, 195
complexes of *p*-tert-butylcalix[4]arene with mono- and dipositive cations in the gas phase, **246**, 259
complexation of the *p*-t-butyl-calix[4]arene anion with alkali metal cations in polar, non-aqueous solvents: experimental and theoretical studies, **246**, 275
Calorimetry
coordination of monocarboxylates in lanthanide(III) complexes, **245**, 51
Carbon dioxide complexes
reaction of carbon dioxide with tetra-t-butylphthalocyaninato-aluminium(III)-ethylate or -ethoxide, **244**, 137
Carbon dioxide reduction
the reduction of carbon dioxide employing 1,4,7,10-tetramethyl-1,4,7,10 tetraazacyclododecane nickel(II) as a electron relay catalyst, **246**, 295
electrocatalytic reduction of carbon dioxide by mixed-metal trimetallic complexes of the form $\{[(bpy)_2Ru(BL)]_2IrCl_2\}^{5+}$ where bpy = 2,2′-bipyridine and BL = 2,3-bis(2-pyridyl)quinoxaline (dpq) or 2,3-bis(2-pyridyl)benzoquinoxaline (dpb), **253**, 7
Carbon monoxide binding
control of carbon monoxide binding states and dynamics in hemoglobin I of *Lucina pectinata* by nearby aromatic residues, **243**, 161
Carbonylation reaction
carbonylation reactions of $Rh(PPh_3)_3Cl$ and $Ru(PPh_3)_3Cl_2$ in the solid state, **249**, 79
Carbonyl complexes
the activation of C–H bonds via Ru–Ru bond fission, **241**, 11
basal site substitution in the sulfido-bridged cluster $Ru_3(CO)_9(\mu_3\text{-}S)_2$ by the redox-active diphosphine 4,5-bis(diphenylphosphino)-4-cyclopenten-1,3-dione (bpcd). Synthesis, X-ray structure and electrochemical properties of $Ru_3(CO)_7(bpcd)(\mu_3\text{-}S)_2$, **241**, 71
photophysical properties of tricarbonyl(histidine)(diimine)-rhenium(I) complexes in aqueous solution, **242**, 179
thermal substitution reactions of the heterodinuclear complex $CpFe(CO)_2Co(CO)_4$ with phosphorus ligands, **242**, 271
photochemically reactive polymers: synthesis and photochemistry of polyamides containing $Cp_2Mo_2(CO)_6$ molecules along the polymer backbone, **242**, 303
syntheses and characterization of the ruthenium carbonyl porphyrin complexes Ru(TPP)(CO)(1-MeIm) and Ru(α-PocPivP)(CO)(1-MeIm), **243**, 57
the first amine derivatives of $Ir_4(CO)_{12}$ synthesis and X-ray characterization of $Ir_4(CO)_{10}$(1,10-phenanthroline) and $Ir_4(CO)_{10}$(4,4′-Me_2-2,2′-bipyridine), **244**, 11
study of complexation of mono *N*-alkylcyclen and mono *N*-alkylcyclam with hexacarbonyl metal $M(CO)_6$ (M = Cr, Mo). Specific N^1,N^7-dissymmetric dialkylation of cyclen, **244**, 105
transition metal complexes with sulfur ligands. Part CXIV. Alkylation, substitution reactions, electrochemistry and structure of nitrosyl and carbonyl complexes with the [Mo('S_4')] fragment ('S_4'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−)), **244**, 213
N,*N*,2,4,6-Pentamethylanilinetricarbonylchromium(0): an interesting case of restricted rotation in the arenetricarbonylchromium series, **244**, 265
synthesis and characterization of organomolybdenum and organotungsten halides containing the η^5-pentaphenylcyclopentadienyl ligand η^5-$C_5Ph_5Mo(CO)_3X\cdot nCH_2Cl_2$ and η^5-$C_5Ph_5W(CO)_3X$ (X = Cl, Br, I). The X-ray molecular structure of η^5-$C_5Ph_5Mo(CO)_3I\cdot 0.5CH_2Cl_2$, **245**, 109
electrospray mass spectrometry of neutral π-hydrocarbon organometallic complexes, **245**, 209
an NMR spectroscopic study of the binding of alkali metal cations and methanol by *cis*-$Mo(CO)_4\{Ph_2P(CH_2CH_2O)_nCH_2CH_2PPh_2$-P,P′}

($n=4, 5$) metallacrown ethers. The X-ray crystal structures of *cis*-$Mo(CO)_4\{Ph_2P(CH_2CH_2O)_4CH_2CH_2PPh_2$-P,P′$\}\cdot MeOH$ and *cis*-$Mo(CO)_4\{Ph_2P(CH_2CH_2)_4CH_2CH_2PPh_2$-P,P′$\}\cdot H_2O$, **246**, 229
solution dynamics of *cis*-bis(diphenylphosphino)ethene substituted derivatives of $Ir_4(CO)_{12}$, **247**, 65
electronic interactions in diyne $Co_2(CO)_6$ complexes, **247**, 99
synthesis of new thiol derivatives of $[Os_3(CO)_{12}]$; crystal structure of $[Os_3(CO)_{10}(\mu$-H$)\{\mu$-SC$(CH_3)_3\}]$, **247**, 131
regioselective and stereoselective PPh_3 substitution in the imido-capped cluster $Ru_3(CO)_{10}(\mu_3$-NPh). Electrochemical properties and X-ray diffraction structures of $Ru_3(CO)_9(PPh_3)(\mu_3$-NPh) and $Ru_3(CO)_8(PPh_3)_2(\mu_3$-NPh$)\cdot 1/2CH_2Cl_2$, **247**, 161
electrochemical behaviour and reactivity of cyclohexadienyl iron complexes, **248**, 45
ligand exchange reactions starting from $[Re(CO)_3Br_3]^{2-}$. Synthesis, characterization and structures of rhenium(I) tricarbonyl complexes with thiourea and thiourea derivatives, **248**, 193
$[Os_3(H)_2(CO)_{10}]$ derivatives containing the short bite ligands bis(diphenylphosphino)methane and 2-(diphenylphosphino)pyridine, **248**, 257
the synthesis, fluctionality and structural characterization of $ReMo_3H_4(CO)_{12}$, **250**, 15
steric control in the formation of $Co_2(CO)_6$–alkyne complexes from Group 14 tetraalkynes and their reactions with acid, **250**, 49
reactions between ruthenium cluster carbonyls and 1,4-diphenylbuta-1,3-diyne, **250**, 129
pitfalls in limiting studies of reactivity to a family of compounds, **250**, 265
mono-η^6 complexes of chromium(II) and chromium(0). Electron demanding substituents, structural and spectroscopic data comparisons, **250**, 317
organometallic silicon-based dendrimers with peripheral Si–cyclopentadienyl, Si–Co and Si–Fe σ-bonds, **251**, 5
synthesis and structure of $Co_3(\mu_3$-S$)(C_6F_5)(CO)_8$, a cobalt carbonyl cluster with an aryl–metal sigma bond, **251**, 35
benzynechromium tricarbonyl. Further synthetic studies, **251**, 53
photochemical reactions of transition metal organyl complexes with olefins. XIV. Molecular structure of an intermediate of the light-induced [6+4]-cycloadditions of dienes to tricarbonyl(η^6-1,3,5-cycloheptatriene)chromium(0), **251**, 95
vibrational analysis and resonance Raman spectra of polycrystalline and matrix-isolated $[CpFe(CO)_2]_2$, **251**, 157
photo-substitution reactions of $Cr(CO)_4$(1,10-phenanthroline). Mechanistic information from entering nucleophile, irradiation wavelength and pressure dependences, **251**, 341
solution thermochemical study of ligand substitution reaction of novel pyrrolyl-substituted tertiary phosphine ligands in the $L_2Fe(CO)_3$ system, **252**, 107
kinetics of associative reactions of $Fe_5C(CO)_{15}$ with P-donor nucleophiles, **252**, 311
metallomacrocycles with metal–metal bonds: synthesis, characterization and electrochemistry of $[(P)SnRe(CO)_5]BF_4$ and $[\{(P)Sn\}_2Re(CO)_4]BF_4$ derivatives, where P = tetra-*p*-tolylporphyrin or tetra-*m*-tolylporphyrin, **252**, 375

Carbonyl exchange
solution dynamics of *cis*-bis(diphenylphosphino)ethene substituted derivatives of $Ir_4(CO)_{12}$, **247**, 65

Carboxylate complexes
pentamethylcyclopentadienylrhodium bis-carboxylates: monohapto carboxylate coordination, dihapto carboxylate coordination, and water coordination to Cp*Rh, **245**, 7
nickel(II) complexes of 15-membered tetraaza macrocycles with a primary amine or carboxylate pendant: structural characterization of a one-dimensional chain compound, **246**, 65
tetra- and pentamanganese(II) macrocyclic complexes with bridging carboxylate groups: product control by pretreatment of manganese acetate solutions, **246**, 171
crystal structure of μ_3-oxo-esakis(μ_2-acetate)triaquatrichromium(III) 2,6-dihydroxybenzoate dihydrate, **248**, 99
crystal and molecular structure and electronic properties of $[Cu(HBIP)(BIP)(ONO_2)]$ (HBIP = 3,3-bis(2-imidazolyl)-propionic acid), **248**, 153
influence of the spatial structure of the alkyl chain on the composition of the product of the direct neutralization reaction between aliphatic carboxylic acids and zinc hydroxide, **249**, 17
synthesis and X-ray crystal structures of novel silver(I) complexes of (*N*-carboxymethyl)dimethylammonioacetate, **249**, 169

Catalysis
vanadium bromoperoxidase-catalyzed oxidation of thiocyanate by hydrogen peroxide, **243**, 201
catalytic oxidation of benzylic amines to imines by M(TPP)CL (M = Fe, Mn) followed by reduction to secondary amines, **247**, 71
effect of ligand donors on the catalytic properties of metal complexes. Copper(II) complexes as catalysts for the oxidation of 3,5-di-tert-butylcatechol, **249**, 85

Catalytic dimerisation
competing nickel-catalysed dimerisation and degenerate isomerisation of propene, **252**, 229

Catalytic hydrogenation
hydrogenation of dinitrosarcophagine Co(III); the crystal structures of Co(II) and Co(III) complexes of diaminosarcophagine, **253**, 91

Catalytic isomerization
identification of an elusive catalyst: $IrH(\eta^2$-$C_6H_4P^tBu_2)(Cl)$-(P^tBu_2Ph) as a precursor for C=C bond migration, **251**, 41

Catalyzed cyclization
one-pot synthesis of corrolates by cobalt catalyzed cyclization of formylpyrroles, **241**, 55

Catecholate complexes
macrocyclic catecholate complexes as ligands. Synthesis, structural characterization and properties of the $[MH_2ETC]$ and $\{[Ni(ETC)]Cu\}^{2-}$ complexes (M = Co, Ni; H_4ETC = the macrocyclic catechol, 2,3-ethylene-5,6:13,14-di(5′-methylbzo)-9,10-(4′,5′-diolbzo)-[14]-1,4,8,11-[N_4]-7,12-diene), **243**, 255
valence localization in [M(triphos)(3,5-di-tert-butyl-catecholate)]$^+$ ions (M = Co, Rh or Ir) probed by resonance Raman spectroscopy, **252**, 157

Cation aromatic bonding
cation-aromatic bonding in Group 14 organometallics, **242**, 191

Cation complexes
transition metal cation and phosphate anion electrochemical recognition in water by new polyaza ferrocene macrocyclic ligands, **246**, 143

π-Cation radical
electrochemical and spectroscopic behavior of dicobalt cofacial diporphyrins. The redox sites revisited, **248**, 181

C–C coupling
evidence for C–C coupling between two mutually *cis* carbon ligands, η^3-crotyl and aryl in organopalladium(II) complexes, **250**, 149

Cerium bisporphyrinates
metal complexes with tetrapyrrole ligands. 71. Heteroaggregation of cationic metal mono- and bisporphyrinates with anionic metal porphyrinates or indigosulfonates, **251**, 227

Cerium complexes
crystal structure and thermal behavior of some cerium complexes with the fluorinated β-diketonate ligand 6,6,6-trifluoro-2,2-dimethyl-3,5-hexanedione (fdh), **248**, 27
eight-coordinate Schiff-base zirconium polymers: synthesis, characterization and properties, **251**, 81

Ceruloplasmin
aspects of the demetalation and remetalation of ceruloplasmin, **250**, 75

Chain complexes
synthesis, crystal structure and magnetic properties of the chiral iron(II) chain $[Fe(bpym)(NCS)_2]_n$ (bpym = 2,2′-bipyrimidine), **250**, 81

Chalcogenido complexes
density functional description of the bonding in the μ_3-chalcogenido hexanuclear octahedral clusters $[Co_6(\mu_3\text{-}X)_8(PEt_3)_6]$ (X = S, Se, Te), **244**, 231
Charge transfer
synthesis, structure, and spectroscopic properties of (nitrito-*O*,*O*′)-[tris[2-(1-methyl)imidazolyl]methoxymethane]copper(II), Cu(II)(TIMM)$(NO_2)_2$, **243**, 33
photoreactivity of buckminsterfullerene-bis(triphenylphosphite)-platinum(0) induced by metal-to-ligand charge transfer excitation, **250**, 375
C–H bond activation
the activation of C–H bonds via Ru–Ru bond fission, **241**, 11
Chelate complexes
iron-59 complexes of lipophilic hexadentate phenolate-derivatized cyclohexanetriamine ligands, **242**, 201
a comparison of the solution behavior of Pt(II) complexes of *N*,*N*′- and *N*,*N*-ethylenediaminediacetate (edda and uedda), **244**, 15
synthesis and coordination properties of 6,6′-bis(diphenylphosphinomethyl)-2,2′-bipyridine-*N*,*N*′,*P*,*P*′-tetraoxide, **247**, 29
solution structures of luminescent chelates of europium(III) with 2,6-bis[*N*,*N*-bis(carboxymethyl)aminomethyl]-4-benzoylphenol, **247**, 209
the crystal structure of potassium *trans*(O_6)-1,3-propanediamine-*N*,*N*′-diacetato-*N*,*N*′-di-3-propionatocobaltate(III) trihydrate and consideration of ring strain, K*trans*(O_6)-[Co(1,3-pddadp)]·$3H_2O$, **248**, 89
methylnickel compounds containing trimethylphosphine and salicylaldiminato(*N*:*O*) ligands, **248**, 111
ligand exchange reactions starting from $[Re(CO)_3Br_3]^{2-}$. Synthesis, characterization and structures of rhenium(I) tricarbonyl complexes with thiourea and thiourea derivatives, **248**, 193
neutral and cationic nickel(II) complexes of phosphino-amines: $[NiCl_2(PMe_2Ph)(PNMe_2)]$ and $[NiCl(PMe_2Ph)(PNMe_2)]PF_6$ ($PNMe_2$ = *N*,*N*′-dimethyl-2-(diphenylphosphino)aniline), **249**, 131
synthesis and characterization of a manganese(III) complex with a new unsymmetrical chelating ligand, **249**, 251
the synthesis and characterization of $[MCl_3(N{=}NC_5H_4NH)(HN{=}NC_5H_4N)]$ from $[MO_4]^-$ (where M = Re, Tc) organodiazenido, organodiazene-chelate complexes. The X-ray structure of $[ReCl_3(N{=}NC_5H_4NH)(HN{=}NC_5H_4N)]$, **252**, 421
Chelate ring complexes
π-2-methylallylpalladium(II) complexes containing a nine-membered chelate ring with an azine diphosphine ligand: crystal structure of $[(\eta^3\text{-}2\text{–}MeC_3H_4)Pd\{E,Z\text{–}PPh_2CH_2C(Bu^t){=}N\text{–}N{=}C(Bu^t)CH_2PPh_2\}]Cl$, **244**, 115
Chelating amine complexes
stabilities and spectral properties of five-coordinate mixed-ligand copper(II) complexes containing *N*,*N*,*N*′,*N*″,*N*″-pentamethyldiethylenetriamine and α-amino acids, **244**, 51
aspects of the stereochemistry of bis-guanosine-5′-monophosphate diamine platinum complexes, **248**, 225
Chelating diamine complexes
breast cancer inhibiting diastereomeric diacetato[1,2-bis(4-fluorophenyl)ethylenediamine]platinum(II) derivatives: synthesis and studies on the relationship between reactivity and antitumor activity, **250**, 203
Chelating diphosphine complexes
solution dynamics of *cis*-bis(diphenylphosphino)ethene substituted derivatives of $Ir_4(CO)_{12}$, **247**, 65
Chelating ligand compounds
six-coordinate phosphorus compounds. Crystal structures and dynamic NMR studies of phosphoranes containing chelating ligands, **250**, 21
Chiral amine complexes
chiral ruthenium(IV)-oxo complexes. Structure, reactivities of $[Ru(terpy)(N\frown N)O]^{2+}$ ($N\frown N$ = *N*,*N*,*N*′,*N*′-tetramethyl-1,2-diaminocyclohexane) and $[Ru(Me_3tacn)(cbpy)O]^{2+}$ (cbpy = (−)-3,3′-[(4*S*-*trans*)-1,3- dioxolane-4,5-dimethyl]-2,2′-bipyridine), **242**, 105
Chiral complexes
synthesis and characterisation of chiral Cu(I) complexes with substituted-pyrrolidine-ligands bearing a triethoxysilyl group and preparation of heterogenised catalysts on USY-zeolites, **244**, 79
synthesis and characterisation of chiral Cu(I) complexes of substituted pyrrolidine ligands. Efficient catalysts for cyclopropanation reactions, **244**, 239
Chiral ligand complexes
methyl-, acetyl- and allyl-palladium and -platinum complexes containing the novel chiral phosphorus-imine 2-(diphenylphosphino)-benzylidene-*S*(−)-α-methyl-benzylamine ligand, **252**, 141
Chiral recognition
chiral recognition of tris(oxalato)cobaltate(III) anions by bovine serum albumin, **252**, 1
Chloranilate complexes
a new polymeric compound containing copper(II)-chloranilate chains: synthesis, crystal structure and magnetic properties of $[Cu(DCMB)(CA)]_n$ (DCMB = 3,3′-dicarbomethoxy-2,2′-bipyridyl; CA = dianion of 3,6-dichloro-2,5-dihydroxy-1,4-benzoquinone), **244**, 165
Chloride complexes
complexes of bismuth(III) chloride with oxygen donor ligands. Structural characterization of $BiCl_3 \cdot 3THF$, $BiCl_3$·diglyme and $BiCl_3$·diethylcarbitol, **249**, 41
exchange interactions in $Ti_2Cl_9^{3-}$: a critical analysis, **251**, 15
the solid state structure and the solution isomerization of $Mo_2Cl_6(THF)_3$, **251**, 101
Chlorophylls
modeling the bonding changes in chlorophyll cation radicals: resonance Raman spectroscopy of nickel(II) methyl pyropheophorbide *a*, **252**, 179
Chromium complexes
excitation-energy dependent photochemistry and resonance Raman spectra of $Cr(CNPh)_6$, **242**, 17
study of complexation of mono *N*-alkylcyclen and mono *N*-alkylcyclam with hexacarbonyl metal $M(CO)_6$ (M = Cr, Mo). Specific N^1,N^7-dissymmetric dialkylation of cyclen, **244**, 105
N,*N*,2,4,6-Pentamethylanilinetricarbonylchromium(0): an interesting case of restricted rotation in the arenetricarbonylchromium series, **244**, 265
binding properties of ^{t}butylamine in pentaammine complexes of chromium(III) and cobalt(III), **245**, 17
the effect of solvent mobility on $Cr(NH_3)_2(NCS)_4^-$ photolysis, **247**, 1
optically active chromium(III) complexes. VIII. Chiroptical and epimeric forms of chloro(1,2-diaminoethane)(1,4,8-triazaoctane)chromium(III) complexes and the structural characterization of some pentachloroantimonate(III) salts , **247**, 19
binuclear chromium(III) complexes bridged by hydroxide and acetate groups, **247**, 35
dibridged bimetallic complexes derived from bent niobocene and Group 6 metal carbonyls. Transmetallation of the PMe_2H ligand and crystal structure of $Cp_2Nb(\mu\text{-}PPh_2)(\mu\text{-}CO)Cr(CO)_3(PMe_2H)$, **247**, 263
heterobi-, tri- and tetra-metallic cyanide-bridged complexes based on pentacarbonylcyanochromate(0) and penta-, *cis*-tetra- and *fac*-triammineruthenium(III) groups: optical metal–metal charge transfer and electrochemical characteristics, **248**, 51
the kinetics of the sequential steps in the Hg^{2+}-assisted chloride release from some *trans*-$[CrCl_2(NH_2R)_4]^+$ complexes (R = Et,

Pr, Bu) and the X-ray structure of *trans*-$[CrCl_2(NH_2Et)_4]Cl$, **248**, 93
crystal structure of μ_3-oxo-esakis(μ_2-acetate)triaquatrichromium(III) 2,6-dihydroxybenzoate dihydrate, **248**, 99
spectroscopic properties and ligand field parameters of bis(hydrotris(1-pyrazolyl)borato) trivalent metal complexes: anomalous covalency in the metal–pyrazolyl nitrogen bond and energy level splittings due to anisotropic π bonding, **249**, 135
mono-η^6 complexes of chromium(II) and chromium(0). Electron demanding substituents, structural and spectroscopic data comparisons, **250**, 317
benzynechromium tricarbonyl. Further synthetic studies, **251**, 53
photochemical reactions of transition metal organyl complexes with olefins. XIV. Molecular structure of an intermediate of the light-induced [6+4]-cycloadditions of dienes to tricarbonyl(η^6-1,3,5-cycloheptatriene)chromium(0), **251**, 95
$[Cr(bipy)(C_2O_4)_2]^-$ — a versatile building block for the design of heteropolymetallic systems 2. Syntheses and crystal structures of $CuCr_2(bipy)_2(\mu\text{-}C_2O_4)_2(C_2O_4)_2(H_2O)_2 \cdot 1^1/_2H_2O$ and $(AgCr(bipy)(\mu\text{-}C_2O_4)_2(H_2O)_2)_2$ and magnetic properties of the copper(II) derivative, **251**, 309
photo-substitution reactions of $Cr(CO)_4$(1,10-phenanthroline). Mechanistic information from entering nucleophile, irradiation wavelength and pressure dependences, **251**, 341

Circular dichroism
helical hexaazamacrocyclic ligands containing pyridyl and (+ or −)-*trans*-diaminocyclohexyl groups: effect of ligand constraints upon metal ion binding, **246**, 301
chiral recognition of tris(oxalato)cobaltate(III) anions by bovine serum albumin, **252**, 1

^{13}C isotopomer analysis
competing nickel-catalysed dimerisation and degenerate isomerisation of propene, **252**, 229

Citrate complexes
synthesis, structure and magnetic properties of an asymmetric dinuclear oxocitratovanadate(IV) complex, **251**, 75

Clathrochelate complexes
distortions from trigonal prismatic geometry for several structurally characterized clathrochelate complexes: significance of π-back-bonding on clathrochelate coordination geometry, **241**, 21

Cluster complexes
the activation of C–H bonds via Ru–Ru bond fission, **241**, 11
basal site substitution in the sulfido-bridged cluster $Ru_3(CO)_9(\mu_3\text{-}S)_2$ by the redox-active diphosphine 4,5-bis(diphenylphosphino)-4-cyclopenten-1,3-dione (bpcd). Synthesis, X-ray structure and electrochemical properties of $Ru_3(CO)_7(bpcd)(\mu_3\text{-}S)_2$, **241**, 71
excited state absorption spectra of the tetranuclear cuprous iodide cluster $Cu_4I_4(py)_4$ and related species, **242**, 51
self-assembled monolayers of dithiols, diisocyanides, and isocyanothiols on gold: 'chemically sticky' surfaces for covalent attachment of metal clusters and studies of interfacial electron transfer, **242**, 115
reaction of (η^1-allenyl)dicarbonyl(η^5-cyclopentadienyl)ruthenium with nonacarbonyldiiron: synthesis and characterization of iron-ruthenium mixed-metal products, **243**, 109
magnetic properties of dodecanuclear mixed valence iron clusters, **243**, 295
the first amine derivatives of $Ir_4(CO)_{12}$ synthesis and X-ray characterization of $Ir_4(CO)_{10}$(1,10-phenanthroline) and $Ir_4(CO)_{10}$(4,4′-Me_2-2,2′-bipyridine), **244**, 11
density functional description of the bonding in the μ_3-chalcogenido hexanuclear octahedral clusters $[Co_6(\mu_3\text{-}X)_8(PEt_3)_6]$ (X = S, Se, Te), **244**, 231
synthesis and characterization of chiral $SFeCoM(CO)_8(RCOCp)$ (M = Mo, W; R = H, CH_3, C_2H_5O) clusters and the crystal structure of $SFeCoW(CO)_8(CH_3COCp)$, **245**, 143
investigations into the syntheses and structures of clusters of the Mo–O–REO_3^{2-} systems (E = P and As), **245**, 177
solution dynamics of *cis*-bis(diphenylphosphino)ethene substituted derivatives of $Ir_4(CO)_{12}$, **247**, 65
synthesis of new thiol derivatives of $[Os_3(CO)_{12}]$; crystal structure of $[Os_3(CO)_{10}(\mu\text{-}H)\{\mu\text{-}SC(CH_3)_3\}]$, **247**, 131
regioselective and stereoselective PPh_3 substitution in the imido-capped cluster $Ru_3(CO)_{10}(\mu_3\text{-}NPh)$. Electrochemical properties and X-ray diffraction structures of $Ru_3(CO)_9(PPh_3)(\mu_3\text{-}NPh)$ and $Ru_3(CO)_8(PPh_3)_2(\mu_3\text{-}NPh) \cdot 1/2CH_2Cl_2$, **247**, 161
a new amorphous trinuclear complex of Pt(II) with 1,3-thiazolidine-2-thione: $[Pt_3(ttz)_8]Cl_6$, **248**, 203
$[Os_3(H)_2(CO)_{10}]$ derivatives containing the short bite ligands bis(diphenylphosphino)methane and 2-(diphenylphosphino)pyridine, **248**, 257
the synthesis, fluctionality and structural characterization of $ReMo_3H_4(CO)_{12}$, **250**, 15
reactions between ruthenium cluster carbonyls and 1,4-diphenylbuta-1,3-diyne, **250**, 129
reaction of $FcCCo_3(CO)_9$ with 2,3-bis(diphenylphosphino)maleic anhydride (bma). X-ray diffraction structure and redox properties of $Co_3(CO)_6[\mu_2\text{-}\eta^2\text{:}\eta^1\text{-}C(Fc)C{=}C(PPh_2)C(O)OC(O)](\mu_2\text{-}PPh_2)$, **250**, 195
synthesis and structure of $Co_3(\mu_3\text{-}S)(C_6F_5)(CO)_8$, a cobalt carbonyl cluster with an aryl–metal sigma bond, **251**, 35
benzynechromium tricarbonyl. Further synthetic studies, **251**, 53
synthesis of a new 4Fe–4S cluster with a biomimetic bulky thiolate ligand as model for the $[Fe_4S_4]^{2+/3+}$ states of high potential iron–sulfur proteins, **251**, 119
uptake of ethylene by sulfur-bridged cubane-type molybdenum/tungsten–nickel clusters $[M_3NiS_4(H_2O)_{10}]^{4+}$ ($M_3 = Mo_3$, Mo_2W, MoW_2, W_3): syntheses, structures and ^1H NMR spectra, **251**, 207
morphological variation in self-assembled copper(I) paddle-wheel complexes, **252**, 281
kinetics of associative reactions of $Fe_5C(CO)_{15}$ with P-donor nucleophiles, **252**, 311
one-step syntheses of Ph_3P-substituted selenido carbonyl iron and ruthenium clusters. Part 2. Crystal structures of $Fe_2(\mu_2\text{-}Se_2)(CO)_{6-n}(PPh_3)_n$ ($n = 1$ or 2), $Fe_3(\mu_3\text{-}Se)_2(CO)_8(PPh_3)$ and $Ru_4(\mu_4\text{-}Se)_2(\mu\text{-}CO)_2(CO)_8(PPh_3)$, and HPLC behaviour of the iron derivatives, **252**, 367
diiron-cluster intermediates in biological oxygen activation reactions, **252**, 399

Cluster hydrogen atom complexes
compounds containing the $[Zr_6Cl_{18}H_4]^{4-}$ cluster anion, **252**, 239

Cluster stability
phenylalanine 48 of *Chromatium vinosum* high potential iron protein is essential for stability of the oxidized $[Fe_4S_4]$ cluster. Site-directed mutagenesis and NMR studies as a probe of cluster chemistry, **251**, 285

C,N-bridging ligand complexes
electrochemistry of dimeric organopalladium(II) complexes containing bridging [pyridin-2-yl(phenyl)methyl-*C*,*N*]$^-$ and [bis(pyridin-2-yl)phenylmethyl-*C*,*N*,*N*′]$^-$ groups, **251**, 185

^{13}C NMR relaxation rates
coordination of monocarboxylates in lanthanide(III) complexes, **245**, 51

Cobalt complexes
EPR spectra for high- and low-spin Co^{II} encapsulated complexes, **241**, 5
distortions from trigonal prismatic geometry for several structurally characterized clathrochelate complexes: significance of π-back-bonding on clathrochelate coordination geometry, **241**, 21
one-pot synthesis of corrolates by cobalt catalyzed cyclization of formylpyrroles, **241**, 55
kinetic studies on the reduction of the R2 protein of *E. coli* ribonucleotide reductase by $[Co(sep)]^{2+}$ and $[Co(9\text{-}aneN_3)_2]^{2+}$, **242**, 165

thermal substitution reactions of the heterodinuclear complex $CpFe(CO)_2Co(CO)_4$ with phosphorus ligands, **242**, 271
charge transfer rate constants for the reduction of cobaltocenium at accumulated N-Si electrodes, **242**, 311
macrocyclic catecholate complexes as ligands. Synthesis, structural characterization and properties of the $[MH_2ETC]$ and $\{[Ni(ETC)]Cu\}^{2-}$ complexes (M = Co, Ni; H_4ETC = the macrocyclic catechol, 2,3-ethylene-5,6:13,14-di(5′-methylbzo)-9,10-(4′,5′-diolbzo)-[14]-1,4,8,11-[N_4]-7,12-diene), **243**, 255
solid-state circular dichroism spectra of *trans*-diamminetetranitrocobaltate(III) salts and *mer*-triamminetrinitrocobalt(III), **244**, 1
solubilization of *fac*-tris(amino acidato)cobalt(III) by sulfuric acid and sodium sulfate, **244**, 57
density functional description of the bonding in the μ_3-chalcogenido hexanuclear octahedral clusters $[Co_6(\mu_3\text{-}X)_8(PEt_3)_6]$ (X = S, Se, Te), **244**, 231
correction to: Synthesis and structures of layered metal sulfonate salts, **244**, 253
binding properties of ^{t}butylamine in pentaammine complexes of chromium(III) and cobalt(III), **245**, 17
synthesis and characterization of chiral $SFeCoM(CO)_8(RCOCp)$ (M = Mo, W; R = H, CH_3, C_2H_5O) clusters and the crystal structure of $SFeCoW(CO)_8(CH_3COCp)$, **245**, 143
μ_2-N pseudohalide as mediator of magnetic exchange in dicobalt(II) complexes, **246**, 73
electronic interactions in diyne $Co_2(CO)_6$ complexes, **247**, 99
the reaction of diiodotriorganophosphorus compounds with dicobalt octacarbonyl; isolation of a new isomeric form of $[R_3PI][CoI_3(PR_3)]$, **247**, 257
the crystal structure of potassium *trans*(O_6)-1,3-propanediamine-*N*,*N*′-diacetato-*N*,*N*′-di-3-propionatocobaltate(III) trihydrate and consideration of ring strain, K*trans*(O_6)-[Co(1,3-pddadp)]·$3H_2O$, **248**, 89
electrochemical and spectroscopic behavior of dicobalt cofacial diporphyrins. The redox sites revisited, **248**, 181
tri-bridged amidinato compounds of dicobalt 1: $Co_2[PhNC(R)NPh]_3$ with R = H and C_6H_5, **249**, 9
spectroscopic properties and ligand field parameters of bis(hydrotris(1-pyrazolyl)borato) trivalent metal complexes: anomalous covalency in the metal–pyrazolyl nitrogen bond and energy level splittings due to anisotropic π bonding, **249**, 135
steric control in the formation of $Co_2(CO)_6$–alkyne complexes from Group 14 tetraalkynes and their reactions with acid, **250**, 49
reaction of $FcCCo_3(CO)_9$ with 2,3-bis(diphenylphosphino)maleic anhydride (bma). X-ray diffraction structure and redox properties of $Co_3(CO)_6[\mu_2\text{-}\eta^2\text{:}\eta^1\text{-}C(Fc)C{=}C(PPh_2)C(O)OC(O)](\mu_2\text{-}PPh_2)$, **250**, 195
synthesis and structure of $Co_3(\mu_3\text{-}S)(C_6F_5)(CO)_8$, a cobalt carbonyl cluster with an aryl–metal sigma bond, **251**, 35
metal-mediated oxidation of guanines in DNA and RNA: a comparison of cobalt(II), nickel(II) and copper(II) complexes, **251**, 193
chiral recognition of tris(oxalato)cobaltate(III) anions by bovine serum albumin, **252**, 1
valence localization in $[M(triphos)(3,5\text{-di-tert-butyl-catecholate})]^+$ ions (M = Co, Rh or Ir) probed by resonance Raman spectroscopy, **252**, 157
the phenomenon of conglomerate crystallization. Part 44. The crystallization behavior of [*cis*-$Co(tren)(NO_2)_2]BF_4$ (**I**), [*cis*-$Co(tren)(NO_2)_2]_2SiF_6$ (**II**), the space group of [*cis*-$Co(tren)(NO_2)_2]I$ (**III**) and some bio-inorganic observations derived from their stereochemistry, **252**, 391
experimental and theoretical studies of the single- and double-CO loss photoproducts of $[CpCo(CO)]_2(\mu\text{-}CH_2)$, **252**, 405
hydrogenation of dinitrosarcophagine Co(III); the crystal structures of Co(II) and Co(III) complexes of diaminosarcophagine, **253**, 91

CO insertion
coordination modes of the novel bifunctional nitrogen ligands 8-(2-pyridyl)quinoline and 8-(6-methyl-2-pyridyl)quinoline towards palladium and platinum. X-ray crystal structures of (8-(2-pyridyl)quinoline)Pd(Me)Cl, (8-(2-pyridyl)quinoline)-Pd(C(O)Me)Cl and (8-(2-pyridyl)quinoline)$Pd(PEt_3)Cl_2$, **250**, 87

Colour centres
blue–green ultramarine-type zeolites with dimeric tellurium colour centres, **252**, 39

Compartmental ligand complexes
a very strong metal–metal interaction in a dinuclear ruthenium(II) complex with the dianion of 2,3-dihydroxy-but-2-enal as a compartmental bridging ligand, **251**, 9

Complexation equilibrium
complexation equilibria and structures of dimethyltin(IV) complexes with *N*-methyliminodiacetate, pyridine-2,6-dicarboxylate, ethylenediamine-*N*,*N*′-diacetate and ethylenediamine-*N*,*N*,*N*′,*N*′-tetraacetate, **248**, 215

Copper
exogenous ligand binding to *Pseudomonas stutzeri* nitrous oxide reductase, **242**, 239

Copper A
electron-transfer studies with the CuA domain of *Thermus thermophilus* cytochrome ba_3, **243**, 141

Copper complexes
mixed-ligand copper(II) complexes with *N*-methyl derivatives of iminodiacetato or imidazole: crystal structures of (*N*-methyl-iminodiacetato)(imidazole)copper(II), [Cu(MIDA)(ImH)] and diaqua(iminodiacetato)(*N*-methyl-imidazole)copper(II) monohydrate, $[Cu(IDA)(1MeImH)(H_2O)_2]\cdot H_2O$, **241**, 39
spectral and magnetic properties, and biological activity of several coordination compounds of dinegative isoorotato and 2-thioisoorotato ligands. Crystal structure of the tetrameric complex $[Cu_4(isoorotato^{2-})_4(NH_3)_4(H_2O)_2]\cdot 4H_2O$, **241**, 61
excited state absorption spectra of the tetranuclear cuprous iodide cluster $Cu_4I_4(py)_4$ and related species, **242**, 51
buffer-induced anomalies in the Fenton chemistry of iron and copper, **242**, 57
a new trinuclear copper complex and its reactions with plasmid DNA, **242**, 329
synthesis, structure, and spectroscopic properties of (nitrito-*O*,*O*′)[tris[2-(1-methyl)imidazolyl]methoxymethane]copper(II), Cu(II)(TIMM)$(NO_2)_2$, **243**, 33
the crystal and molecular structure of μ-imidazolatobis [bis(1–10 phenanthroline)copper(II)] nitrate, **243**, 327
synthesis, spectroscopic, magnetic and electrochemical properties of Cu(II) and Fe(III) complexes with the new ligand *N*,*N*′-[1,1′-dithiobis(phenyl)]bis(5′-methoxysalicylaldimine), **244**, 25
stabilities and spectral properties of five-coordinate mixed-ligand copper(II) complexes containing *N*,*N*,*N*′,*N*″,*N*″-pentamethyldiethylenetriamine and α-amino acids, **244**, 51
synthesis and characterisation of chiral Cu(I) complexes with substituted-pyrrolidine-ligands bearing a triethoxysilyl group and preparation of heterogenised catalysts on USY-zeolites, **244**, 79
in situ oxidation of a copper(I) complex to produce a hydroxy-bridged dinuclear copper(II) complex. Structural, magnetic and electrochemical properties, **244**, 87
a new polymeric compound containing copper(II)-chloranilate chains: synthesis, crystal structure and magnetic properties of $[Cu(DCMB)(CA)]_n$ (DCMB = 3,3′-dicarbomethoxy-2,2′-bipyridyl; CA = dianion of 3,6-dichloro-2,5-dihydroxy-1,4-benzoquinone), **244**, 165
coordination of 2-hydroxyhippuric acid to the copper(II) ion: a solution and solid state study, **244**, 207
synthesis and characterisation of chiral Cu(I) complexes of substituted pyrrolidine ligands. Efficient catalysts for cyclopropanation reactions, **244**, 239

unusual complexation behavior of 1,3-diaminopropane, **244**, 255
iminoquinone coordination to copper(I) in the [Cu(PhenoxBQ)(μ-Cl)]$_2$ dimer, **245**, 1
conformational flexibility of the di(1,3-diaminopropane)-copper(II) cation. Part 2. Structure determination for aqua-di(1,3-diaminopropane-*N*,*N*′)-copper(II) dichloride and chlorodi(1,3-diaminopropane-*N*,*N*′)-copper(II) chloride methanol solvate and DFT calculations for aqua-di(1,3-diaminopropane-*N*,*N*′)copper(II) cation, **245**, 35
crystal and molecular structure and electronic properties of [Cu(bbimpy)(H_2O)$_2$(ONO_2)](NO_3)·H_2O (bbimpy = 2,6-bis(2-benzimidazolyl)pyridine), **245**, 75
the reaction of copper 3-trimethylsilylpyridine-2-thiolate with bis(diphenylphosphino)ethane. Crystal structure of μ-[1,2-bis(diphenylphosphino)ethane]bis(3-trimethylsilylpyridine-2-thiolato-*S*)[1,2-bis(diphenylphosphino)ethane]dicopper(I), [Cu_2(3-Me_3Sipyt)$_2$(dppe)$_3$], **245**, 119
ligand behaviour of a bis-pyridazinecarboxamide copper(II) complex towards nickel(II) β-diketonates. X-ray crystal structure of Cu(bpdpn)Ni(hfacac)$_2$ (H_2bpdpn = *N*,*N*′-bis-(3′-pyridazinecarboxamide)-1,3-propane, Hhfacac = hexafluoroacetylacetone), a heterometallic bridged complex, **245**, 231
macrocyclic heterodinuclear NiMn and CuMn complexes: crystal structure and electrochemical behaviour, **246**, 13
the mononuclear barium and dinuclear copper(II) complexes of a 24-membered bibracchial tetraimine Schiff base macrocycle derived from tris(2-aminoethyl)amine and 2,5-diformylfuran, **246**, 81
the crystal structure of a macrocycle containing pyridine and piperazine subunits, and of a Cu(I) complex of its diprotonated cation, **246**, 119
strong cooperative protonation and copper(II)-assisted hydrolysis of the novel X-ray characterized polyoxamide cryptand 1,4,7,10,13,16,21,24-octaaza-bicyclo[8.8.8] hexacosan-5,6,14,15,22,23-hexone, **246**, 249
macrocycles with a single pendant arm: synthesis of *N*-R-(1,4,7-triazacyclononane) [L, R = 4-but-1-ene; L′, R = 3-prop-1-ene]: Synthesis of the Cu^I complex [CuL]I and synthesis and crystal structure of the Cu^{II} complex [CuL_2][BPh_4]$_2$ and the μ-hydroxy bridged Cu^{II} dimer [LCu(μ-OH)$_2$CuL][BPh_4]$_2$, **246**, 343
Schiff–base template synthesis of tetra-aza macrocycles involving diethylmalonate as a padlock, **246**, 379
a structural and magnetochemical study of some copper(II) complexes containing the ligands 1,4,7-triazacyclononane-*N*-acetate (L^1) and *N*-(2-hydroxybenzyl)-1,4,7-triazacyclononane (HL^2), **246**, 387
the reaction of acetone with [Cu(en)$_2$]$^{2+}$: the crystal structure of the copper(II)-β-aminoketone complex initially formed and the kinetics of its base-catalysed conversion to the copper(II) complex of *trans*[14]diene_4, **246**, 395
transition metal compounds of 1,2-bis(2-pyridyl)ethyne. Synthesis, spectroscopic characterization and X-ray structures of dinuclear [Cu_2(1,2-bis(2-pyridyl)ethyne)$_3$(NO_3)$_4$] and polynuclear [Co(1,2-bis(2-pyridyl)ethyne)(NO_3)$_2$]$_n$, **247**, 43
copper(II) binary complex equilibria with [*S*]- and [*R*]-2-benzylamino-methylpyrrolidines under physiological conditions, **247**, 175
crystal structures of *trans*-di(2-fluorobenzoato-*O*)di-(1,3-diaminopropane-*N*,*N*′)nickel(II) and its copper(II) analogue. Variation in the coordination modes, **248**, 1
trinuclear copper(II) coordination compounds with the new ligand 1,9-bis-(3-amino-4*H*-1,2,4-triazol-5-yl)-3,7-dithianonane; X-ray structures and magnetochemistry, **248**, 35
a study of pseudo 1-D copper(I) halide systems exhibiting anomalous copper(II) character: physical characterization of (paraquat)Cu_2X_4 (X = Cl, Br, I), **248**, 73
magnetic interaction in the keto and enol forms of binuclear copper(II) complexes with a Robson-type ligand. X-ray crystal structure of [Cu_2(HL)(μ-N_3)(H_2O)(C_2H_5OH)(ClO_4)], **248**, 135
synthesis and characterisation of Cu(II) complexes with the 2-acetamido-*N*-(4-methyl-2-thiazolyl) (amtz) ligand. The crystal structure of [Cu(amtz)$_2$$H_2O$]($NO_3$)$_2$, **248**, 209
dicopper(II) complexes with hexaaza binucleating ligands derived from isophthaldehyde and di(2-pyridyl)methylamine, **248**, 247
synthesis and spectroscopic properties of two pyridine-2-carbaldehyde thiosemicarbazonecopper(II) compounds: [CuX_2($C_7H_8N_4S$)]·H_2O (X = Br, Cl). Crystal structure of the bromo complex, **249**, 25
synthesis and structural characterisation of a pair of linkage isomers of copper(I) pyridine-2-carbaldehyde 2′-pyridylhydrazone complexes, **249**, 47
effect of ligand donors on the catalytic properties of metal complexes. Copper(II) complexes as catalysts for the oxidation of 3,5-di-tert-butylcatechol, **249**, 85
synthesis, crystal structure and properties of the copper(II) complex of a new dioxocyclam appended with two 8-methylquinolines as additional donor pendants (dioxocyclam = 1,4,8,11-tetraazacyclotetradecane-5,7-dione), **249**, 125
the preparation, characterization, crystal structure and biological activities of some copper(II) complexes of the 2-benzoylpyridine Schiff bases of *S*-methyl- and *S*-benzyldithiocarbazate, **249**, 207
synthesis and spectroscopic characterization of new Cu(I) complexes containing triaryl-, tricycloalkylphosphines and heterocyclic anionic or neutral N-donor ligands. Crystal and molecular structure of [(Cy_3P)$_2$(pzH)Cu]ClO_4·CH_3OH (Cy = cyclohexyl, pzH = pyrazole), **249**, 215
synthesis and characterization of $SrCu_2(O_2CR)_3$(bdmap)$_3$ and $Bi_2(O_2CCH_3)_4$(bdmap)$_2$(H_2O) (R = CH_3, CF_3; bdmap = 1,3-bis(dimethylamino)-2-propanolato), **250**, 163
polynuclear copper(II) complexes with μ_2-1,1-azide bridges. Structural and magnetic properties, **250**, 227
kinetics and mechanism of Cu^{2+} incorporation into homo- and heteroditopic bis-macrocycles studied by the stopped-flow/photodiode-array technique, **251**, 177
metal-mediated oxidation of guanines in DNA and RNA: a comparison of cobalt(II), nickel(II) and copper(II) complexes, **251**, 193
luminescent tetranuclear copper(I) clusters containing tetradentate N,S Schiff base ligands. X-ray crystal structure of Cu_4L_2 (L = *N*,*N*′-(2,2′-diphenyl)-bis(1,3-diphenyl-4-iminomethyl-5-thiopyrazole)), **251**, 291
[Cr(bipy)(C_2O_4)$_2$]$^-$ — a versatile building block for the design of heteropolymetallic systems 2. Syntheses and crystal structures of $CuCr_2$(bipy)$_2$(μ-C_2O_4)$_2$(C_2O_4)$_2$(H_2O)$_2$·$1^1/_2H_2O$ and (AgCr(bipy)(μ-C_2O_4)$_2$(H_2O)$_2$)$_2$ and magnetic properties of the copper(II) derivative, **251**, 309
hydrophobic effects in the stabilisation of copper(I) by the macrocyclic ligands 16,17,19,20-tetramethyl-2,6,9,13-tetraaza[14]paracyclophane and 14,15,17,18-tetramethyl-2,5,8,11-tetraaza[12]paracyclophane, **252**, 123
heteronuclear μ-1-methylcytosinato-*N*3,*N*4 complexes containing very short Pt → Cu dative bonds, **252**, 167
morphological variation in self-assembled copper(I) paddle-wheel complexes, **252**, 281
the interaction of transition metals with the coenzyme α-lipoic acid: synthesis, structure and characterization of copper and zinc complexes, **252**, 319
structural and electrochemical studies of dicopper complexes of a binucleating ligand involving sulfides and benzimidazoles, **252**, 413

Copper(I)
competitive energy-transfer and reductive quenching of the CT excited states of copper(I) phenanthrolines, **242**, 143

Copper(II) complexes

crystal and molecular structure and electronic properties of [Cu(HBIP)(BIP)(ONO_2)] (HBIP = 3,3-bis(2-imidazolyl)-propionic acid), **248**, 153
synthesis, crystal structure and magnetic properties of the first structurally characterized 1,2-dithiocroconato-containing Cu(II) complex, {[Cu(bpca)(H_2O)]$_2$[Cu(1,2-dtcr)$_2$]}·2H_2O, **250**, 219
Copper oxide superconductor
electron tunneling microscopy: a direct probe of metal substitution in BiSrCaCuO superconductors1, **243**, 305
Copper protein
the pH dependence of intramolecular electron transfer in azurins, **243**, 127
aspects of the demetalation and remetalation of ceruloplasmin, **250**, 75
Copper uptake
aspects of the demetalation and remetalation of ceruloplasmin, **250**, 75
Coproporphyrin dimer
engineering photosynthesis: synthetic redox proteins, **243**, 213
Corrole complexes
one-pot synthesis of corrolates by cobalt catalyzed cyclization of formylpyrroles, **241**, 55
Cross-coupling reactions
multinucleating ligands from multiple palladium(0)-catalysed cross-coupling reactions — synthesis and characterisation of a trinuclear cyclometallated ruthenium(II) complex and a hexanuclear EPR-active molybdenum complex, **250**, 29
Crotyl complexes
evidence for C–C coupling between two mutually *cis* carbon ligands, η^3-crotyl and aryl in organopalladium(II) complexes, **250**, 149
Crown ether complexes
synthesis and crystal structure of a thallium(I) hydrogen benzothiazolylcyanoximate complex with 18-crown-6: the thallium atom is in the center of the crown ether cavity, **249**, 151
effect of second-sphere coordination 6. Adduct formation of monoammine-, diammine-, triammine- and tetraammineruthenium(II) complexes with 18-crown-6 ether, **249**, 201
crown ether mediated cadmium halide dimers and polymers, **250**, 105
Crown ion-pair complexes
crystal structures of complexes of ammonium and potassium hexafluorophosphate with dibenzo-18-crown-6. Molecular mechanics studies on the uncomplexed macrocycle, **252**, 383
Crown thioether complexes
the synthesis and structure of bis(1,4,7-trithiacyclodecane)-ruthenium(II) perchlorate: the *meso* diastereoisomer, **244**, 73
synthesis and complexation studies of mesocyclic and macrocyclic polythioethers. XIV. Crown thioether complexes of palladium(II) and platinum(II), **246**, 31
Cryptate complexes
a structurally characterized azide-bridged dinuclear nickel(II) cryptate, **244**, 7
Crystal structures
the activation of C–H bonds via Ru–Ru bond fission, **241**, 11
distortions from trigonal prismatic geometry for several structurally characterized clathrochelate complexes: significance of π-back-bonding on clathrochelate coordination geometry, **241**, 21
mixed-ligand copper(II) complexes with *N*-methyl derivatives of iminodiacetato or imidazole: crystal structures of (*N*-methyl-iminodiacetato)(imidazole)copper(II), [Cu(MIDA)(ImH)] and diaqua(iminodiacetato)(*N*-methyl-imidazole)copper(II) monohydrate, [Cu(IDA)(1MeImH)(H_2O)$_2$]·H_2O, **241**, 39
tetrahedral versus square-planar NiS_4 core in solid-state bis(dithioimidodiphosphinato)nickel(II) chelates. Crystal and molecular structures of Ni[(SPR_2)($SPPh_2$)N]$_2$ (R = Ph, Me), **241**, 47
spectral and magnetic properties, and biological activity of several coordination compounds of dinegative isoorotato and 2-thioisoorotato ligands. Crystal structure of the tetrameric complex [Cu_4(isoorotato^{2-})$_4$(NH_3)$_4$(H_2O)$_2$]·4H_2O, **241**, 61
basal site substitution in the sulfido-bridged cluster $Ru_3(CO)_9(\mu_3\text{-}S)_2$ by the redox-active diphosphine 4,5-bis(diphenylphosphino)-4-cyclopenten-1,3-dione (bpcd). Synthesis, X-ray structure and electrochemical properties of $Ru_3(CO)_7$(bpcd)$(\mu_3\text{-}S)_2$, **241**, 71
molecular structures of tri-*N*-pyrrolylboranes and the dynamic behaviour of tri-*N*-indolylboranes in solution, **241**, 87
preparation, characterization and crystal structure of Fe($(OPPh_2)_2N)_3$, **241**, 111
complexes of Ag(I) with 1-methyl-2(3*H*)-imidazolinethione. The crystal structure of tris[1-methyl-2(3*H*)-imidazolinethione]-silver(I) nitrate, **241**, 117
coordination chemistry of mixed pyridine–phenol ligands. The crystal structure of [Zn(L^1)$_2$(BPh_2)][BPh_4] (HL^1 = 6-(2-hydroxyphenyl)-2,2′-bipyridine), the first example of a phenolate bridge between a transition metal and boron, **241**, 125
transition metal complexes with amidinato ligands: the ubiquitous tris-chelated structural motif, **242**, 31
complexation of Zn($OTeF_5)_2$ by weakly coordinating solvents and single-crystal X-ray structures of [Zn($OTeF_5)_2$($PhNO_2)_2$]$_2$ and Zn($OTeF_5)_2$($PhNO_2)_3$, **242**, 71
reactions of the dirhenium(II) complexes $Re_2X_4(dppm)_2$ (X = Cl, Br; dppm = $Ph_2PCH_2PPh_2$) with isocyanides. VI. Further studies on isomers of the edge-sharing bioctahedral species [$Re_2Cl_3(\mu$-dppm$)_2$(CO)(CNxyl)$_2$]$^+$, **242**, 81
chiral ruthenium(IV)-oxo complexes. Structure, reactivities of [Ru(terpy)(N⌒N)O]$^{2+}$ (N⌒N = *N*,*N*,*N*′,*N*′-tetramethyl-1,2-diaminocyclohexane) and [Ru(Me_3tacn)(cbpy)O]$^{2+}$ (cbpy = (−)-3,3′-[(4*S-trans*)-1,3-dioxolane-4,5-dimethyl]-2,2′-bipyridine), **242**, 105
synthesis, structure and reactivity of a novel bis(phosphite) tetrarhodium decacarbonyl hydroformylation catalyst precursor, **242**, 125
synthesis and structural characterization of {(η^5-$C_5Me_4)_2SiMe_2$}YCH($SiMe_3)_2$. Hydrogenation to [{(η^5-$C_5Me_4)_2SiMe_2$}Y]$_2$(μ_2-H)$_2$ and its facile ligand redistribution to Y_2[μ_2-{(η^5-C_5Me_4)$SiMe_2$(η^5-C_5Me_4)}]$_2$(μ_2-H)$_2$, **242**, 205
bis(2,2′-bipyridine)(1,2-diimino-9,10-anthraquinone)ruthenium(II): a complex containing an exceptionally strong pi-accepting α–α' diimine ligand. I. Synthesis, crystal and electronic structures, **242**, 293
a new trinuclear copper complex and its reactions with plasmid DNA, **242**, 329
synthesis, structure, and spectroscopic properties of (nitrito-*O*,*O*′)[tris[2-(1-methyl)imidazolyl]methoxymethane]copper(II), Cu(II)(TIMM)($NO_2)_2$, **243**, 33
syntheses and characterization of the ruthenium carbonyl porphyrin complexes Ru(TPP)(CO)(1-MeIm) and Ru(α-PocPivP)(CO)(1-MeIm), **243**, 57
reaction of (η^1-allenyl)dicarbonyl(η^5-cyclopentadienyl)ruthenium with nonacarbonyldiiron: synthesis and characterization of iron-ruthenium mixed-metal products, **243**, 109
synthesis, reactivity and redox properties of dinuclear molybdenum–sulfur complexes, **243**, 147
molecular structure of [W(N)(O-2,6-$C_6H_3{}^iPr_2)_3$]$_2$: a metal-nitrido compound with a cyclic diyne structure, **243**, 177
macrocyclic catecholate complexes as ligands. Synthesis, structural characterization and properties of the [MH_2ETC] and {[Ni(ETC)]Cu}$^{2-}$ complexes (M = Co, Ni; H_4ETC = the macrocyclic catechol, 2,3-ethylene-5,6:13,14-di(5′-methylbzo)-9,10-(4′,5′-diolbzo)-[14]-1,4,8,11-[N_4]-7,12-diene), **243**, 255
nitro-substituted benzoates of dimolybdenum: the $Mo_2{}^{4+}$ δ to ligand charge transfer band, **243**, 283
the crystal and molecular structure of μ-imidazolatobis [bis(1–10 phenanthroline)copper(II)] nitrate, **243**, 327
models for the iron-sulfur protein rubredoxin: the use of sterically hindered thiolate ligands to stabilize [Fe($SR)_4$]$^{1-}$ complexes; some considerations of the structure of the [Fe(S-Cys)$_4$] centers in oxidized rubredoxins, **243**, 333

a structurally characterized azide-bridged dinuclear nickel(II) cryptate, **244**, 7
the first amine derivatives of $Ir_4(CO)_{12}$ synthesis and X-ray characterization of $Ir_4(CO)_{10}$(1,10-phenanthroline) and $Ir_4(CO)_{10}$(4,4′-Me_2-2,2′-bipyridine), **244**, 11
the role of ligand steric hindrance in determining the stability of very short V–V contacts. Preparation and characterization of a series of V(II) and V(III) amidinates, **244**, 37
synthesis and properties of ruthenium and palladium iodide complexes of phosphorus, arsenic and antimony ligands, **244**, 65
the synthesis and structure of bis(1,4,7-trithiacyclodecane)-ruthenium(II) perchlorate: the *meso* diastereoisomer, **244**, 73
in situ oxidation of a copper(I) complex to produce a hydroxy-bridged dinuclear copper(II) complex. Structural, magnetic and electrochemical properties, **244**, 87
aurophilicity at sulfur centers. Synthesis of the polyaurated species $[S(AuPR_3)_n]^{(n-2)+}$ (n=2–6), **244**, 95
isothiocyanato complexes of rhenium VI. Synthesis, characterization and structures of *cis*-and *trans*-$[ReCl_2(NCS)(Me_2PhP)_3]$, **244**, 109
π-2-Methylallylpalladium(II) complexes containing a nine-membered chelate ring with an azine diphosphine ligand: crystal structure of $[(\eta^3\text{-}2\text{–}MeC_3H_4)Pd\{E,Z\text{–}PPh_2CH_2C(Bu^t)=N\text{–}N=C(Bu^t)CH_2PPh_2\}]Cl$, **244**, 115
the synthesis, characterization and substitution reactions of the mixed ligand technetium(I) nitrosyl complex *trans–trans*-$[(NO)(NCCH_3)Cl_2(PPh_3)_2Tc]$, **244**, 121
conformationally flexible arsine ligands: two forms of bis[1,1′-bis(dimethylarsino)ferrocene]dibromonickel(II), **244**, 131
highly diastereoselective formation and structural characterization of [2+2] cycloadducts from the phosphenium complexes $Cp(OC)_2M{=}P(Ph)(o\text{-}Tol)$ (M=Mo, W) and isocyanates, **244**, 147
synthesis of a multiply-bonded ditungsten hydride complex, $W_2(\mu\text{-}H)(\mu\text{-}O_2CC_6H_5)Cl_4(dppm)_2$, **244**, 151
a new polymeric compound containing copper(II)-chloranilate chains: synthesis, crystal structure and magnetic properties of $[Cu(DCMB)(CA)]_n$ (DCMB=3,3′-dicarbomethoxy-2,2′-bipyridyl; CA=dianion of 3,6-dichloro-2,5-dihydroxy-1,4-benzoquinone), **244**, 165
synthesis and structural characterization of complexes of the {Cp*Rh} and {MeRe} cores with pyridine-2-thiol ligand types. Structures of $MeReO(\eta^2\text{-}2\text{-}SC_5H_3N\text{-}3\text{-}SiMe)_2$ and $(\eta^5\text{-}Me_5C_5)Rh(\eta^2\text{-}2\text{-}SC_5H_3N\text{-}3\text{-}SiMe_3)(\eta^1\text{-}2\text{-}SC_5H_3N\text{-}3\text{-}SiMe_3)$, **244**, 199
coordination of 2-hydroxyhippuric acid to the copper(II) ion: a solution and solid state study, **244**, 207
transition metal complexes with sulfur ligands. Part CXIV. Alkylation, substitution reactions, electrochemistry and structure of nitrosyl and carbonyl complexes with the [Mo('S_4')] fragment ('S_4'$^{2-}$=1,2-bis(2-mercaptophenylthio)ethane(2−)), **244**, 213
synthesis and characterization of a VO^{3+} complex of a pentadentate amine alcohol ligand: towards hydrolytically stable ligands forming model complexes for vanadium-dependent haloperoxidases, **244**, 221
monazite- and zircon-type structures of seven mixed $(Ln/Ln)PO_4$ compounds, **244**, 247
correction to: Synthesis and structures of layered metal sulfonate salts, **244**, 253
unusual complexation behavior of 1,3-diaminopropane, **244**, 255
crystal structure of the zerovalent niobium complex $Nb(\eta\text{-}C_6H_5Me)_2$, **244**, 269
synthesis, spectroscopic and single-crystal structural investigations of several lanthanide hexacyanoruthenate(II) tetrahydrates, **244**, 273
iminoquinone coordination to copper(I) in the $[Cu(PhenoxBQ)(\mu\text{-}Cl)]_2$ dimer, **245**, 1
pentamethylcyclopentadienylrhodium bis-carboxylates: monohapto carboxylate coordination, dihapto carboxylate coordination, and water coordination to Cp*Rh, **245**, 7
binding properties of 'butylamine in pentaammine complexes of chromium(III) and cobalt(III), **245**, 17
synthesis and crystal structure of [1,1,2,2-tetramethylguanidinium][Ni(dmit)$_2$]$_2$ and [hexamethylguanidinium][Ni(dmit)$_2$]$_2$ (dmit=1,3-dithiole-2-thione-4,5-dithiolate). Intermolecular orbital overlap integral calculations and electrical conductivities, **245**, 27
conformational flexibility of the di(1,3-diaminopropane)-copper(II) cation. Part 2. Structure determination for aqua-di(1,3-diaminopropane-*N,N′*)-copper(II) dichloride and chlorodi(1,3-diaminopropane-*N,N′*)-copper(II) chloride methanol solvate and DFT calculations for aqua-di(1,3-diaminopropane-*N,N′*)copper(II) cation, **245**, 35
synthesis and spectroscopic characterization of bivalent metal complexes of 2,6-diacetylpyridine bis(octanoylhydrazone). X-ray crystal structure of a nickel(II) complex, **245**, 43
complexes of tert-butyl diphenylphosphinomethyl ketone *N*-phenylhydrazone, *Z*-$PPh_2CH_2C(Bu^t)$=NNHPh, with molybdenum, palladium or platinum: crystal structure of *cis*-$[PdCl_2\{Z\text{-}PPh_2CH_2C(Bu^t)=NNHPh\}_2]$, **245**, 59
crystal and molecular structure and electronic properties of $[Cu(bbimpy)(H_2O)_2(ONO_2)](NO_3)\cdot H_2O$ (bbimpy=2,6-bis(2-benzimidazolyl)pyridine), **245**, 75
the synthesis and characterization of α-$W_2Cl_4(dppp)_2$, **245**, 81
synthesis and characterization of organomolybdenum and organotungsten halides containing the η^5-pentaphenylcyclopentadienyl ligand η^5-$C_5Ph_5Mo(CO)_3X\cdot nCH_2Cl_2$ and η^5-$C_5Ph_5W(CO)_3X$ (X=Cl, Br, I). The X-ray molecular structure of η^5-$C_5Ph_5Mo(CO)_3I\cdot 0.5CH_2Cl_2$, **245**, 109
trivalent mononuclear *mer*-trichlorotris(pyridine)tantalum(III): preparation and structure in three crystalline forms, **245**, 115
the reaction of copper 3-trimethylsilylpyridine-2-thiolate with bis(diphenylphosphino)ethane. Crystal structure of μ-[1,2-bis(diphenylphosphino)ethane]bis(3-trimethylsilylpyridine-2-thiolato-*S*)[1,2-bis(diphenylphosphino)ethane]dicopper(I), $[Cu_2(3\text{-}Me_3Sipyt)_2(dppe)_3]$, **245**, 119
a polymeric cadmium(II) complex with an olefinic double-betaine containing metal centers in four different coordination environments, $[\{Cd_3(L)_3I_2(H_2O)_6\}_n](CdI_4)_{2n}\cdot nH_2O$ (L=*cis*-(p-$Me_2N^+C_5H_4N)_2C_2(CO_2^-)_2$), **245**, 123
synthesis and characterization of chiral $SFeCoM(CO)_8(RCOCp)$ (M=Mo, W; R=H, CH_3, C_2H_5O) clusters and the crystal structure of $SFeCoW(CO)_8(CH_3COCp)$, **245**, 143
reactivity of carbonyl stabilized ylides with Zeise's salt. Synthesis, characterization of mono- and bis-ylidic Pt(II) derivatives and X-ray crystal structure of the $\{PtCl_2[C(H)COCH_3(PPh_2\text{-}o\text{-}C_6H_4)]\}[PPh_3CH_2COCH_3]$ complex, **245**, 157
investigations into the syntheses and structures of clusters of the Mo–O–REO_3^{2-} systems (E=P and As), **245**, 177
structural properties of *trans*-chloro(4-acetylpyridine)(1,4,8,11-tetraazacyclotetradecane)ruthenium(II) tetrafluoroborate, *trans*-[RuCl(cyclam)(4-acpy)](BF_4), by X-ray diffraction and NMR spectroscopy, **245**, 215
azaoxa macrocyclic complexes of lanthanide(III) thiocyanates. Crystal structures of the tris-thiocyanato(1,7,10,16-tetraoxa-4,13-diazacyclooctadecane) lanthanide(III) complexes (Ln=Eu or Yb), **245**, 223
ligand behaviour of a bis-pyridazinecarboxamide copper(II) complex towards nickel(II) β-diketonates. X-ray crystal structure of Cu(bpdpn)Ni(hfacac)$_2$ (H_2bpdpn=*N,N′*-bis-(3′-pyridazinecarboxamide)-1,3-propane, Hhfacac= hexafluoroacetylacetone), a heterometallic bridged complex, **245**, 231
synthesis and crystal structure of mixed-ligand Tc(I) complexes, with dimethylphenylphosphine and t-butylisonitrile, **245**, 251

reactions of 1,2-diaminoethane-*N*,*N*,*N*′*N*′-tetra(*N*-methylacetamide), L, with potassium tetrachloroplatinate(II). Crystal and molecular structures of $Pt(LH_{-2})Cl_2 \cdot 2H_2O$, a novel platinum(IV) complex containing deprotonated amide ligands, and of $(2H^+\text{-}L)[PtCl_4]$, **245**, 257
synthesis, structure and complexing capabilities of *N*,*N*′,*N*″,*N*‴-tetrakis(3-hydroxypropyl)cyclam, **246**, 1
macrocyclic heterodinuclear NiMn and CuMn complexes: crystal structure and electrochemical behaviour, **246**, 13
synthesis and complexation studies of mesocyclic and macrocyclic polythioethers. XIV. Crown thioether complexes of palladium(II) and platinum(II), **246**, 31
nickel(II) complexes of 15-membered tetraaza macrocycles with a primary amine or carboxylate pendant: structural characterization of a one-dimensional chain compound, **246**, 65
μ_2-N pseudohalide as mediator of magnetic exchange in dicobalt(II) complexes, **246**, 73
the mononuclear barium and dinuclear copper(II) complexes of a 24-membered bibracchial tetraimine Schiff base macrocycle derived from tris(2-aminoethyl)amine and 2,5-diformylfuran, **246**, 81
synthesis, crystal structures, and ring size effects on thermodynamic stability of divalent metal complexes of [14]aneN_3O, **246**, 89
synthesis and characterization of the yttrium(III) and lutetium(III) complexes of 1,4,7-tris(carbamoylmethyl)-1,4,7-triazacyclononane (TCMT). Crystal structure of $[Y(TCMT)(CF_3SO_3)_2(H_2O)](CF_3SO_3)$, **246**, 99
structures of the multireceptor vaulted cyclidene complexes, **246**, 109
the crystal structure of a macrocycle containing pyridine and piperazine subunits, and of a Cu(I) complex of its diprotonated cation, **246**, 119
binuclear metal assemblies inside an oxa-aza macrocyclic receptor, **246**, 125
metal complexes of a calix[4]arene diamide: syntheses, crystal structures and molecular mechanics calculations on $[Fe(L^1\text{–}2H)][FeCl_4]$ and $[Er(L^1\text{–}2H)(picrate)]$ (L^1 = 5,11,17,23-tetra-*tert*-butyl-25,27-bis(diethylcarbamoylmethoxy)calix[4]arene), **246**, 133
study of protonation of 1,4,7-tris(2-hydroxyethyl)-1,4,7-triazacyclononane, and its complexes with metal ions, by crystallography, polarography, potentiometry, molecular mechanics and NMR, **246**, 159
tetra- and pentamanganese(II) macrocyclic complexes with bridging carboxylate groups: product control by pretreatment of manganese acetate solutions, **246**, 171
tetranuclear Ag(I) complexes with an octagonal Ag_4S_4 core: building large structures from small macrocycles, **246**, 207
an NMR spectroscopic study of the binding of alkali metal cations and methanol by *cis*-$Mo(CO)_4\{Ph_2P(CH_2CH_2O)_nCH_2CH_2PPh_2\text{-}P,P'\}$ (n = 4, 5) metallacrown ethers. The X-ray crystal structures of *cis*-$Mo(CO)_4\{Ph_2P(CH_2CH_2O)_4CH_2CH_2PPh_2\text{-}P,P'\} \cdot MeOH$ and *cis*-$Mo(CO)_4\{Ph_2P(CH_2CH_2)_4CH_2CH_2PPh_2\text{-}P,P'\} \cdot H_2O$, **246**, 229
strong cooperative protonation and copper(II)-assisted hydrolysis of the novel X-ray characterized polyoxamide cryptand 1,4,7,10,13,16,21,24-octaaza-bicyclo[8.8.8] hexacosan-5,6,14,15,22,23-hexone, **246**, 249
structural requirements for rapid metal ion ingress into hydroxyethylated tetraaza macrocycles, **246**, 321
macrocycles with a single pendant arm: synthesis of *N*-R-(1,4,7-triazacyclononane) [L, R = 4-but-1-ene; L′, R = 3-prop-1-ene]: Synthesis of the Cu^I complex [CuL]I and synthesis and crystal structure of the Cu^{II} complex $[CuL_2][BPh_4]_2$ and the μ-hydroxy bridged Cu^{II} dimer $[LCu(\mu\text{-}OH)_2CuL][BPh_4]_2$, **246**, 343
novel geometries exhibited by three palladium(II) macrocyclic complexes: crystal and solution structures, **246**, 349
the interaction of transition and post-transition metal ions with 14- and 16-membered *trans* N_2X_2-donor macrocycles (X = NH, O, S): stabilities and X-ray structures, **246**, 371
Schiff–base template synthesis of tetra-aza macrocycles involving diethylmalonate as a padlock, **246**, 379
a structural and magnetochemical study of some copper(II) complexes containing the ligands 1,4,7-triazacyclononane-*N*-acetate (L^1) and *N*-(2-hydroxybenzyl)-1,4,7-triazacyclononane (HL^2), **246**, 387
the reaction of acetone with $[Cu(en)_2]^{2+}$: the crystal structure of the copper(II)-β-aminoketone complex initially formed and the kinetics of its base-catalysed conversion to the copper(II) complex of *trans*[14]dieneN_4, **246**, 395
solution ^1H NMR and X-ray crystal structures of Ca^{2+}, Zn^{2+} and Cd^{2+} complexes with 12- and 13-membered macrocycles, dioxotetraazacycloalkanediacetic acids, **246**, 401
two novel types of metal complexes derived from tripod amines and acetylacetone, **246**, 413
crystal structure and solution dynamics of the lutetium(III) chelate of DOTA, **246**, 423
optically active chromium(III) complexes. VIII. Chiroptical and epimeric forms of chloro(1,2-diaminoethane)(1,4,8-triazaoctane)chromium(III) complexes and the structural characterization of some pentachloroantimonate(III) salts , **247**, 19
synthesis and coordination properties of 6,6′-bis(diphenylphosphinomethyl)-2,2′-bipyridine-*N*,*N*′,*P*,*P*′-tetraoxide, **247**, 29
transition metal compounds of 1,2-bis(2-pyridyl)ethyne. Synthesis, spectroscopic characterization and X-ray structures of dinuclear $[Cu_2(1,2\text{-bis}(2\text{-pyridyl})\text{ethyne})_3(NO_3)_4]$ and polynuclear $[Co(1,2\text{-bis}(2\text{-pyridyl})\text{ethyne})(NO_3)_2]_n$, **247**, 43
a new example of μ_3-sulfato coordination in a Cd(II) complex of 5,7-dimethyl[1,2,4]triazolo[1,5-*a*]pyrimidine (dmtp). Characterisation and biological activity of several metal complexes of dmtp containing the sulfato anion, **247**, 51
syntheses, structures and magnetic properties of the tricyanoethenolate adducts of quadridentate Schiff base manganese(III) complexes, **247**, 57
ternary complex of cisplatin with glycine and 1-methyluracil: *cis*-$[(NH_3)_2Pt(glyH\text{-}N)(1\text{-}MeU\text{-}N^3)]ClO_4 \cdot H_2O$, **247**, 79
synthesis, structure and magnetic properties of several nickel–azido complexes with tetraammines as blocking ligands, **247**, 85
unusual 1,1-2,2-isomers of $Mo_2Cl_4(PR_3)_2(R'CN)_2$. Compounds with $R = CH_2CH_2CN$ and $R' = CH_3$, CH_3CH_2 and $CH(CH_3)_2$, **247**, 105
syntheses of monooxo–technetium(V) and –rhenium(V) complexes of the (*o*-hydroxyphenyl)diphenylphosphine ligand (POH). Crystal structure of $[TcOCl(PO)_2]$, **247**, 119
synthesis of new thiol derivatives of $[Os_3(CO)_{12}]$; crystal structure of $[Os_3(CO)_{10}(\mu\text{-}H)\{\mu\text{-}SC(CH_3)_3\}]$, **247**, 131
molecular structure of an indium(III) iodide–tris(4-methylpyridine) adduct, **247**, 135
synthesis and characterisation of the new diaza ferrocene macrocycle 1,1′-(2,6-diazahepta-1,6-diene)ferrocene and its parent amine 1,1′-(2,6-diazaheptane)ferrocene, **247**, 139
lanthanide(III) complexes with a podand Schiff base containing an N_4O_3 coordination site, **247**, 143
ion-pair charge-transfer complexes of a dithiooxalate zinc donor component with viologens. Synthesis, structural and electronic characterization, **247**, 147
regioselective and stereoselective PPh_3 substitution in the imido-capped cluster $Ru_3(CO)_{10}(\mu_3\text{-NPh})$. Electrochemical properties and X-ray diffraction structures of $Ru_3(CO)_9(PPh_3)(\mu_3\text{-NPh})$ and $Ru_3(CO)_8(PPh_3)_2(\mu_3\text{-NPh}) \cdot 1/2CH_2Cl_2$, **247**, 161
the hexachloroferrate(III) anion stabilized in hydrogen bonded packing arrangements. A comparison of the X-ray crystal structures and low temperature magnetism of tetrakis(methylammonium)hexachloroferrate(III) chloride (**I**) and tetrakis(hexamethylenediammonium)hexachloroferrate(III) tetrachloroferrate(III) tetrachloride (**II**), **247**, 169

synthesis, NMR characterisation and crystal structure of the silver(I) annular complex $[Ag_2(\mu\text{-ppye})_2][PF_6]_2 \cdot 2(CH_3)_2CO$ (ppye = 1-(diphenylphosphino)-2-(2-pyridyl)ethane) , **247**, 183

4-amino-6-methoxy-2-methylthiopyrimidine and Hg(II) system: solution and solid state studies on metalated and N-coordinated species. Crystal structure of $[Hg_2(HL)_2(\mu\text{-Cl})_2Cl_2]$, **247**, 203

alkyl-dependent photochemistry of $Mn(R)(CO)_3(R'\text{-DAB})$ (R = Me, Bz; R′ = iPr, pTol): homolysis of the Mn–R bond for R = Bz and release of CO for R = Me, **247**, 215

synthesis, crystal structure and magnetic properties of the tetranuclear complex $[Ni_4(OCH_3)_4(dbm)_4(CH_3OH)_4]_2(C_2H_5)_2O$, **247**, 231

crystal structure of tris(4,4′-dimethoxy-2,2′-bipyridine)iron(II) bis(hexafluorophosphate), solvate with *N*-methyl-2-pyrrolidone, **247**, 237

dibridged bimetallic complexes derived from bent niobocene and Group 6 metal carbonyls. Transmetallation of the PMe_2H ligand and crystal structure of $Cp_2Nb(\mu\text{-}PPh_2)(\mu\text{-}CO)Cr(CO)_3(PMe_2H)$, **247**, 263

crystal structures of *trans*-di(2-fluorobenzoato-*O*)di-(1,3-diaminopropane-*N,N′*)nickel(II) and its copper(II) analogue. Variation in the coordination modes, **248**, 1

synthesis and structure of $[Bi_2(N^tBu)_4]_2Li_2 \cdot 2THF$; a bimetallic cubane fragment containing a $[Bi_2(N^tBu)_4]^{2-}$ anion, **248**, 9

preliminary study of $[Ni(en)_3](CF_3CO_2)_2$ and $Ni(en)(hfpd)_2$ as precursors for metalorganic chemical vapour deposition: structural properties and thermal behaviours (en = ethylenediamine, hfpd = hexafluoropentadionato(−)), **248**, 15

crystal structure and thermal behavior of some cerium complexes with the fluorinated β-diketonate ligand 6,6,6-trifluoro-2,2-dimethyl-3,5-hexanedione (fdh), **248**, 27

trinuclear copper(II) coordination compounds with the new ligand 1,9-bis-(3-amino-4*H*-1,2,4-triazol-5-yl)-3,7-dithianonane; X-ray structures and magnetochemistry, **248**, 35

aqueous syntheses and crystal structures of the hexa- and pentacoordinated nickel(II) isothiocyanato derivatives of bulky triamines: $(H_2Et_5dien)_2[Ni(NCS)_6]$, $[Ni(Me_5dien)(NCS)_2]$ and $[Ni(Me_4Etdien)(NCS)_2]$, **248**, 59

a study of pseudo 1-D copper(I) halide systems exhibiting anomalous copper(II) character: physical characterization of (paraquat)Cu_2X_4 (X = Cl, Br, I), **248**, 73

structural investigations of several $LnVO_4$ compounds, **248**, 85

the crystal structure of potassium *trans*(O_6)-1,3-propanediamine-*N,N′*-diacetato-*N,N′*-di-3-propionatocobaltate(III) trihydrate and consideration of ring strain, K*trans*(O_6)-[Co(1,3-pddadp)] $\cdot 3H_2O$, **248**, 89

the kinetics of the sequential steps in the Hg^{2+}-assisted chloride release from some *trans*-$[CrCl_2(NH_2R)_4]^+$ complexes (R = Et, Pr, Bu) and the X-ray structure of *trans*-$[CrCl_2(NH_2Et)_4]Cl$, **248**, 93

crystal structure of μ_3-oxo-esakis(μ_2-acetate)triaquatrichromium(III) 2,6-dihydroxybenzoate dihydrate, **248**, 99

structural evidence for the oxathiolium cation. Synthesis and structure of 3,5-di-tert-butyl-1,2-oxathiolium aquatetrachloro-oxomolybdate(V), **248**, 103

synthesis and characterization of novel palladium(II) complexes with ferrocenes bearing podand N-heterocyclic coordination sites, **248**, 129

magnetic interaction in the keto and enol forms of binuclear copper(II) complexes with a Robson-type ligand. X-ray crystal structure of $[Cu_2(HL)(\mu\text{-}N_3)(H_2O)(C_2H_5OH)(ClO_4)]$, **248**, 135

structure and magnetism of nickel(II) and manganese(II) complexes of a nitronyl nitroxide carboxylic acid, **248**, 139

syntheses, structures and properties of palladium(II) complexes with photochromic 4-methoxyazobenzene, **248**, 147

crystal and molecular structure and electronic properties of $[Cu(HBIP)(BIP)(ONO_2)]$ (HBIP = 3,3-bis(2-imidazolyl)-propionic acid), **248**, 153

two novel complexes of glutarimide with palladium(II) *trans*-$K_2[Pd(C_5H_6NO_2)_2Cl_2] \cdot 4.5H_2O$ and *trans*-$KNa[Pd(C_5H_6NO_2)_2Cl_2] \cdot 6H_2O$. Crystal structures and vibrational spectra, **248**, 159

zero-valent Group 6 complexes of 1,2,4,5-tetrakis(diphenylphosphino)benzene, **248**, 167

palladium-1-methylcytosine compounds: crystal structure of the tris(nucleobase) complex $[(NH_3)Pd(1\text{-MeC-}N3)_3](ClO_4)_2 \cdot H_2O$. Role of intramolecular H bonding in stabilizing the head–tail–head rotamer, **248**, 175

ligand exchange reactions starting from $[Re(CO)_3Br_3]^{2-}$. Synthesis, characterization and structures of rhenium(I) tricarbonyl complexes with thiourea and thiourea derivatives, **248**, 193

synthesis and characterisation of Cu(II) complexes with the 2-acetamido-*N*-(4-methyl-2-thiazolyl) (amtz) ligand. The crystal structure of $[Cu(amtz)_2H_2O](NO_3)_2$, **248**, 209

complexation equilibria and structures of dimethyltin(IV) complexes with *N*-methyliminodiacetate, pyridine-2,6-dicarboxylate, ethylenediamine-*N,N′*-diacetate and ethylenediamine-*N,N,N′,N′*-tetraacetate, **248**, 215

properties of transition metal complexes with 15-, 16- and 17-membered macrocycles, dioxocyclopentaaminetriacetic acids, in aqueous solutions and structures of the ligands in the solid state, **248**, 231

the roles of N- and O-coordination in the crystal and molecular structures of uranyl complexes with anthranilic and pyrazinic acids, **248**, 241

dicopper(II) complexes with hexaaza binucleating ligands derived from isophthaldehyde and di(2-pyridyl)methylamine, **248**, 247

syntheses and X-ray crystal structures of the bismuth(III) thiocyanate and selenocyanate complexes $[K_3(dmpu)_4][Bi(SCN)_6]$ and $[K_3(dmpu)_4][Bi(SeCN)_6]$ (dmpu = *N,N′*-dimethylpropylene urea), **248**, 263

successful isolation and X-ray crystal structure of {tris(*N*-*L*-rhamnosyl-2-aminoethyl)amine}(sulfate)nickel(II) hydrate trimethanol solvate: $[Ni((L\text{-Rha})_3\text{-tren})(SO_4)] \cdot H_2O \cdot 3CH_3OH$, **249**, 1

synthesis and spectroscopic properties of two pyridine-2-carbaldehyde thiosemicarbazonecopper(II) compounds: $[CuX_2(C_7H_8N_4S)] \cdot H_2O$ (X = Br, Cl). Crystal structure of the bromo complex, **249**, 25

μ-hydroxo organo aluminium and gallium compounds, **249**, 33

complexes of bismuth(III) chloride with oxygen donor ligands. Structural characterization of $BiCl_3 \cdot 3THF$, $BiCl_3 \cdot$ diglyme and $BiCl_3 \cdot$ diethylcarbitol, **249**, 41

synthesis and structural characterisation of a pair of linkage isomers of copper(I) pyridine-2-carbaldehyde 2′-pyridylhydrazone complexes, **249**, 47

preparation and crystal structure of a dimolybdenum(II) complex with the drug ibuprofen, **249**, 57

gold and silver complexes of methylenebis(dialkyldithiocarbamates) and the X-ray structure of $CH_2[S_2CN(CH_2Ph)_2]_2$, **249**, 69

the crystal and molecular structure of [neocuproine-bis(3-thiocyano-2,4-pentanedionato)nickel(II)], **249**, 105

syntheses and structural characterization of quadruple-bonded complexes $Mo_2X_2Tp_2$ (X = Cl or Br; Tp = $HBpz_3$, pz = pyrazolyl); transformation of η^2-Tp to η^3-Tp, **249**, 115

characterization and crystal structures of cadmium(II) halide complexes with amino acids and their derivatives IV. Crystal structure of dichloro(L-piperidine-3-carboxylic acid)cadmium(II) , **249**, 121

synthesis, crystal structure and properties of the copper(II) complex of a new dioxocyclam appended with two 8-methylquinolines as additional donor pendants (dioxocyclam = 1,4,8,11-tetraazacyclotetradecane-5,7-dione), **249**, 125

neutral and cationic nickel(II) complexes of phosphino-amines: $[NiCl_2(PMe_2Ph)(PNMe_2)]$ and $[NiCl(PMe_2Ph)(PNMe_2)]PF_6$ ($PNMe_2$ = *N,N′*-dimethyl-2-(diphenylphosphino)aniline), **249**, 131

synthesis and crystal structure of a thallium(I) hydrogen benzothiazolylcyanoximate complex with 18-crown-6: the thallium atom is in the center of the crown ether cavity, **249**, 151
nine- and ten-membered diauracycles with the $C_3S_5^{2-}$ ligand. Crystal structure of $NBu_4[Au_2(\mu\text{-}C_3S_5)(\mu\text{-}CH_2PPh_2CH_2)]$, **249**, 163
synthesis and X-ray crystal structures of novel silver(I) complexes of (*N*-carboxymethyl)dimethylammonioacetate, **249**, 169
synthesis, reactions and characterization of μ-alkyne molybdenum complexes containing a functionally substituted cyclopentadienyl ligand. The crystal structure of $[(\eta^5\text{-}MeO_2CC_5H_4)(CO)_2Mo]_2(\mu\text{-}\eta^2,\eta^2\text{-}C_2H_2)$, **249**, 175
synthesis, crystal structures and magnetic behavior of polymeric lanthanide complexes with benzenehexacarboxylic acid (mellitic acid), **249**, 183
the preparation, characterization, crystal structure and biological activities of some copper(II) complexes of the 2-benzoylpyridine Schiff bases of *S*-methyl- and *S*-benzyldithiocarbazate, **249**, 207
synthesis and spectroscopic characterization of new Cu(I) complexes containing triaryl-, tricycloalkylphosphines and heterocyclic anionic or neutral N-donor ligands. Crystal and molecular structure of $[(Cy_3P)_2(pzH)Cu]ClO_4\cdot CH_3OH$ (Cy = cyclohexyl, pzH = pyrazole), **249**, 215
synthesis and characterization of mononuclear bis[organohydrazido(2−)]molybdenum(VI) complexes. Crystal structures of $[Mo(NNMePh)_2(acac)_2]$ and $[Mo(NNPh_2)_2(acac)_2]$, **249**, 245
synthesis and characterization of a manganese(III) complex with a new unsymmetrical chelating ligand, **249**, 251
preparation and characterization of a vanadium(III) dinitrogen complex supported by a tripodal anionic amide ligand, **250**, 1
the synthesis, fluctionality and structural characterization of $ReMo_3H_4(CO)_{12}$, **250**, 15
six-coordinate phosphorus compounds. Crystal structures and dynamic NMR studies of phosphoranes containing chelating ligands, **250**, 21
structural studies on $[Mo_3S_4]^{4+}$ and $[Mo_3S_4Cu]^{4+}$ complexes with tripodal ligands providing various N_xO_y ($x+y=3$) donor sets, **250**, 35
steric control in the formation of $Co_2(CO)_6$–alkyne complexes from Group 14 tetraalkynes and their reactions with acid, **250**, 49
synthesis, crystal structure and magnetic properties of the chiral iron(II) chain $[Fe(bpym)(NCS)_2]_n$ (bpym = 2,2′-bipyrimidine), **250**, 81
coordination modes of the novel bifunctional nitrogen ligands 8-(2-pyridyl)quinoline and 8-(6-methyl-2-pyridyl)quinoline towards palladium and platinum. X-ray crystal structures of (8-(2-pyridyl)quinoline)Pd(Me)Cl, (8-(2-pyridyl)quinoline)-Pd(C(O)Me)Cl and (8-(2-pyridyl)quinoline)$Pd(PEt_3)Cl_2$, **250**, 87
crown ether mediated cadmium halide dimers and polymers, **250**, 105
reactions between ruthenium cluster carbonyls and 1,4-diphenylbuta-1,3-diyne, **250**, 129
dinuclear silver(I) complexes of 24-membered bibracchial tetraimine Schiff base macrocycles derived from 2,5-diformylthiophene, **250**, 139
synthesis and characterization of $SrCu_2(O_2CR)_3(bdmap)_3$ and $Bi_2(O_2CCH_3)_4(bdmap)_2(H_2O)$ (R = CH_3, CF_3; bdmap = 1,3-bis(dimethylamino)-2-propanolato), **250**, 163
pyrazolonato complexes of lead. Crystal structures of bis(1-phenyl-3-methyl-4-acetyl pyrazolonato)lead(II) and bis(1-phenyl-3-methyl-4-butanoylpyrazolonato)lead(II), **250**, 173
reduction of a diruthenium bridging vinylidene species $Cp_2Ru_2(\mu\text{-}C{=}CH_2)(CO)(\mu\text{-}CO)(MeCN)$ by hydrosilane leading to a vinyl complex $Cp_2Ru_2(\mu\text{-}CH{=}CH_2)(CO)_2(SiR_3)$ and vinylsilane: a model system for production of an olefinic product from a vinylidene intermediate, **250**, 177
reaction of $FcCCo_3(CO)_9$ with 2,3-bis(diphenylphosphino)maleic anhydride (bma). X-ray diffraction structure and redox properties of $Co_3(CO)_6[\mu_2\text{-}\eta^2{:}\eta^1\text{-}C(Fc)C{=}C(PPh_2)C(O)OC(O)](\mu_2\text{-}PPh_2)$, **250**, 195
synthesis, crystal structure and magnetic properties of the first structurally characterized 1,2-dithiocroconato-containing Cu(II) complex, $\{[Cu(bpca)(H_2O)]_2[Cu(1,2\text{-}dtcr)_2]\}\cdot 2H_2O$, **250**, 219
polynuclear copper(II) complexes with μ_2-1,1-azide bridges. Structural and magnetic properties, **250**, 227
trinuclear iridium and rhodium complexes: the solution to a puzzle involving the multiple coordination possibilities of 1,8-naphthyridine-2-one ligands, **250**, 241
modelling transition state analogues and enzyme-inhibitor complexes of zinc-containing class II aldolases and metalloproteases, **250**, 271
light induced sulfur-dealkylation of phosphino-thioether nickel(0) complexes, **250**, 283
studies of the oxovanadium(IV)–oxalate system: syntheses and crystal structures of binuclear $(Ph_4P)_2[(VO)_2(H_2O)_2(C_2O_4)_3]\cdot 4H_2O$ and of the one-dimensional chain material, $(Ph_4P)[VOCl(C_2O_4)]$, **250**, 303
mono-η^6 complexes of chromium(II) and chromium(0). Electron demanding substituents, structural and spectroscopic data comparisons, **250**, 317
reaction of sulfur diimides with organoboranes — studied by multinuclear magnetic resonance in solution, **250**, 327
synthesis and problematic crystal structures of $[Al(CH_3CN)_6]$-$[MCl_6]_3(CH_3CN)_3$ (M = Ta, Nb or Sb), **250**, 359
synthesis and characterisation of Pd(II) allyl complexes derived from the diterpene carvone, **250**, 365
a very strong metal–metal interaction in a dinuclear ruthenium(II) complex with the dianion of 2,3-dihydroxy-but-2-enal as a compartmental bridging ligand, **251**, 9
crown thioether complexes of vanadium(II), vanadium(III) and vanadium(IV): X-ray crystal structure of $[VCl_3([9]aneS_3)]$, **251**, 13
synthesis and structure of $Co_3(\mu_3\text{-}S)(C_6F_5)(CO)_8$, a cobalt carbonyl cluster with an aryl–metal sigma bond, **251**, 35
benzynechromium tricarbonyl. Further synthetic studies, **251**, 53
reactions of functionalised aryl groups σ-bound to ruthenium(II), **251**, 65
synthesis, structure and magnetic properties of an asymmetric dinuclear oxocitratovanadate(IV) complex, **251**, 75
the solid state structure and the solution isomerization of $Mo_2Cl_6(THF)_3$, **251**, 101
isomerism of amides coordinated to platinum. X-ray crystal structure of dichloro-bisacetamide-platinum(II), **251**, 111
formation of very large rings in polymeric lanthanide complexes of *N,N′-p*-phenylenedimethylenebis(pyrrolidin-2-one), **251**, 141
reactivity of bis(diphenylphosphino)methane at a di-iron centre: thermally induced rearrangements of dimetallacyclopentenone complexes $[Fe_2(CO)_5\{\mu\text{-}\sigma{:}\eta^3\text{-}C(O)CRCR\}(\mu\text{-dppm})]$, **251**, 167
uptake of ethylene by sulfur-bridged cubane-type molybdenum/tungsten–nickel clusters $[M_3NiS_4(H_2O)_{10}]^{4+}$ ($M_3 = Mo_3$, Mo_2W, MoW_2, W_3): syntheses, structures and ^1H NMR spectra, **251**, 207
(phosphine)gold(I)–silyloxides and –silylthiolates, **251**, 249
application of the chiral auxiliary $[(\eta^5\text{-}C_5H_5)Fe(CO)(PPh_3)]$ to the stereoselective formation of 4-substituted-1,4-dihydronicotinoyl complexes, **251**, 265
reactions between primary amines and magnesium or zinc dialkyls: intermediates in metal imide formation, **251**, 273
luminescent tetranuclear copper(I) clusters containing tetradentate N,S Schiff base ligands. X-ray crystal structure of Cu_4L_2 (L = *N,N′*-(2,2′-diphenyl)-bis(1,3-diphenyl-4-iminomethyl-5-thiopyrazole)), **251**, 291
$[Cr(bipy)(C_2O_4)_2]^-$ — a versatile building block for the design of heteropolymetallic systems 2. Syntheses and crystal structures of $CuCr_2(bipy)_2(\mu\text{-}C_2O_4)_2(C_2O_4)_2(H_2O)_2\cdot 1^1/_2H_2O$ and

$(AgCr(bipy)(\mu\text{-}C_2O_4)_2(H_2O)_2)_2$ and magnetic properties of the copper(II) derivative, **251**, 309

imido and amido complexes of hydrotris(pyrazolyl)borate-rhenium, **251**, 325

synthesis, structure and cytotoxic activity of platinum(II) dimers with bridging imidate ligands in head-to-head arrangement, **252**, 5

intramolecular C–H activation and oxidative addition reactions of iridium complexes containing arylamines with bulky substituents on nitrogen; X-ray structures of $[Ir^{I}(C_6H_4CH_2NEt_2\text{-}2\text{-}C,N)(cod)]$ and $[Ir^{III}(C_6H_4CH_2NEt(CHMe)\text{-}2\text{-}C,N,C')I(cod)]$ (cod = cycloocta-1,5-diene), **252**, 55

highly selective monofunctionalization of zirconacyclopentanes and dialkylzirconocene complexes, **252**, 91

Fischer-type alkylidyne tungsten complexes containing strong π donor ligands, **252**, 131

heteronuclear μ-1-methylcytosinato-*N3,N4* complexes containing very short Pt → Cu dative bonds, **252**, 167

linkage isomerism in exchange coupled dinuclear Ni(II) complexes with three azide bridges; tris(μ-1,1-azido) versus tris(μ-1,3-azido) binding. Crystal structures of $[L_2Ni_2(\mu\text{-}1,1\text{-}N_3)_3]ClO_4$ and $[L_2Ni_2(N_3)_2(\mu\text{-}1,3\text{-}N_3)_2]$ (L = 1,4,7-trimethyl-1,4,7-triazacyclononane), **252**, 195

amine-thioether and amine-pyridine complexes of palladium(II) and the reactivity of the methyl complexes towards CO and allenes, **252**, 203

compounds containing the $[Zr_6Cl_{18}H_4]^{4-}$ cluster anion, **252**, 239

synthesis and structure of *trans*-[di(μ-acetato)dichlorodi-(μ-bis-(diphenylphosphino)methylamine)dimolybdenum(II)] and the structure of bis(diphenylphosphino)methylamine, **252**, 251

syntheses and structures of di(carboxylato)hexakis(acetonitrile)-dimolybdenum(II) bis(tetrafluoroborate) and *trans*-[di(μ-acetato)-di(acetonitrile)di(μ-bis(diphenylphosphino)amine)-dimolybdenum(II)] bis(tetrafluoroborate), **252**, 257

morphological variation in self-assembled copper(I) paddle-wheel complexes, **252**, 281

an unusual iron-oxo tetranuclear species: $Li_2(HDPhF)_2Fe_4O_4(DPhF)_6 \cdot 4$toluene. A ubiquitous side product in the chemistry of iron/formamidine compounds, **252**, 293

the interaction of transition metals with the coenzyme α-lipoic acid: synthesis, structure and characterization of copper and zinc complexes, **252**, 319

influence of ancillary ligands in the coordination mode of P and As carbonyl stabilized ylides on Pt(II) systems. X-ray structure of *trans*-$[Pt(PPh_3)_2(CF_3)\{OC(OCH_3)=C(H)(PPh_3)\}][BF_4] \cdot 0.5CH_2Cl_2$, **252**, 355

one-step syntheses of Ph_3P-substituted selenido carbonyl iron and ruthenium clusters. Part 2. Crystal structures of $Fe_2(\mu_2\text{-}Se_2)(CO)_{6-n}(PPh_3)_n$ ($n = 1$ or 2), $Fe_3(\mu_3\text{-}Se)_2(CO)_8(PPh_3)$ and $Ru_4(\mu_4\text{-}Se)_2(\mu\text{-}CO)_2(CO)_8(PPh_3)$, and HPLC behaviour of the iron derivatives, **252**, 367

crystal structures of complexes of ammonium and potassium hexafluorophosphate with dibenzo-18-crown-6. Molecular mechanics studies on the uncomplexed macrocycle, **252**, 383

the phenomenon of conglomerate crystallization. Part 44. The crystallization behavior of [*cis*-Co(tren)$(NO_2)_2$]BF_4 (**I**), [*cis*-Co(tren)$(NO_2)_2]_2SiF_6$ (**II**), the space group of [*cis*-Co(tren)-$(NO_2)_2$]I (**III**) and some bio-inorganic observations derived from their stereochemistry, **252**, 391

the synthesis and characterization of $[MCl_3(N{=}NC_5H_4NH)(HN{=}NC_5H_4N)]$ from $[MO_4]^-$ (where M = Re, Tc) organodiazenido, organodiazene-chelate complexes. The X-ray structure of $[ReCl_3(N{=}NC_5H_4NH)(HN{=}NC_5H_4N)]$, **252**, 421

the synthesis, characterization and X-ray crystal structure of the rhenium organodiazenido, organodiazene complex $[ReCl_2(PPh_3)(N{=}NC_5H_4N)(HN{=}NC_5H_4N)]$, **252**, 427

studies of the oxovanadium–organophosphonate system. The synthesis and crystal structure of $(Et_3NH)_2[(VO)_2(acac)_2(O_3PCH_2PO_3)]$, **252**, 431

solvatothermal synthesis and crystal structure of $(Ph_4P)[(VO_2)_4\text{-}(CH_3CO_2)_4Cl]$, **252**, 435

formation of polymeric cadmium(II) complexes by interlinkage through 1,4-diazoniobicyclo[2.2.2]octane-1,4-diacetate: $[\{Cd(L)X_2(H_2O)_2\}_n] \cdot nH_2O$ (X = Cl, Br) and $[\{Cd(L)I_2\}_n] \cdot nH_2O$ ($L = {}^-O_2CCH_2N^+(CH_2CH_2)_3\text{-}N^+CH_2CO_2{}^-$), **253**, 15

synthesis and characterization of oxa and thia metallocanes substituted with phosphorodithioate ligands and crystal and molecular structure of 1,3,6-trithia-2-arsocane dimethylphosphorodithioate, **253**, 31

synthesis and reactivity of the (benzothiophene)tricarbonylmanganese cation, **253**, 39

synthesis, characterization and X-ray crystal structure determination of platinum(II)-diaminoalkane complexes, **253**, 53

new potentially cytotoxic thiolatogold(I) complexes of 1,1′-bis(diphenylphosphino)ferrocene, **253**, 71

structures of fluorobenzylphosphonic acid isomers and their calcium salts, **253**, 77

synthesis and crystal structure of new Ru(III)–sulfoxide complexes containing a planar N-ligand: *mer,cis*-$RuCl_3(1Me\text{-}Im)_2$(*S*-DMSO) and [4Et-PyH][*trans*-$RuCl_4$(4Et-Py)(*S*-DMSO)], **253**, 87

hydrogenation of dinitrosarcophagine Co(III); the crystal structures of Co(II) and Co(III) complexes of diaminosarcophagine, **253**, 91

structural analyses of two hexacyanoruthenate(II) complexes, **253**, 97

Cubane complexes

synthesis and structure of $[Bi_2(N^tBu)_4]_2Li_2 \cdot 2THF$; a bimetallic cubane fragment containing a $[Bi_2(N^tBu)_4]^{2-}$ anion, **248**, 9

Cubane structure complexes

synthesis, crystal structure and magnetic properties of the tetranuclear complex $[Ni_4(OCH_3)_4(dbm)_4(CH_3OH)_4]_2(C_2H_5)_2O$, **247**, 231

Cubane-type complexes

uptake of ethylene by sulfur-bridged cubane-type molybdenum/tungsten–nickel clusters $[M_3NiS_4(H_2O)_{10}]^{4+}$ ($M_3 = Mo_3$, Mo_2W, MoW_2, W_3): syntheses, structures and ^1H NMR spectra, **251**, 207

Curie plot

^1H NMR studies of pyridine binding to metmyoglobin, **249**, 239

Cyanamide complexes

mononuclear and dinuclear ruthenium(III) and ruthenium(IV) complexes of 1,4-dicyanamido-2,5-dimethylbenzene dianion, **242**, 63

Cyanidation

the reactions of trimethylsilylcyanide with titanium(IV) halides, **244**, 259

an improved synthesis of trimethylsilylcyanide and its reaction with trimethylaluminium, **245**, 97

Cyanide complexes

intramolecular electron transfer in cyanide-bridged ruthenium dimers, **243**, 135

heterobi-, tri- and tetra-metallic cyanide-bridged complexes based on pentacarbonylcyanochromate(0) and penta-, *cis*-tetra- and *fac*-triammineruthenium(III) groups: optical metal–metal charge transfer and electrochemical characteristics, **248**, 51

Cyanide compounds

an improved synthesis of trimethylsilylcyanide and its reaction with trimethylaluminium, **245**, 97

Cyano complexes

the resolution of *cis*-$[Ru(phen)_2(CH_3CN)_2]^{2+}$ (phen = 1,10-phenanthroline), and its use in the synthesis of chiral *cis*-$[Ru(phen)_2X_2]^{n+}$ species ($n = 0, 2$; $X = CN^-$, Cl^-, py), **249**, 5

magnetic circular dichroism spectroscopy of the hexacyano complexes of Ru(III) and Os(III), **249**, 231

structural analyses of two hexacyanoruthenate(II) complexes, **253**, 97

Cyanoethyl phosphine complexes

unusual 1,1-2,2-isomers of $Mo_2Cl_4(PR_3)_2(R'CN)_2$. Compounds with $R = CH_2CH_2CN$ and $R' = CH_3$, CH_3CH_2 and $CH(CH_3)_2$, **247**, 105
Cyanoruthenate complexes
synthesis, spectroscopic and single-crystal structural investigations of several lanthanide hexacyanoruthenate(II) tetrahydrates, **244**, 273
Cyclam complexes
structural properties of *trans*-chloro(4-acetylpyridine)(1,4,8,11-tetraazacyclotetradecane)ruthenium(II) tetrafluoroborate, *trans*-[RuCl(cyclam)(4-acpy)](BF_4), by X-ray diffraction and NMR spectroscopy, **245**, 215
a new cyclam with a triphenylphosphine-pendant and its metal complexes, **246**, 151
Cycloaddition
highly diastereoselective formation and structural characterization of [2+2] cycloadducts from the phosphenium complexes $Cp(OC)_2M{=}P(Ph)(o\text{-Tol})$ (M = Mo, W) and isocyanates, **244**, 147
Cycloaddition reactions
photochemical reactions of transition metal organyl complexes with olefins. XIV. Molecular structure of an intermediate of the light-induced [6+4]-cycloadditions of dienes to tricarbonyl(η^6-1,3,5-cycloheptatriene)chromium(0), **251**, 95
Cyclocondensation
complexation properties of polyazaphosphorus macrocycles, **246**, 47
Cyclodextrin
substrate induced phosphorescence from cyclodextrin lumophore host-guest complexes1, **243**, 239
Cyclohexadienyl complexes
electrochemical behaviour and reactivity of cyclohexadienyl iron complexes, **248**, 45
Cyclometallated complexes
multinucleating ligands from multiple palladium(0)-catalysed cross-coupling reactions — synthesis and characterisation of a trinuclear cyclometallated ruthenium(II) complex and a hexanuclear EPR-active molybdenum complex, **250**, 29
Cyclometallated ligand complexes
synthesis and characterisation of a heterodinuclear ruthenium(II)–palladium(II) complex with two different cyclometallating sites, **245**, 69
Cyclometallation
importance of steric effects upon the synthesis of {(η_6-arene)RuCl}-*C,N*-cyclometallated amines, **249**, 63
Cyclopalladate ligand complexes
substituent effects on the electrochemical behaviour of iron(II) in Schiff bases derived from ferrocene and their cyclopalladated compounds, **244**, 141
Cyclopentadienyl complexes
photochemically reactive polymers: synthesis and photochemistry of polyamides containing $Cp_2Mo_2(CO)_6$ molecules along the polymer backbone, **242**, 303
charge transfer rate constants for the reduction of cobaltocenium at accumulated N-Si electrodes, **242**, 311
synthesis and characterization of organomolybdenum and organotungsten halides containing the η^5-pentaphenylcyclopentadienyl ligand η^5-$C_5Ph_5Mo(CO)_3X \cdot nCH_2Cl_2$ and η^5-$C_5Ph_5W(CO)_3X$ (X = Cl, Br, I). The X-ray molecular structure of η^5-$C_5Ph_5Mo(CO)_3I \cdot 0.5CH_2Cl_2$, **245**, 109
synthesis, reactions and characterization of μ-alkyne molybdenum complexes containing a functionally substituted cyclopentadienyl ligand. The crystal structure of [(η^5-$MeO_2CC_5H_4$)$(CO)_2Mo]_2$(μ-η^2,η^2-C_2H_2), **249**, 175
reactivity, variable temperature solution ^1H NMR studies and MO calculations of dimolybdenum allenylidene complexes of the type [(η^5-$C_5H_5)_2Mo_2(CO)_4$(μ,η^2(4e)-C=C=CR1R2)], **250**, 119
reduction of a diruthenium bridging vinylidene species Cp_2Ru_2(μ-C=CH_2)(CO)(μ-CO)(MeCN) by hydrosilane leading to a vinyl complex Cp_2Ru_2(μ-CH=CH_2)$(CO)_2(SiR_3)$ and vinylsilane: a model system for production of an olefinic product from a vinylidene intermediate, **250**, 177
pitfalls in limiting studies of reactivity to a family of compounds, **250**, 265
vibrational analysis and resonance Raman spectra of polycrystalline and matrix-isolated $[CpFe(CO)_2]_2$, **251**, 157
application of the chiral auxiliary [(η^5-C_5H_5)Fe(CO)(PPh_3)] to the stereoselective formation of 4-substituted-1,4-dihydronicotinoyl complexes, **251**, 265
experimental and theoretical studies of the single- and double-CO loss photoproducts of $[CpCo(CO)]_2$(μ-CH_2), **252**, 405
Cyclopentadienyl derivatives
organometallic silicon-based dendrimers with peripheral Si–cyclopentadienyl, Si–Co and Si–Fe σ-bonds, **251**, 5
Cyclopentodienyl Ir(III) complexes
pyrazolyl-bridged iridium dimers. 15. Synthesis of binuclear cyclopentadienyl Ir(III) complexes and the rhodium analogues: reductive access to the bimetal (II) state, **243**, 47
Cyclopropanation
synthesis and characterisation of chiral Cu(I) complexes of substituted pyrrolidine ligands. Efficient catalysts for cyclopropanation reactions, **244**, 239
Cytochrome b_5 complexes
intramolecular electron-transfer reactions of cytochrome b_5 covalently bonded to ruthenium(II) polypyridine complexes: reorganizational energy and pressure effects, **243**, 193
Cytochrome b_5 reductase
unusual temperature dependence of electron transfer rates in the hemoglobin reductase system, **242**, 7
Cytochrome *c*
site-directed replacement of the invariant lysine 73 of *Saccharomyces cerevisiae* iso-1-cytochrome *c* with all ribosomally encoded amino acids, **242**, 97
azide binding and active site dynamics of position-82 variants of ferricytochrome *c*, **242**, 171
volume of activation for the self-exchange reaction of cytochrome *c*, **242**, 185
electron-transfer studies with the CuA domain of *Thermus thermophilus* cytochrome ba_3, **243**, 141
Cytochrome cd_1
kinetics of electron transfer in *Pseudomonas aeruginosa* cytochrome cd_1-nitrite reductase, **243**, 25
Cytochrome oxidase
electron-transfer studies with the CuA domain of *Thermus thermophilus* cytochrome ba_3, **243**, 141
dioxygen activation in enzymatic systems and in inorganic models, **243**, 345
Cytochromes b_{562}
direct electrochemical studies of cytochromes b_{562}, **252**, 71
Cytotoxic activity
synthesis, structure and cytotoxic activity of platinum(II) dimers with bridging imidate ligands in head-to-head arrangement, **252**, 5

Decomposition mechanism
synthesis and characterization of the first series of isolable (nitro)ruthenium(III) complexes: a decomposition mechanism of the (nitro)ruthenium(III) moiety, **245**, 167
Demetalation
aspects of the demetalation and remetalation of ceruloplasmin, **250**, 75
Dendrimer complexes
model reactions for the synthesis of organometallic dendrimers containing platinum and palladium, **251**, 319
convergent synthesis of an octadecaruthenium metallodendrimer, **252**, 9
Denitrification
exogenous ligand binding to *Pseudomonas stutzeri* nitrous oxide reductase, **242**, 239

Density functional calculations
experimental and theoretical studies of the single- and double-CO loss photoproducts of $[CpCo(CO)]_2(\mu\text{-}CH_2)$, **252**, 405
Density functional description
density functional description of the bonding in the μ_3-chalcogenido hexanuclear octahedral clusters $[Co_6(\mu_3\text{-}X)_8(PEt_3)_6]$ (X = S, Se, Te), **244**, 231
Deprotonated amide ligands
reactions of 1,2-diaminoethane-*N*,*N*,*N*′*N*′-tetra(*N*-methylacetamide), L, with potassium tetrachloroplatinate(II). Crystal and molecular structures of $Pt(LH_{-2})Cl_2 \cdot 2H_2O$, a novel platinum(IV) complex containing deprotonated amide ligands, and of $(2H^+\text{-}L)[PtCl_4]$, **245**, 257
Desferrioxamine B
stability constants for complexes of the siderophore desferrioxamine B with selected heavy metal cations, **244**, 179
Dialkylation
study of complexation of mono *N*-alkylcyclen and mono *N*-alkylcyclam with hexacarbonyl metal $M(CO)_6$ (M = Cr, Mo). Specific N^1,N^7-dissymmetric dialkylation of cyclen, **244**, 105
Dialkylzirconocene complex
highly selective monofunctionalization of zirconacyclopentanes and dialkylzirconocene complexes, **252**, 91
Diamine complexes
the first amine derivatives of $Ir_4(CO)_{12}$ synthesis and X-ray characterization of $Ir_4(CO)_{10}$(1,10-phenanthroline) and $Ir_4(CO)_{10}$(4,4′-Me_2-2,2′-bipyridine), **244**, 11
crystal structures of *trans*-di(2-fluorobenzoato-*O*)di-(1,3-diaminopropane-*N*,*N*′)nickel(II) and its copper(II) analogue. Variation in the coordination modes, **248**, 1
Diaminoalkane complexes
synthesis, characterization and X-ray crystal structure determination of platinum(II)-diaminoalkane complexes, **253**, 53
Diaminoanthraquinone
bis(2,2′-bipyridine)(1,2-diimino-9,10-anthraquinone)ruthenium(II): a complex containing an exceptionally strong pi-accepting α–α' diimine ligand. I. Synthesis, crystal and electronic structures, **242**, 293
Diaminocyclohexane complexes
synthesis and antitumor activity of new *trans*-1*R*,2*R*-diaminocyclohexaneplatinum(II) complexes containing disubstituted sulfide groups, **241**, 101
Diaminosarcophagine complexes
hydrogenation of dinitrosarcophagine Co(III); the crystal structures of Co(II) and Co(III) complexes of diaminosarcophagine, **253**, 91
Diastereomeric complexes
breast cancer inhibiting diastereomeric diacetato[1,2-bis(4-fluorophenyl)ethylenediamine]platinum(II) derivatives: synthesis and studies on the relationship between reactivity and antitumor activity, **250**, 203
Diauracycle complexes
nine- and ten-membered diauracycles with the $C_3S_5^{2-}$ ligand. Crystal structure of $NBu_4[Au_2(\mu\text{-}C_3S_5)(\mu\text{-}CH_2PPh_2CH_2)]$, **249**, 163
Diazaferrocene macrocycle
synthesis and characterisation of the new diaza ferrocene macrocycle 1,1′-(2,6-diazahepta-1,6-diene)ferrocene and its parent amine 1,1′-(2,6-diazaheptane)ferrocene, **247**, 139
Diazoalkane
trimethylsilyldiazomethane as a diazomethane equivalent in the synthesis of (α-halomethyl)platinum(II) complexes, **252**, 33
Dibridged complexes
dibridged bimetallic complexes derived from bent niobocene and Group 6 metal carbonyls. Transmetallation of the PMe_2H ligand and crystal structure of $Cp_2Nb(\mu\text{-}PPh_2)(\mu\text{-}CO)Cr(CO)_3(PMe_2H)$, **247**, 263
Dicarboxylate-like complexes
formation of polymeric cadmium(II) complexes by interlinkage through 1,4-diazoniobicyclo[2.2.2]octane-1,4-diacetate: $[\{Cd(L)X_2(H_2O)_2\}_n] \cdot nH_2O$ (X = Cl, Br) and $[\{Cd(L)I_2\}_n] \cdot nH_2O$ (L = $^-O_2CCH_2N^+(CH_2CH_2)_3\text{-}N^+CH_2CO_2^-$), **253**, 15
Dihalogenotriorganophosphorus compounds
the reaction of diiodotriorganophosphorus compounds with dicobalt octacarbonyl; isolation of a new isomeric form of $[R_3PI][CoI_3(PR_3)]$, **247**, 257
2,6-Dihydroxybenzoic acid
crystal structure of μ_3-oxo-esakis(μ_2-acetate)triaquatrichromium(III) 2,6-dihydroxybenzoate dihydrate, **248**, 99
Diimine complexes
photophysical properties of tricarbonyl(histidine)(diimine)-rhenium(I) complexes in aqueous solution, **242**, 179
bis(2,2′-bipyridine)(1,2-diimino-9,10-anthraquinone)ruthenium(II): a complex containing an exceptionally strong pi-accepting α–α' diimine ligand. I. Synthesis, crystal and electronic structures, **242**, 293
axial ligand effects on redox properties of a strongly-coupled bis-macrocyclic diiron compound, **246**, 241
character and picosecond dynamics of the excited states of $[Re(Br)(CO)_3(\alpha\text{-diimine})]$ complexes as a function of the α-diimine ligand: 4,4′-di-methyl-2,2′-bipyridine, *N*,*N*-di-*p*-tolyl-1,4-diaza-butadiene and *N*,*N*-di-*p*-anisyl-1,4-diaza-butadiene, **247**, 247
Diiminoanthraquinone
bis(2,2′-bipyridine)(1,2-diimino-9,10-anthraquinone)ruthenium(II): a complex containing an exceptionally strong pi-accepting α–α' diimine ligand. I. Synthesis, crystal and electronic structures, **242**, 293
Diiron complexes
diiron-cluster intermediates in biological oxygen activation reactions, **252**, 399
Diisocyanide complexes
self-assembled monolayers of dithiols, diisocyanides, and isocyanothiols on gold: 'chemically sticky' surfaces for covalent attachment of metal clusters and studies of interfacial electron transfer, **242**, 115
β-Diketonate complexes
crystal structure and thermal behavior of some cerium complexes with the fluorinated β-diketonate ligand 6,6,6-trifluoro-2,2-dimethyl-3,5-hexanedione (fdh), **248**, 27
Dimeric complexes
electrochemistry of dimeric organopalladium(II) complexes containing bridging [pyridin-2-yl(phenyl)methyl-*C*,*N*]$^-$ and [bis(pyridin-2-yl)phenylmethyl-*C*,*N*,*N*′]$^-$ groups, **251**, 185
synthesis, structure and cytotoxic activity of platinum(II) dimers with bridging imidate ligands in head-to-head arrangement, **252**, 5
Dimeric tellurium
blue–green ultramarine-type zeolites with dimeric tellurium colour centres, **252**, 39
Dimetallacycle complexes
reactivity of bis(diphenylphosphino)methane at a di-iron centre: thermally induced rearrangements of dimetallacyclopentenone complexes $[Fe_2(CO)_5\{\mu\text{-}\sigma\text{:}\eta^3\text{-}C(O)CRCR\}(\mu\text{-dppm})]$, **251**, 167
Dimethylphenylphosphine complexes
synthesis and crystal structure of mixed-ligand Tc(I) complexes, with dimethylphenylphosphine and t-butylisonitrile, **245**, 251
Dimolybdenum compounds
preparation and crystal structure of a dimolybdenum(II) complex with the drug ibuprofen, **249**, 57
Dinitrogen complexes
preparation and characterization of a vanadium(III) dinitrogen complex supported by a tripodal anionic amide ligand, **250**, 1
Dinuclear complexes

synthesis, reactions and structure of a hydroxo-bridged dinuclear Zn(II) complex: modeling the hydrolytic zinc enzymes, **241**, 31
photochemistry of deca(acetonitrile) dirhodium(II) cation: evidence for kilosecond-lived photoinduced charge separation, **242**, 91
dinuclear Ru^{II} and/or Os^{II} complexes of bis-bipyridine bridging ligands containing adamantane spacers: synthesis, luminescence properties, intercomponent energy and electron transfer processes, **242**, 281
diiron(III) complexes of some relevance to the purple acid phosphatases, **243**, 1
syntheses of a new segmental penta-heterocyclic ligand and its dinuclear ruthenium(II) complex, **244**, 3
a structurally characterized azide-bridged dinuclear nickel(II) cryptate, **244**, 7
the role of ligand steric hindrance in determining the stability of very short V–V contacts. Preparation and characterization of a series of V(II) and V(III) amidinates, **244**, 37
synthesis of a multiply-bonded ditungsten hydride complex, $W_2(\mu\text{-}H)(\mu\text{-}O_2CC_6H_5)Cl_4(dppm)_2$, **244**, 151
chemical and electrochemical investigation of $Cs_4[Ru_2(SO_4)_2(\mu\text{-}SO_4)_2(\mu\text{-}O)_2]\cdot 2H_2O$, **244**, 191
unusual complexation behavior of 1,3-diaminopropane, **244**, 255
iminoquinone coordination to copper(I) in the $[Cu(PhenoxBQ)(\mu\text{-}Cl)]_2$ dimer, **245**, 1
the reaction of copper 3-trimethylsilylpyridine-2-thiolate with bis(diphenylphosphino)ethane. Crystal structure of μ-[1,2-bis(diphenylphosphino)ethane]bis(3-trimethylsilylpyridine-2-thiolato-*S*)[1,2-bis(diphenylphosphino)ethane]dicopper(I), $[Cu_2(3\text{-}Me_3Sipyt)_2(dppe)_3]$, **245**, 119
ligand behaviour of a bis-pyridazinecarboxamide copper(II) complex towards nickel(II) β-diketonates. X-ray crystal structure of Cu(bpdpn)Ni(hfacac)$_2$ (H_2bpdpn = *N*,*N*′-bis-(3′-pyridazinecarboxamide)-1,3-propane, Hhfacac = hexafluoroacetylacetone), a heterometallic bridged complex, **245**, 231
macrocyclic heterodinuclear NiMn and CuMn complexes: crystal structure and electrochemical behaviour, **246**, 13
macrocyclic dinuclear complexes self-assembled from (en)Pd$(NO_3)_2$ and pyridine-based bridging ligands, **246**, 53
photophysical properties of lanthanide dinuclear complexes with *p*-nitro-calix[8]arene, **246**, 195
electron spin resonance and electrospray ionization mass spectroscopic studies of the interaction of alkali and alkaline earth cations with manganese bis(μ-oxo) dimers, **246**, 311
macrocycles with a single pendant arm: synthesis of *N*-R-(1,4,7-triazacyclononane) [L, R = 4-but-1-ene; L′, R = 3-prop-1-ene]: Synthesis of the Cu^I complex [CuL]I and synthesis and crystal structure of the Cu^{II} complex $[CuL_2][BPh_4]_2$ and the μ-hydroxy bridged Cu^{II} dimer $[LCu(\mu\text{-}OH)_2CuL][BPh_4]_2$, **246**, 343
binuclear chromium(III) complexes bridged by hydroxide and acetate groups, **247**, 35
transition metal compounds of 1,2-bis(2-pyridyl)ethyne. Synthesis, spectroscopic characterization and X-ray structures of dinuclear $[Cu_2(1,2\text{-bis}(2\text{-pyridyl})ethyne)_3(NO_3)_4]$ and polynuclear $[Co(1,2\text{-bis}(2\text{-pyridyl})ethyne)(NO_3)_2]_n$, **247**, 43
synthesis, NMR characterisation and crystal structure of the silver(I) annular complex $[Ag_2(\mu\text{-ppye})_2][PF_6]_2\cdot 2(CH_3)_2CO$ (ppye = 1-(diphenylphosphino)-2-(2-pyridyl)ethane), **247**, 183
4-amino-6-methoxy-2-methylthiopyrimidine and Hg(II) system: solution and solid state studies on metalated and N-coordinated species. Crystal structure of $[Hg_2(HL)_2(\mu\text{-}Cl)_2Cl_2]$, **247**, 203
a platinum-195 nuclear magnetic resonance investigation of some dihydroxo bridged binuclear platinum(II) sulfoxide complexes, **247**, 267
tri-bridged amidinato compounds of dicobalt 1: $Co_2[PhNC(R)NPh]_3$ with R = H and C_6H_5, **249**, 9
syntheses and structural characterization of quadruple-bonded complexes $Mo_2X_2Tp_2$ (X = Cl or Br; Tp = $HBpz_3$, pz = pyrazolyl); transformation of η^2-Tp to η^3-Tp, **249**, 115
properties and dynamics of the $\sigma(M'\text{–}Re)\pi^*$ excited state of photoreactive dinuclear $L_nM'\text{–}Re(CO)_3(\alpha\text{-diimine})$ ($L_nM' = Ph_3Sn$, $(CO)_5Mn$, $(CO)_5Re$; α-diimine = bpy′, iPr-PyCa, iPr-DAB) complexes studied by time-resolved emission and absorption spectroscopies, **250**, 5
reactivity, variable temperature solution ^1H NMR studies and MO calculations of dimolybdenum allenylidene complexes of the type $[(\eta^5\text{-}C_5H_5)_2Mo_2(CO)_4(\mu,\eta^2(4e)\text{-}C{=}C{=}CR1R2)]$, **250**, 119
dinuclear silver(I) complexes of 24-membered bibracchial tetraimine Schiff base macrocycles derived from 2,5-diformylthiophene, **250**, 139
a very strong metal–metal interaction in a dinuclear ruthenium(II) complex with the dianion of 2,3-dihydroxy-but-2-enal as a compartmental bridging ligand, **251**, 9
synthesis, structure and magnetic properties of an asymmetric dinuclear oxocitratovanadate(IV) complex, **251**, 75
the solid state structure and the solution isomerization of $Mo_2Cl_6(THF)_3$, **251**, 101
reactivity of bis(diphenylphosphino)methane at a di-iron centre: thermally induced rearrangements of dimetallacyclopentenone complexes $[Fe_2(CO)_5\{\mu\text{-}\sigma\text{:}\eta^3\text{-}C(O)CRCR\}(\mu\text{-dppm})]$, **251**, 167
photoinduced intercomponent energy transfer in covalently-linked dinuclear complexes containing Ru(II)–bipyridine and Ru(II)–biquinoline chromophores and aromatic and aliphatic spacers, **251**, 255
synthesis and structure of *trans*-[di(μ-acetato)dichlorodi-(μ-bis-(diphenylphosphino)methylamine)dimolybdenum(II)] and the structure of bis(diphenylphosphino)methylamine, **252**, 251
syntheses and structures of di(carboxylato)hexakis(acetonitrile)-dimolybdenum(II) bis(tetrafluoroborate) and *trans*-[di(μ-acetato)-di(acetonitrile)di(μ-bis(diphenylphosphino)amine)-dimolybdenum(II)] bis(tetrafluoroborate), **252**, 257
experimental and theoretical studies of the single- and double-CO loss photoproducts of $[CpCo(CO)]_2(\mu\text{-}CH_2)$, **252**, 405
structural and electrochemical studies of dicopper complexes of a binucleating ligand involving sulfides and benzimidazoles, **252**, 413

Diol
oxidation of propane-1,2-diol by acidic manganese(V) and manganese(VI), **248**, 81

β-Dionato complexes
the crystal and molecular structure of [neocuproine-bis(3-thiocyano-2,4-pentanedionato)nickel(II)], **249**, 105

Dioxygen activation
dioxygen activation in enzymatic systems and in inorganic models, **243**, 345

2-(Diphenylphosphino)pyridine complexes
$[Os_3(H)_2(CO)_{10}]$ derivatives containing the short bite ligands bis(diphenylphosphino)methane and 2-(diphenylphosphino)pyridine, **248**, 257

Diphosphine complexes
the synthesis and characterization of $\alpha\text{-}W_2Cl_4(dppp)_2$, **245**, 81
the reaction of copper 3-trimethylsilylpyridine-2-thiolate with bis(diphenylphosphino)ethane. Crystal structure of μ-[1,2-bis(diphenylphosphino)ethane]bis(3-trimethylsilylpyridine-2-thiolato-*S*)[1,2-bis(diphenylphosphino)ethane]dicopper(I), $[Cu_2(3\text{-}Me_3Sipyt)_2(dppe)_3]$, **245**, 119
$[Os_3(H)_2(CO)_{10}]$ derivatives containing the short bite ligands bis(diphenylphosphino)methane and 2-(diphenylphosphino)pyridine, **248**, 257
reaction of nickel(II) and palladium(II) with tetraphenyldiphosphine, **249**, 237

Diphosphinomethane complexes

reactivity of bis(diphenylphosphino)methane at a di-iron centre: thermally induced rearrangements of dimetallacyclopentenone complexes $[Fe_2(CO)_5\{\mu\text{-}\sigma\text{:}\eta^3\text{-}C(O)CRCR\}(\mu\text{-dppm})]$, **251**, 167
Dirhenium(II) complexes
reactions of the dirhenium(II) complexes $Re_2X_4(dppm)_2$ (X = Cl, Br; dppm = $Ph_2PCH_2PPh_2$) with isocyanides. VI. Further studies on isomers of the edge-sharing bioctahedral species $[Re_2Cl_3(\mu\text{-dppm})_2(CO)(CNxyl)_2]^+$, **242**, 81
Disubstituted sulfide complexes
synthesis and antitumor activity of new *trans*-1*R*,2*R*-diaminocyclohexaneplatinum(II) complexes containing disubstituted sulfide groups, **241**, 101
Disulfide complexes
the interaction of transition metals with the coenzyme α-lipoic acid: synthesis, structure and characterization of copper and zinc complexes, **252**, 319
Diterpene carvone complexes
synthesis and characterisation of Pd(II) allyl complexes derived from the diterpene carvone, **250**, 365
Dithiaphosphanylferrocene complexes
new potentially cytotoxic thiolatogold(I) complexes of 1,1′-bis(diphenylphosphino)ferrocene, **253**, 71
Dithiocarbamate complexes
the solvent-initiated photochemistry of tris(*N*,*N*-diethyldithiocarbamato)iron(III), **250**, 385
Dithiocarbamato complexes
gold and silver complexes of methylenebis(dialkyldithiocarbamates) and the X-ray structure of $CH_2[S_2CN(CH_2Ph)_2]_2$, **249**, 69
Dithiocroconato complexes
synthesis, crystal structure and magnetic properties of the first structurally characterized 1,2-dithiocroconato-containing Cu(II) complex, $\{[Cu(bpca)(H_2O)]_2[Cu(1,2\text{-dtcr})_2]\}\cdot 2H_2O$, **250**, 219
Dithioimidophosphinato complexes
tetrahedral versus square-planar NiS_4 core in solid-state bis(dithioimidodiphosphinato)nickel(II) chelates. Crystal and molecular structures of $Ni[(SPR_2)(SPPh_2)N]_2$ (R = Ph, Me), **241**, 47
Dithiolate complexes
luminescent platinum(II) bis(1,1-dithiolate) complexes, **242**, 225
Dithiol complexes
self-assembled monolayers of dithiols, diisocyanides, and isocyanothiols on gold: 'chemically sticky' surfaces for covalent attachment of metal clusters and studies of interfacial electron transfer, **242**, 115
Dithiolene complexes
synthesis and crystal structure of [1,1,2,2-tetramethylguanidinium]$[Ni(dmit)_2]_2$ and [hexamethylguanidinium]$[Ni(dmit)_2]_2$ (dmit = 1,3-dithiole-2-thione-4,5-dithiolate). Intermolecular orbital overlap integral calculations and electrical conductivities, **245**, 27
Dithiooxalate complexes
ion-pair charge-transfer complexes of a dithiooxalate zinc donor component with viologens. Synthesis, structural and electronic characterization, **247**, 147
Dithio-Schiff base complexes
synthesis, spectroscopic, magnetic and electrochemical properties of Cu(II) and Fe(III) complexes with the new ligand *N*,*N*′-[1,1′-dithiobis(phenyl)]bis(5′-methoxysalicylaldimine), **244**, 25
Divalent metal complexes
synthesis, crystal structures, and ring size effects on thermodynamic stability of divalent metal complexes of [14]aneN_3O, **246**, 89
Diyne complexes
electronic interactions in diyne $Co_2(CO)_6$ complexes, **247**, 99
reactions between ruthenium cluster carbonyls and 1,4-diphenylbuta-1,3-diyne, **250**, 129
DNA and RNA
metal-mediated oxidation of guanines in DNA and RNA: a comparison of cobalt(II), nickel(II) and copper(II) complexes, **251**, 193
DNA-binding protein
affinity of CUP2, a copper-dependent transcription factor, for DNA sequences upstream of the yeast metallothionein gene, **242**, 233
DNA hydrolysis
supramolecular complexes of transition-metal(II) ions for the hydrolysis of phosphate esters and of DNA, **251**, 125
DNA oxidation
oxidation of DNA by *trans*-dioxoruthenium(VI) complexes: self-inhibition of DNA cleavage by metal complexes, **242**, 219
DNA–polyamine interactions
supramolecular complexes of transition-metal(II) ions for the hydrolysis of phosphate esters and of DNA, **251**, 125
2D NMR
phenylalanine 48 of *Chromatium vinosum* high potential iron protein is essential for stability of the oxidized $[Fe_4S_4]$ cluster. Site-directed mutagenesis and NMR studies as a probe of cluster chemistry, **251**, 285
π Donor ligand complexes
Fischer-type alkylidyne tungsten complexes containing strong π donor ligands, **252**, 131
DOTA complexes
crystal structure and solution dynamics of the lutetium(III) chelate of DOTA, **246**, 423
Drug delivery
EPR spectra for high- and low-spin Co^{II} encapsulated complexes, **241**, 5
Dynamic behaviour
reactivity, variable temperature solution ^1H NMR studies and MO calculations of dimolybdenum allenylidene complexes of the type $[(\eta^5\text{-}C_5H_5)_2Mo_2(CO)_4(\mu,\eta^2(4e)\text{-}C{=}C{=}CR1R2)]$, **250**, 119

EFISH
the linear and non-linear optical properties of some conjugated ferrocene compounds with potent heterocyclic acceptors, **242**, 43
Eight-fold coordination complexes
structural investigations of several $LnVO_4$ compounds, **248**, 85
structural analyses of two hexacyanoruthenate(II) complexes, **253**, 97
Eight-membered complexes
an unusual iron-oxo tetranuclear species: $Li_2(HDPhF)_2Fe_4O_4(DPhF)_6\cdot 4$toluene. A ubiquitous side product in the chemistry of iron/formamidine compounds, **252**, 293
Electroactive molecule
synthesis and characterisation of the new diaza ferrocene macrocycle 1,1′-(2,6-diazahepta-1,6-diene)ferrocene and its parent amine 1,1′-(2,6-diazaheptane)ferrocene, **247**, 139
Electrocatalysis
spontaneous adsorption of heteropolytungstates and heteropolymolybdates on the surfaces of solid electrodes and the electrocatalytic activity of the adsorbed anions, **242**, 11
bicatalyst electrocatalytic reaction of sulfur oxoanions by water-soluble iron porphyrins and iron(II) tris(1,10-phenanthroline), **244**, 155
the electrochemical reactivity of $[Pt(AuPPh_3)_8]^{2+}$ and $[HPt(AuPPh_3)_8]^+$ under dihydrogen, **245**, 133
the electrocatalysis of hydrogen sulfite oxidation by iron(II) complexes of 1,10-phenanthrolines, **249**, 143
electrocatalytic reduction of carbon dioxide by mixed-metal trimetallic complexes of the form $\{[(bpy)_2Ru(BL)]_2IrCl_2\}^{5+}$ where bpy = 2,2′-bipyridine and BL = 2,3-bis(2-pyridyl)quinoxaline (dpq) or 2,3-bis(2-pyridyl)benzoquinoxaline (dpb), **253**, 7
Electrochemical reduction
electrochemical reduction of the bis(1,2,6,7-tetracyano-3,5-dihydro-3,5-diimino-pyrrolizinido)palladium(II) complex: syntheses and properties of its radical monoanion as the tetraethylammonium salt, **247**, 75
Electrochemistry

unusual electrochemical and spectroscopic behavior in a ligand-bridged binuclear complex of ruthenium(II): tetrakis(2,2′-bipyridine)-(μ-2,4,6-tris(2-pyridyl)triazine)diruthenium(II), **241**, 1
basal site substitution in the sulfido-bridged cluster $Ru_3(CO)_9(\mu_3\text{-}S)_2$ by the redox-active diphosphine 4,5-bis(diphenylphosphino)-4-cyclopenten-1,3-dione (bpcd). Synthesis, X-ray structure and electrochemical properties of $Ru_3(CO)_7(bpcd)(\mu_3\text{-}S)_2$, **241**, 71
synthesis, reactivity and redox properties of dinuclear molybdenum–sulfur complexes, **243**, 147
synthesis, spectroscopic, magnetic and electrochemical properties of Cu(II) and Fe(III) complexes with the new ligand *N*,*N*′-[1,1′-dithiobis(phenyl)]bis(5′-methoxysalicylaldimine), **244**, 25
in situ oxidation of a copper(I) complex to produce a hydroxy-bridged dinuclear copper(II) complex. Structural, magnetic and electrochemical properties, **244**, 87
substituent effects on the electrochemical behaviour of iron(II) in Schiff bases derived from ferrocene and their cyclopalladated compounds, **244**, 141
chemical and electrochemical investigation of $Cs_4[Ru_2(SO_4)_2(\mu\text{-}SO_4)_2(\mu\text{-}O)_2]\cdot 2H_2O$, **244**, 191
amplification of metal-to-metal communication in the ruthenium(IV)–ruthenium(III) mixed-valence state of binuclear β-diketonato-ruthenium complexes by inserting thiophene and anthracene units into acetylene linkers, **245**, 87
effect of substituents on the electrochemical behavior of basic iron acetates, **245**, 91
the electrochemical reactivity of $[Pt(AuPPh_3)_8]^{2+}$ and $[HPt(AuPPh_3)_8]^{+}$ under dihydrogen, **245**, 133
macrocyclic heterodinuclear NiMn and CuMn complexes: crystal structure and electrochemical behaviour, **246**, 13
transition metal cation and phosphate anion electrochemical recognition in water by new polyaza ferrocene macrocyclic ligands, **246**, 143
study of protonation of 1,4,7-tris(2-hydroxyethyl)-1,4,7-triazacyclononane, and its complexes with metal ions, by crystallography, polarography, potentiometry, molecular mechanics and NMR, **246**, 159
axial ligand effects on redox properties of a strongly-coupled bis-macrocyclic diiron compound, **246**, 241
the reduction of carbon dioxide employing 1,4,7,10-tetramethyl-1,4,7,10 tetraazacyclododecane nickel(II) as a electron relay catalyst, **246**, 295
electrochemistry and spectroscopy of magnesium octaethyltetraazaporphyrin and magnesium octakis(methylthio)tetraazaporphyrin, **246**, 361
electronic interactions in diyne $Co_2(CO)_6$ complexes, **247**, 99
syntheses, absorption spectra, electrochemistry and MLCT excited-state properties of $[Ru(imin)_n(bpy)_{3-n}](PF_6)_2$ ($n=0$–3, imin = 2-(*N*-methylformimidoyl)pyridine) complexes, **247**, 155
regioselective and stereoselective PPh_3 substitution in the imido-capped cluster $Ru_3(CO)_{10}(\mu_3\text{-}NPh)$. Electrochemical properties and X-ray diffraction structures of $Ru_3(CO)_9(PPh_3)(\mu_3\text{-}NPh)$ and $Ru_3(CO)_8(PPh_3)_2(\mu_3\text{-}NPh)\cdot 1/2CH_2Cl_2$, **247**, 161
electrochemical behaviour and reactivity of cyclohexadienyl iron complexes, **248**, 45
electrochemical and spectroscopic behavior of dicobalt cofacial diporphyrins. The redox sites revisited, **248**, 181
effect of second-sphere coordination 6. Adduct formation of monoammine-, diammine-, triammine- and tetraammineruthenium(II) complexes with 18-crown-6 ether, **249**, 201
comparing the spectroscopic and electrochemical properties of ruthenium and osmium complexes of the tridentate polyazine ligands 2,2′:6′,2″-terpyridine and 2,3,5,6-tetrakis(2-pyridyl)pyrazine, **250**, 155
pitfalls in limiting studies of reactivity to a family of compounds, **250**, 265
electrochemical behavior of some bioorganometallic complexes, **250**, 379
electrochemistry of dimeric organopalladium(II) complexes containing bridging [pyridin-2-yl(phenyl)methyl-*C*,*N*]$^-$ and [bis(pyridin-2-yl)phenylmethyl-*C*,*N*,*N*′]$^-$ groups, **251**, 185
ground state electron transfer between TCNE and one or more 16-electron species containing vanadium, osmium, ruthenium or cobalt, **251**, 239
photoinduced intercomponent energy transfer in covalently-linked dinuclear complexes containing Ru(II)–bipyridine and Ru(II)–biquinoline chromophores and aromatic and aliphatic spacers, **251**, 255
direct electrochemical studies of cytochromes b_{562}, **252**, 71
metallomacrocycles with metal–metal bonds: synthesis, characterization and electrochemistry of $[(P)SnRe(CO)_5]BF_4$ and $[\{(P)Sn\}_2Re(CO)_4]BF_4$ derivatives, where P = tetra-*p*-tolylporphyrin or tetra-*m*-tolylporphyrin, **252**, 375
structural and electrochemical studies of dicopper complexes of a binucleating ligand involving sulfides and benzimidazoles, **252**, 413

Electronic absorption spectra
Zeeman-effect studies of the electronic absorption spectrum of octachlorodirhenate(2-) (Re≡Re) in pulsed 50-Tesla magnetic fields, **243**, 309

Electronic properties
optical and EPR characterization of *Desulfovibrio vulgaris* (Hildenborough) sulfite reductase and ligand adducts, **242**, 25

Electronic spectra
binuclear chromium(III) complexes bridged by hydroxide and acetate groups, **247**, 35
photoredox decomposition of tin(II), lead(II), antimony(III) and bismuth(III) iodide complexes in solution, **248**, 107

Electronic structures
electronic structure of the oxidized and reduced blue copper sites: contributions to the electron transfer pathway, reduction potential, and geometry, **243**, 67
ion-pair charge-transfer complexes of a dithiooxalate zinc donor component with viologens. Synthesis, structural and electronic characterization, **247**, 147
exchange interactions in $Ti_2Cl_9^{3-}$: a critical analysis, **251**, 15

Electron paramagnetic resonance
EPR spectra for high- and low-spin Co^{II} encapsulated complexes, **241**, 5

Electron spin resonance
electron spin resonance and electrospray ionization mass spectroscopic studies of the interaction of alkali and alkaline earth cations with manganese bis(μ-oxo) dimers, **246**, 311

Electron transfer
self-assembled monolayers of dithiols, diisocyanides, and isocyanothiols on gold: 'chemically sticky' surfaces for covalent attachment of metal clusters and studies of interfacial electron transfer, **242**, 115
competitive energy-transfer and reductive quenching of the CT excited states of copper(I) phenanthrolines, **242**, 143
outer-sphere electron transfer in methylene chloride: concentration, salt, and temperature dependences of the oxidation of *trans*-ReX_2(*cis*-1,2-bis(diphenylphosphino)ethylene)$_2$ (X = Cl, Br) by the clathrochelate [Co(1,2-cyclohexanedionedioximate)$_3$-(BButyl)$_2$]BF_4, **242**, 159
synthesis of (porphinato)zinc(II)–spacer–(porphinato)iron(III) chloride complexes: a modular approach to fixed-distance electron-transfer model compounds through the efficacy of metal-mediated cross-coupling, **242**, 211
dinuclear Ru^{II} and/or Os^{II} complexes of bis-bipyridine bridging ligands containing adamantane spacers: synthesis, luminescence properties, intercomponent energy and electron transfer processes, **242**, 281

charge transfer rate constants for the reduction of cobaltocenium at accumulated N-Si electrodes, **242**, 311
kinetics of electron transfer in *Pseudomonas aeruginosa* cytochrome cd_1-nitrite reductase, **243**, 25
electron transfer barriers for ground- and excited-state redox couples: *trans*-dioxo(1,4,8,11-tetramethyl-1,4,8,11-tetraazacyclotetradecane)osmium(VI)/osmium(V), **243**, 39
excited state properties of $Rh(phi)_2(phen)^{3+}$ and related complexes: a strong photooxidant, **243**, 101
intramolecular electron transfer in cyanide-bridged ruthenium dimers, **243**, 135
electron-transfer studies with the CuA domain of *Thermus thermophilus* cytochrome ba_3, **243**, 141
intramolecular electron-transfer reactions of cytochrome b_5 covalently bonded to ruthenium(II) polypyridine complexes: reorganizational energy and pressure effects, **243**, 193
site-specific modification of α-helical peptides with electron donors and acceptors, **243**, 207
engineering photosynthesis: synthetic redox proteins, **243**, 213
the effect of axial coordination and ligand strain on the multielectron-transfer chemistry of d^8d^8 rhodium isocyanide complexes: UV-vis-IR spectroelectrochemical studies, **243**, 219
reorganization energies and rate constants for electron reactions in glass-forming media and proteins, **243**, 233
tunneling matrix element in Ru-modified blue copper proteins: pruning the protein in search of electron transfer pathways, **243**, 271
synthesis and characterization of superstructured rhodium porphyrins, **244**, 171
effect of substituents on the electrochemical behavior of basic iron acetates, **245**, 91
photoreduction of zinc- and aluminium-2,3-naphthalocyanine in the presence of azaferrocene and under irradiation with red light ($\lambda > 600$ nm), **249**, 111
organometallic amphiphiles: novel mechanisms for redox chemical control of aggregation behavior, **250**, 59
a rigid cytidine–$Ru^{II}(bpy)_3$ conjugate. A potential precursor for non-covalent electron transfer modeling, **251**, 135
ground state electron transfer between TCNE and one or more 16-electron species containing vanadium, osmium, ruthenium or cobalt, **251**, 239
effect of guest/host interactions on photoinduced electron transfer reactions, **252**, 333

Electron-transfer mediator
crystal structure of tris(4,4′-dimethoxy-2,2′-bipyridine)iron(II) bis(hexafluorophosphate), solvate with *N*-methyl-2-pyrrolidone, **247**, 237

Electron transfer reactions
the electrochemical reactivity of $[Pt(AuPPh_3)_8]^{2+}$ and $[HPt(AuPPh_3)_8]^{+}$ under dihydrogen, **245**, 133

Electron tunneling microscopy
electron tunneling microscopy: a direct probe of metal substitution in BiSrCaCuO superconductors1, **243**, 305

Electrophoresis
metal complexes with tetrapyrrole ligands. 71. Heteroaggregation of cationic metal mono- and bisporphyrinates with anionic metal porphyrinates or indigosulfonates, **251**, 227

Electrospray mass spectrometry
local stabilities of horse cytochrome c metalloderivatives as probed by tryptic digestion and electrospray mass spectrometry, **242**, 261
electrospray mass spectrometry of neutral π-hydrocarbon organometallic complexes, **245**, 209
electron spin resonance and electrospray ionization mass spectroscopic studies of the interaction of alkali and alkaline earth cations with manganese bis(μ-oxo) dimers, **246**, 311

Enantioselectivity
synthesis and characterisation of chiral Cu(I) complexes of substituted pyrrolidine ligands. Efficient catalysts for cyclopropanation reactions, **244**, 239

Energy transfer
competitive energy-transfer and reductive quenching of the CT excited states of copper(I) phenanthrolines, **242**, 143
photoinduced intercomponent energy transfer in covalently-linked dinuclear complexes containing Ru(II)–bipyridine and Ru(II)–biquinoline chromophores and aromatic and aliphatic spacers, **251**, 255

Enzyme
kinetic studies on the reduction of the R2 protein of *E. coli* ribonucleotide reductase by $[Co(sep)]^{2+}$ and $[Co(9\text{-}aneN_3)_2]^{2+}$, **242**, 165

Epoxidation
a new cyclam with a triphenylphosphine-pendant and its metal complexes, **246**, 151

Equilibrium constant determination
protolysis and Mg^{2+} binding of Methylthymol Blue, **241**, 13

Equilibrium constants
coordination of donor solvent molecules to nickel square-planar complexes, **253**, 1

Ethylenediamine complexes
hydrolytic species of the ion *cis*-diaqua(ethylenediamine)-palladium(II) complex and of *cis*-dichloro(ethylenediamine)-palladium(II): fitting its equilibrium models in aqueous media with or without chloride ion, **253**, 23

Europium complexes
solution structures of luminescent chelates of europium(III) with 2,6-bis[*N*,*N*-bis(carboxymethyl)aminomethyl]-4-benzoylphenol, **247**, 209
luminescence of Eu^{3+} and Tb^{3+} complexes of new macrobicyclic ligands derived from *p*-tert-butylcalix[4]arene, **252**, 19

Evolutionally invariant residues
site-directed replacement of the invariant lysine 73 of *Saccharomyces cerevisiae* iso-1-cytochrome *c* with all ribosomally encoded amino acids, **242**, 97

Exchange coupling
crystal and molecular structure and electronic properties of $[Cu(bbimpy)(H_2O)_2(ONO_2)](NO_3)\cdot H_2O$ (bbimpy = 2,6-bis(2-benzimidazolyl)pyridine), **245**, 75

Exchange coupling model
an exchange coupling model for the $Fe_4S_4^{3+}$ polymetallic center present in high potential iron-sulfur proteins, **243**, 91

Exchange interactions
exchange interactions in $Ti_2Cl_9^{3-}$: a critical analysis, **251**, 15
linkage isomerism in exchange coupled dinuclear Ni(II) complexes with three azide bridges; tris(μ-1,1-azido) versus tris(μ-1,3-azido) binding. Crystal structures of $[L_2Ni_2(\mu\text{-}1,1\text{-}N_3)_3]ClO_4$ and $[L_2Ni_2(N_3)_2\text{-}(\mu\text{-}1,3\text{-}N_3)_2]$ (L = 1,4,7-trimethyl-1,4,7-triazacyclononane), **252**, 195

Excited state
competitive energy-transfer and reductive quenching of the CT excited states of copper(I) phenanthrolines, **242**, 143

Excited state dynamics
character and picosecond dynamics of the excited states of $[Re(Br)(CO)_3(\alpha\text{-diimine})]$ complexes as a function of the α-diimine ligand: 4,4′-di-methyl-2,2′-bipyridine, *N*,*N*-di-*p*-tolyl-1,4-diaza-butadiene and *N*,*N*-di-*p*-anisyl-1,4-diaza-butadiene, **247**, 247

Excited state geometry
a study of the geometry of the $[Re_2Br_8]^{2-}$, $[Re_2I_8]^{2-}$ and $[Mo_2Cl_8]^{4-}$ ions in the lowest $^1A_{2u}$ excited state by the application of the sum-over-states method to resonance Raman band intensities, **243**, 249

Excited state properties
excited state properties of $Rh(phi)_2(phen)^{3+}$ and related complexes: a strong photooxidant, **243**, 101

Extended Hückel molecular orbital calculations
preparation, luminescence and interactions with Li^+, Na^+ and UO_2^{2+} of two new metallocalix[4]arene complexes of iridium(I), **242**, 137
reactivity, variable temperature solution ^1H NMR studies and MO calculations of dimolybdenum allenylidene complexes of the type $[(\eta^5\text{-}C_5H_5)_2Mo_2(CO)_4(\mu,\eta^2(4e)\text{-}C{=}C{=}CR1R2)]$, **250**, 119
Extraction
extraction selectivites of lower rim substituted calix[4]arene hosts induced by variations in the upper rim substituents, **250**, 295

Factor group analysis
vibrational analysis and resonance Raman spectra of polycrystalline and matrix-isolated $[CpFe(CO)_2]_2$, **251**, 157
Fast atom bombardment
fast atom bombardment studies of amino acid and peptide complexes of the uranyl ion: ligand attachment, dissociation and fragmentation, **241**, 105
Fenton chemistry
buffer-induced anomalies in the Fenton chemistry of iron and copper, **242**, 57
Fenton reaction
iron–hydroxypyridone redox chemistry: kinetic and thermodynamic limitations to Fenton activity, **245**, 199
Ferrihydrite
biologically significant iron(III) oxyhydroxy polymers: Mössbauer spectroscopic study of ferritin and hemosiderin in pancreas tissue of β-thalassemia/hemoglobin E disease, **243**, 121
Ferrimagnetism
slow paramagnetic relaxation and magnetic splittings in Mössbauer spectra observed for mixed-metal assemblies $\{NBu_4MFe(ox)_3\}_x$ (NBu_4^+ = tetra(n-butyl)ammonium ion; ox^{2-} = oxalate ion; $M = Zn^{2+}, Ni^{2+}, Mn^{2+}$), **253**, 47
Ferritin
biologically significant iron(III) oxyhydroxy polymers: Mössbauer spectroscopic study of ferritin and hemosiderin in pancreas tissue of β-thalassemia/hemoglobin E disease, **243**, 121
Ferrocene complexes
synthesis and characterization of novel palladium(II) complexes with ferrocenes bearing podand N-heterocyclic coordination sites, **248**, 129
Ferrocene derivative complexes
substituent effects on the electrochemical behaviour of iron(II) in Schiff bases derived from ferrocene and their cyclopalladated compounds, **244**, 141
Ferrocenes
competitive energy-transfer and reductive quenching of the CT excited states of copper(I) phenanthrolines, **242**, 143
Ferrocenyl complexes
conformationally flexible arsine ligands: two forms of bis[1,1′-bis(dimethylarsino)ferrocene]dibromonickel(II), **244**, 131
Ferromagnetic coupling
synthesis, crystal structure and magnetic properties of the tetranuclear complex $[Ni_4(OCH_3)_4(dbm)_4(CH_3OH)_4]_2(C_2H_5)_2O$, **247**, 231
Ferromagnetic exchange
μ_2-N pseudohalide as mediator of magnetic exchange in dicobalt(II) complexes, **246**, 73
Flash photolysis
excited state absorption spectra of the tetranuclear cuprous iodide cluster $Cu_4I_4(py)_4$ and related species, **242**, 51
Fluctionality
the synthesis, fluctionality and structural characterization of $ReMo_3H_4(CO)_{12}$, **250**, 15
Fluorescence
direct intercalation of pyridinium-derivative cations into the α-zirconium phosphate interlayer by a redox reaction and fluorescence behavior of the intercalation compounds, **245**, 101
Fluorinated complexes
crystal structure and thermal behavior of some cerium complexes with the fluorinated β-diketonate ligand 6,6,6-trifluoro-2,2-dimethyl-3,5-hexanedione (fdh), **248**, 27
Fluorobenzylphosphonic acid salts
structures of fluorobenzylphosphonic acid isomers and their calcium salts, **253**, 77
Fluxional behavior
fluxional behavior in platinum(II) complexes of the tridentate ligand 1,1,1-tris(diphenylphosphinomethyl)ethane. Evidence for the importance of *cis* effects in an associative mechanism, **251**, 89
Formamidinate complexes
the role of ligand steric hindrance in determining the stability of very short V–V contacts. Preparation and characterization of a series of V(II) and V(III) amidinates, **244**, 37
Formamidine complexes
an unusual iron-oxo tetranuclear species: $Li_2(HDPhF)_2Fe_4O_4(DPhF)_6 \cdot 4$toluene. A ubiquitous side product in the chemistry of iron/formamidine compounds, **252**, 293
Formation constants
properties of transition metal complexes with 15-, 16- and 17-membered macrocycles, dioxocyclopentaaminetriacetic acids, in aqueous solutions and structures of the ligands in the solid state, **248**, 231
Four-site four-electron model
four-site four-electron model for Bi(III)–Bi(V) mixed valence complex, **250**, 189
Fullerene complexes
new molybdenum(0)–fullerene complexes resulting from interaction of C_{60} with tetracarbonyldiacetyldihydrazonemolybdenum(0) and dicarbonyldiacetyldihydrazonebis(triphenylphosphine)-molybdenum(0), **248**, 67
photoreactivity of buckminsterfullerene-bis(triphenylphosphite)platinum(0) induced by metal-to-ligand charge transfer excitation, **250**, 375
Functionality transformation
synthesis, reactions and characterization of μ-alkyne molybdenum complexes containing a functionally substituted cyclopentadienyl ligand. The crystal structure of $[(\eta^5\text{-}MeO_2CC_5H_4)(CO)_2Mo]_2(\mu\text{-}\eta^2,\eta^2\text{-}C_2H_2)$, **249**, 175

Gadolinium complexes
thermodynamics of Gd(III) complexation by macrocyclic and acyclic polyamino carboxylates, **249**, 13
Gallium compounds
^{71}Ga NMR spectroscopy of solutions of gallium tribromide in aromatic solvents, **247**, 123
^{71}Ga NMR spectroscopy
^{71}Ga NMR spectroscopy of solutions of gallium tribromide in aromatic solvents, **247**, 123
Gel mobility-shift assay
affinity of CUP2, a copper-dependent transcription factor, for DNA sequences upstream of the yeast metallothionein gene, **242**, 233
Gel threads
comparison of the use of gel threads and microcarrier beads in Li^+ transport studies of human neuroblastoma SH-SY5Y cells, **251**, 201
Geometrical isomers
syntheses of *cis*- and *trans*-tetraamminedichlororuthenium(III) chloride, **247**, 129
Germanium complexes
new bivalent germanium, tin and lead compounds with M–O bond, **241**, 9
Glassy solvents
reorganization energies and rate constants for electron reactions in glass-forming media and proteins, **243**, 233
Glutamate

increased NMDA affinity of the H780Q mutant of the NMDA receptor, **243**, 15

Glutarimide complexes

two novel complexes of glutarimide with palladium(II) *trans*-$K_2[Pd(C_5H_6NO_2)_2Cl_2]\cdot 4.5H_2O$ and *trans*-$KNa[Pd(C_5H_6NO_2)_2Cl_2]\cdot 6H_2O$. Crystal structures and vibrational spectra, **248**, 159

Glycinato donor complexes

pH-dependent coordination of the glycinato donors of nitrilotriacetatoplatinate(II), $[Pt^{II}(nta)]$, **245**, 149

Goethite

biologically significant iron(III) oxyhydroxy polymers: Mössbauer spectroscopic study of ferritin and hemosiderin in pancreas tissue of β-thalassemia/hemoglobin E disease, **243**, 121

Gold clusters

the electrochemical reactivity of $[Pt(AuPPh_3)_8]^{2+}$ and $[HPt(AuPPh_3)_8]^{+}$ under dihydrogen, **245**, 133

Gold complexes

self-assembled monolayers of dithiols, diisocyanides, and isocyanothiols on gold: 'chemically sticky' surfaces for covalent attachment of metal clusters and studies of interfacial electron transfer, **242**, 115

aurophilicity at sulfur centers. Synthesis of the polyaurated species $[S(AuPR_3)_n]^{(n-2)+}$ ($n=2$–6), **244**, 95

a new cyclam with a triphenylphosphine-pendant and its metal complexes, **246**, 151

gold and silver complexes of methylenebis(dialkyldithiocarbamates) and the X-ray structure of $CH_2[S_2CN(CH_2Ph)_2]_2$, **249**, 69

nine- and ten-membered diauracycles with the $C_3S_5^{2-}$ ligand. Crystal structure of $NBu_4[Au_2(\mu\text{-}C_3S_5)(\mu\text{-}CH_2PPh_2CH_2)]$, **249**, 163

(phosphine)gold(I)–silyloxides and –silylthiolates, **251**, 249

new potentially cytotoxic thiolatogold(I) complexes of 1,1′-bis(diphenylphosphino)ferrocene, **253**, 71

Green complexes

preparation and small-angle X-ray scattering study of Pt–pyrimidine greens in aqueous solution, **248**, 121

Green function

a method to analyze multi-pathway effects on protein mediated donor-acceptor coupling interactions, **243**, 167

Group 14 organometallics

cation-aromatic bonding in Group 14 organometallics, **242**, 191

Group 6 metal complexes

zero-valent Group 6 complexes of 1,2,4,5-tetrakis(diphenylphosphino)benzene, **248**, 167

Guanidinium complexes

synthesis and crystal structure of [1,1,2,2-tetramethylguanidinium]-$[Ni(dmit)_2]_2$ and [hexamethylguanidinium]$[Ni(dmit)_2]_2$ (dmit = 1,3-dithiole-2-thione-4,5-dithiolate). Intermolecular orbital overlap integral calculations and electrical conductivities, **245**, 27

Guanine complexes

metal-mediated oxidation of guanines in DNA and RNA: a comparison of cobalt(II), nickel(II) and copper(II) complexes, **251**, 193

Guanosine phosphate complexes

aspects of the stereochemistry of bis-guanosine-5′-monophosphate diamine platinum complexes, **248**, 225

Guest/host interactions

preparation, luminescence and interactions with Li^+, Na^+ and UO_2^{2+} of two new metallocalix[4]arene complexes of iridium(I), **242**, 137

effect of guest/host interactions on photoinduced electron transfer reactions, **252**, 333

Halide anion recognition

halide anion recognition by new acyclic ruthenium(II) bipyridyl–polypyridinium receptors, **251**, 335

Halide binding ability

comparison in halide binding ability between the unsaturated clusters $[Pd_3(\mu\text{-dppm})_3(CO)]^{2+}$ and $[PdPtCo(\mu\text{-dppm})_2(CO)_3(CN^tBu)]^{+}$ (dppm = $Ph_2PCH_2PPh_2$), **250**, 337

Halide complexes

a study of the geometry of the $[Re_2Br_8]^{2-}$, $[Re_2I_8]^{2-}$ and $[Mo_2Cl_8]^{4-}$ ions in the lowest $^1A_{2u}$ excited state by the application of the sum-over-states method to resonance Raman band intensities, **243**, 249

a study of pseudo 1-D copper(I) halide systems exhibiting anomalous copper(II) character: physical characterization of (paraquat)-Cu_2X_4 (X = Cl, Br, I), **248**, 73

characterization and crystal structures of cadmium(II) halide complexes with amino acids and their derivatives IV. Crystal structure of dichloro(L-piperidine-3-carboxylic acid)cadmium(II) , **249**, 121

Halomethyl complexes

trimethylsilyldiazomethane as a diazomethane equivalent in the synthesis of (α-halomethyl)platinum(II) complexes, **252**, 33

Hammett equation

effect of substituents on the electrochemical behavior of basic iron acetates, **245**, 91

Heavy metals

extraction selectivites of lower rim substituted calix[4]arene hosts induced by variations in the upper rim substituents, **250**, 295

α-Helical peptides complexes

site-specific modification of α-helical peptides with electron donors and acceptors, **243**, 207

Heme-binding peptide

engineering photosynthesis: synthetic redox proteins, **243**, 213

Hemoglobin cytochrome b_5 electron transfer

unusual temperature dependence of electron transfer rates in the hemoglobin reductase system, **242**, 7

Hemoglobin I

control of carbon monoxide binding states and dynamics in hemoglobin I of *Lucina pectinata* by nearby aromatic residues, **243**, 161

Hemosiderin

biologically significant iron(III) oxyhydroxy polymers: Mössbauer spectroscopic study of ferritin and hemosiderin in pancreas tissue of β-thalassemia/hemoglobin E disease, **243**, 121

Heterocyclic germylenes

physical-chemical studies and reactivity of new divalent germanium species, **252**, 25

Heterodinuclear complexes

thermal substitution reactions of the heterodinuclear complex $CpFe(CO)_2Co(CO)_4$ with phosphorus ligands, **242**, 271

synthesis and characterisation of a heterodinuclear ruthenium(II)–palladium(II) complex with two different cyclometallating sites, **245**, 69

Heteronuclear complexes

heteronuclear μ-1-methylcytosinato-*N*3,*N*4 complexes containing very short Pt → Cu dative bonds, **252**, 167

Heteropolymolybdate anion

spontaneous adsorption of heteropolytungstates and heteropolymolybdates on the surfaces of solid electrodes and the electrocatalytic activity of the adsorbed anions, **242**, 11

Heteropolyoxothioanions

sulfur in Keggin heteropolyanions. Syntheses and multinuclear NMR characterizations (^{31}P, ^{183}W and ^{95}Mo) of γ-$[PW_{10}M_2S_2O_{38}]^{5-}$ (M = Mo, W), **252**, 101

Heteropolytungstate anion

spontaneous adsorption of heteropolytungstates and heteropolymolybdates on the surfaces of solid electrodes and the electrocatalytic activity of the adsorbed anions, **242**, 11

Hexachloroferrate(III) complexes

the hexachloroferrate(III) anion stabilized in hydrogen bonded packing arrangements. A comparison of the X-ray crystal structures and low temperature magnetism of tetrakis(methylammonium)-

hexachloroferrate(III) chloride (**I**) and tetrakis(hexamethylenediammonium)hexachloroferrate(III) tetrachloroferrate(III) tetrachloride (**II**), **247**, 169
Hexanuclear complexes
multinucleating ligands from multiple palladium(0)-catalysed cross-coupling reactions — synthesis and characterisation of a trinuclear cyclometallated ruthenium(II) complex and a hexanuclear EPR-active molybdenum complex, **250**, 29
Hexazirconium cluster complexes
compounds containing the $[Zr_6Cl_{18}H_4]^{4-}$ cluster anion, **252**, 239
High-spin complexes
EPR spectra for high- and low-spin Co^{II} encapsulated complexes, **241**, 5
Histidine complexes
reactions of the *cis*-diamminediaquaplatinum(II) cation with histidine and related molecules, **252**, 79
^{1}H NMR study
η^2 complexes of $[Ru^{II}(hedta)]^-$: sensitivity of the ^{1}H NMR chemical shifts of the olefinic protons to alpha ring substituents, **253**, 65
Horse cytochrome *c* complexes
local stabilities of horse cytochrome c metalloderivatives as probed by tryptic digestion and electrospray mass spectrometry, **242**, 261
Horseradish peroxidase
characterization of a plant paraperoxidase from *Curcurbita pepo* using magnetic circular dichroism: direct evidence for cyanide ligation in the ferric resting state, **243**, 317
Hybrid orbitals
geometrical and algebraical invariances and general angular dependences of sets of s–p hybrid orbitals. Their angular overlap model relevance, **252**, 185
Hydrazine complexes
synthesis and characterization of mononuclear bis[organohydrazido(2−)]molybdenum(VI) complexes. Crystal structures of $[Mo(NNMePh)_2(acac)_2]$ and $[Mo(NNPh_2)_2(acac)_2]$, **249**, 245
Hydrazone complexes
synthesis and spectroscopic characterization of bivalent metal complexes of 2,6-diacetylpyridine bis(octanoylhydrazone). X-ray crystal structure of a nickel(II) complex, **245**, 43
Hydride complexes
synthesis of a multiply-bonded ditungsten hydride complex, $W_2(\mu\text{-}H)(\mu\text{-}O_2CC_6H_5)Cl_4(dppm)_2$, **244**, 151
the electrochemical reactivity of $[Pt(AuPPh_3)_8]^{2+}$ and $[HPt(AuPPh_3)_8]^+$ under dihydrogen, **245**, 133
synthesis of new thiol derivatives of $[Os_3(CO)_{12}]$; crystal structure of $[Os_3(CO)_{10}(\mu\text{-}H)\{\mu\text{-}SC(CH_3)_3\}]$, **247**, 131
$[Os_3(H)_2(CO)_{10}]$ derivatives containing the short bite ligands bis(diphenylphosphino)methane and 2-(diphenylphosphino)pyridine, **248**, 257
preparation of the *N,N,N′,N′*-tetramethylethylenediamine complex of hydridozinc chloride. Reactions of zinc hydrides with some organic substrates, **250**, 345
substitution reaction mechanisms of dihydrido-ruthenium(II) phosphine complexes: hydride basicity and molecular hydrogen intermediates, **250**, 351
identification of an elusive catalyst: $IrH(\eta^2\text{-}C_6H_4P^tBu_2)(Cl)(P^tBu_2Ph)$ as a precursor for C=C bond migration, **251**, 41
Hydrido complexes
the synthesis, fluctionality and structural characterization of $ReMo_3H_4(CO)_{12}$, **250**, 15
1,3-Hydroboration
reaction of sulfur diimides with organoboranes — studied by multinuclear magnetic resonance in solution, **250**, 327
π-Hydrocarbon complexes
electrospray mass spectrometry of neutral π-hydrocarbon organometallic complexes, **245**, 209
Hydroformylation
synthesis, structure and reactivity of a novel bis(phosphite) tetrarhodium decacarbonyl hydroformylation catalyst precursor, **242**, 125
Hydrogenation
synthesis and structural characterization of $\{(\eta^5\text{-}C_5Me_4)_2SiMe_2\}YCH(SiMe_3)_2$. Hydrogenation to $[\{(\eta^5\text{-}C_5Me_4)_2SiMe_2\}Y]_2(\mu\text{-}H)_2$ and its facile ligand redistribution to $Y_2[\mu\text{-}\{(\eta^5\text{-}C_5Me_4)SiMe_2(\eta^5\text{-}C_5Me_4)\}]_2(\mu\text{-}H)_2$, **242**, 205
Hydrogen bonding
substrate induced phosphorescence from cyclodextrin lumophore host-guest complexes1, **243**, 239
Hydrogen bonds
a method to analyze multi-pathway effects on protein mediated donor-acceptor coupling interactions, **243**, 167
the hexachloroferrate(III) anion stabilized in hydrogen bonded packing arrangements. A comparison of the X-ray crystal structures and low temperature magnetism of tetrakis(methylammonium)-hexachloroferrate(III) chloride (**I**) and tetrakis(hexamethylenediammonium)hexachloroferrate(III) tetrachloroferrate(III) tetrachloride (**II**), **247**, 169
an unusual iron-oxo tetranuclear species: $Li_2(HDPhF)_2Fe_4O_4(DPhF)_6\cdot 4$toluene. A ubiquitous side product in the chemistry of iron/formamidine compounds, **252**, 293
Hydrogen peroxide
vanadium bromoperoxidase-catalyzed oxidation of thiocyanate by hydrogen peroxide, **243**, 201
Hydrogen phosphate complexes
ternary complexes in solution with hydrogen phosphate and methyl phosphate as ligands, **250**, 185
Hydrogen sulfite
the electrocatalysis of hydrogen sulfite oxidation by iron(II) complexes of 1,10-phenanthrolines, **249**, 143
Hydrolysis
hydrolytic species of the ion *cis*-diaqua(ethylenediamine)-palladium(II) complex and of *cis*-dichloro(ethylenediamine)-palladium(II): fitting its equilibrium models in aqueous media with or without chloride ion, **253**, 23
Hydrolysis kinetics
physical properties and hydrolysis kinetics of (μ-oxo)bis{tris(2-pyridylmethyl)aminechromium(III)} dimers with complementary sulfate or molybdate bridging ligands, **242**, 1
Hydrolytic zinc enzymes
synthesis, reactions and structure of a hydroxo-bridged dinuclear Zn(II) complex: modeling the hydrolytic zinc enzymes, **241**, 31
Hydrothermal synthesis
studies of the oxovanadium(IV)–oxalate system: syntheses and crystal structures of binuclear $(Ph_4P)_2[(VO)_2(H_2O)_2(C_2O_4)_3]\cdot 4H_2O$ and of the one-dimensional chain material, $(Ph_4P)[VOCl(C_2O_4)]$, **250**, 303
Hydroxamate complexes
modelling transition state analogues and enzyme-inhibitor complexes of zinc-containing class II aldolases and metalloproteases, **250**, 271
Hydroxo-bridged complexes
synthesis, reactions and structure of a hydroxo-bridged dinuclear Zn(II) complex: modeling the hydrolytic zinc enzymes, **241**, 31
in situ oxidation of a copper(I) complex to produce a hydroxy-bridged dinuclear copper(II) complex. Structural, magnetic and electrochemical properties, **244**, 87
a platinum-195 nuclear magnetic resonance investigation of some dihydroxo bridged binuclear platinum(II) sulfoxide complexes, **247**, 267
Hydroxo complexes
binuclear chromium(III) complexes bridged by hydroxide and acetate groups, **247**, 35
2-Hydroxyhippuric acid complexes
coordination of 2-hydroxyhippuric acid to the copper(II) ion: a solution and solid state study, **244**, 207
Hydroxyphenylphosphine complexes

syntheses of monooxo–technetium(V) and –rhenium(V) complexes of the (*o*-hydroxyphenyl)diphenylphosphine ligand (POH). Crystal structure of $[TcOCl(PO)_2]$, **247**, 119

Hydroxypyridone complexes
iron–hydroxypyridone redox chemistry: kinetic and thermodynamic limitations to Fenton activity, **245**, 199

Hypoelectronic deltahedra
metal cluster topology 18. Flattening of hypoelectronic indium and thallium deltahedra in intermetallic phases containing alkali metals, **252**, 115

Ibuprofen
preparation and crystal structure of a dimolybdenum(II) complex with the drug ibuprofen, **249**, 57

Imidate complexes
synthesis, structure and cytotoxic activity of platinum(II) dimers with bridging imidate ligands in head-to-head arrangement, **252**, 5

Imidazolato-bridged complex
the crystal and molecular structure of μ-imidazolatobis [bis(1–10 phenanthroline)copper(II)] nitrate, **243**, 327

Imidazole complexes
mixed-ligand copper(II) complexes with *N*-methyl derivatives of iminodiacetato or imidazole: crystal structures of (*N*-methyl-iminodiacetato)(imidazole)copper(II), [Cu(MIDA)(ImH)] and diaqua(iminodiacetato)(*N*-methyl-imidazole)copper(II) monohydrate, $[Cu(IDA)(1MeImH)(H_2O)_2]\cdot H_2O$, **241**, 39
crystal and molecular structure and electronic properties of [Cu(HBIP)(BIP)(ONO_2)] (HBIP = 3,3-bis(2-imidazolyl)-propionic acid), **248**, 153

Imidazolinethione complexes
complexes of Ag(I) with 1-methyl-2(3*H*)-imidazolinethione. The crystal structure of tris[1-methyl-2(3*H*)-imidazolinethione]-silver(I) nitrate, **241**, 117

Imido complexes
regioselective and stereoselective PPh_3 substitution in the imido-capped cluster $Ru_3(CO)_{10}(\mu_3\text{-NPh})$. Electrochemical properties and X-ray diffraction structures of $Ru_3(CO)_9(PPh_3)(\mu_3\text{-NPh})$ and $Ru_3(CO)_8(PPh_3)_2(\mu_3\text{-NPh})\cdot 1/2CH_2Cl_2$, **247**, 161
synthesis and structure of $[Bi_2(N^tBu)_4]_2Li_2\cdot 2THF$; a bimetallic cubane fragment containing a $[Bi_2(N^tBu)_4]^{2-}$ anion, **248**, 9
imido and amido complexes of hydrotris(pyrazolyl)borate-rhenium, **251**, 325

Imine phosphorus coordination
methyl-, acetyl- and allyl-palladium and -platinum complexes containing the novel chiral phosphorus-imine 2-(diphenylphosphino)-benzylidene-*S*(−)-α-methyl-benzylamine ligand, **252**, 141

Iminoquinone complexes
iminoquinone coordination to copper(I) in the $[Cu(PhenoxBQ)(\mu\text{-}Cl)]_2$ dimer, **245**, 1

Immunoassays
luminescence of Eu^{3+} and Tb^{3+} complexes of new macrobicyclic ligands derived from *p*-tert-butylcalix[4]arene, **252**, 19

Indigosulfonates
metal complexes with tetrapyrrole ligands. 71. Heteroaggregation of cationic metal mono- and bisporphyrinates with anionic metal porphyrinates or indigosulfonates, **251**, 227

Indium complexes
molecular structure of an indium(III) iodide–tris(4-methylpyridine) adduct, **247**, 135

Indium deltahedra
metal cluster topology 18. Flattening of hypoelectronic indium and thallium deltahedra in intermetallic phases containing alkali metals, **252**, 115

Inorganic nuclease
a new trinuclear copper complex and its reactions with plasmid DNA, **242**, 329

Insertion reactions
reaction of carbon dioxide with tetra-t-butylphthalocyaninato-aluminium(III)-ethylate or -ethoxide, **244**, 137
methyl-, acetyl- and allyl-palladium and -platinum complexes containing the novel chiral phosphorus-imine 2-(diphenylphosphino)-benzylidene-*S*(−)-α-methyl-benzylamine ligand, **252**, 141
amine-thioether and amine-pyridine complexes of palladium(II) and the reactivity of the methyl complexes towards CO and allenes, **252**, 203

Intercalation complexes
direct intercalation of pyridinium-derivative cations into the α-zirconium phosphate interlayer by a redox reaction and fluorescence behavior of the intercalation compounds, **245**, 101

Intermetallic phases
metal cluster topology 18. Flattening of hypoelectronic indium and thallium deltahedra in intermetallic phases containing alkali metals, **252**, 115

Intracomplex H bonding
palladium-1-methylcytosine compounds: crystal structure of the tris(nucleobase) complex $[(NH_3)Pd(1\text{-MeC-}N3)_3](ClO_4)_2\cdot H_2O$. Role of intramolecular H bonding in stabilizing the head–tail–head rotamer, **248**, 175

Iodide complexes
excited state absorption spectra of the tetranuclear cuprous iodide cluster $Cu_4I_4(py)_4$ and related species, **242**, 51
synthesis and properties of ruthenium and palladium iodide complexes of phosphorus, arsenic and antimony ligands, **244**, 65
photoredox decomposition of tin(II), lead(II), antimony(III) and bismuth(III) iodide complexes in solution, **248**, 107

Iodine
extraction selectivites of lower rim substituted calix[4]arene hosts induced by variations in the upper rim substituents, **250**, 295

Iodo complexes
molecular structure of an indium(III) iodide–tris(4-methylpyridine) adduct, **247**, 135

Ion channel
increased NMDA affinity of the H780Q mutant of the NMDA receptor, **243**, 15

Ion cyclotron resonance
complexes of *p*-tert-butylcalix[4]arene with mono- and dipositive cations in the gas phase, **246**, 259

Ionophores
complexation of the *p*-t-butyl-calix[4]arene anion with alkali metal cations in polar, non-aqueous solvents: experimental and theoretical studies, **246**, 275

Ion pair
outer-sphere electron transfer in methylene chloride: concentration, salt, and temperature dependences of the oxidation of *trans*-ReX_2(*cis*-1,2-bis(diphenylphosphino)ethylene)$_2$ (X = Cl, Br) by the clathrochelate [Co(1,2-cyclohexanedionedioximate)$_3$-(BButyl)$_2$]BF_4, **242**, 159

Iridium complexes
the first amine derivatives of $Ir_4(CO)_{12}$ synthesis and X-ray characterization of $Ir_4(CO)_{10}$(1,10-phenanthroline) and $Ir_4(CO)_{10}$(4,4′-Me_2-2,2′-bipyridine), **244**, 11
solution dynamics of *cis*-bis(diphenylphosphino)ethene substituted derivatives of $Ir_4(CO)_{12}$, **247**, 65
towards thermally robust homogeneous catalysts: Re, Ir and W complexes of the highly thermally stable ligand, tri-2-pyridylamine, **247**, 93
trinuclear iridium and rhodium complexes: the solution to a puzzle involving the multiple coordination possibilities of 1,8-naphthyridine-2-one ligands, **250**, 241
identification of an elusive catalyst: $IrH(\eta^2\text{-}C_6H_4P^tBu_2)(Cl)$-($P^tBu_2Ph$) as a precursor for C=C bond migration, **251**, 41
intramolecular C–H activation and oxidative addition reactions of iridium complexes containing arylamines with bulky substituents on nitrogen; X-ray structures of $[Ir^I(C_6H_4CH_2NEt_2\text{-}2\text{-}C,N)(cod)]$

and [$Ir^{III}(C_6H_4CH_2NEt(CHMe)$-2-*C*,*N*,*C*′)I(cod)] (cod = cycloocta-1,5-diene), **252**, 55
valence localization in [M(triphos)(3,5-di-tert-butyl-catecholate)]$^+$ ions (M = Co, Rh or Ir) probed by resonance Raman spectroscopy, **252**, 157
electrocatalytic reduction of carbon dioxide by mixed-metal trimetallic complexes of the form $\{[(bpy)_2Ru(BL)]_2IrCl_2\}^{5+}$ where bpy = 2,2′-bipyridine and BL = 2,3-bis(2-pyridyl)quinoxaline (dpq) or 2,3-bis(2-pyridyl)benzoquinoxaline (dpb), **253**, 7
Iridium dimers
pyrazolyl-bridged iridium dimers. 15. Synthesis of binuclear cyclopentadienyl Ir(III) complexes and the rhodium analogues: reductive access to the bimetal (II) state, **243**, 47
Iridium(I)
preparation, luminescence and interactions with Li^+, Na^+ and UO_2^{2+} of two new metallocalix[4]arene complexes of iridium(I), **242**, 137
Iron
iron-59 complexes of lipophilic hexadentate phenolate-derivatized cyclohexanetriamine ligands, **242**, 201
Iron carbonyl
time-resolved near UV circular dichroism and absorption studies of carbonmonoxymyoglobin photolysis intermediates, **242**, 149
Iron complexes
distortions from trigonal prismatic geometry for several structurally characterized clathrochelate complexes: significance of π-back-bonding on clathrochelate coordination geometry, **241**, 21
preparation, characterization and crystal structure of $Fe((OPPh_2)_2N)_3$, **241**, 111
buffer-induced anomalies in the Fenton chemistry of iron and copper, **242**, 57
thermal substitution reactions of the heterodinuclear complex $CpFe(CO)_2Co(CO)_4$ with phosphorus ligands, **242**, 271
kinetics, mechanism and thermodynamics of iron carbon bond dissociation in organo-iron porphyrin complexes, **243**, 19
an exchange coupling model for the $Fe_4S_4^{3+}$ polymetallic center present in high potential iron-sulfur proteins, **243**, 91
reaction of (η^1-allenyl)dicarbonyl(η^5-cyclopentadienyl)ruthenium with nonacarbonyldiiron: synthesis and characterization of iron-ruthenium mixed-metal products, **243**, 109
magnetic properties of dodecanuclear mixed valence iron clusters, **243**, 295
models for the iron-sulfur protein rubredoxin: the use of sterically hindered thiolate ligands to stabilize $[Fe(SR)_4]^{1-}$ complexes; some considerations of the structure of the [Fe(S-Cys)$_4$] centers in oxidized rubredoxins, **243**, 333
synthesis, spectroscopic, magnetic and electrochemical properties of Cu(II) and Fe(III) complexes with the new ligand *N*,*N*′-[1,1′-dithiobis(phenyl)]bis(5′-methoxysalicylaldimine), **244**, 25
substituent effects on the electrochemical behaviour of iron(II) in Schiff bases derived from ferrocene and their cyclopalladated compounds, **244**, 141
bicatalyst electrocatalytic reaction of sulfur oxoanions by water-soluble iron porphyrins and iron(II) tris(1,10-phenanthroline), **244**, 155
effect of substituents on the electrochemical behavior of basic iron acetates, **245**, 91
synthesis and characterization of chiral $SFeCoM(CO)_8(RCOCp)$ (M = Mo, W; R = H, CH_3, C_2H_5O) clusters and the crystal structure of $SFeCoW(CO)_8(CH_3COCp)$, **245**, 143
iron–hydroxypyridone redox chemistry: kinetic and thermodynamic limitations to Fenton activity, **245**, 199
electrospray mass spectrometry of neutral π-hydrocarbon organometallic complexes, **245**, 209
axial ligand effects on redox properties of a strongly-coupled bis-macrocyclic diiron compound, **246**, 241
photoinduced arene deligation of a dicationic bis(arene)–iron(II) complex, **247**, 5
the effect of ligand structure on surface enhanced Raman scattering by Fe(II) macrocyclic complexes: $[Fe^{II}TPC]^{2+}$ and $[Fe^{II}DPC]$, **247**, 11
catalytic oxidation of benzylic amines to imines by M(TPP)CL (M = Fe, Mn) followed by reduction to secondary amines, **247**, 71
amino acid induced iron–sulfur cluster interconversions studied by ^1H NMR and Mössbauer spectroscopies, **247**, 113
crystal structure of tris(4,4′-dimethoxy-2,2′-bipyridine)iron(II) bis(hexafluorophosphate), solvate with *N*-methyl-2-pyrrolidone, **247**, 237
electrochemical behaviour and reactivity of cyclohexadienyl iron complexes, **248**, 45
reactions of ferric porphyrins and thiols. The reaction of the haem octapeptide, *N*-acetylmicroperoxidase-8, with cysteine, **248**, 115
the electrocatalysis of hydrogen sulfite oxidation by iron(II) complexes of 1,10-phenanthrolines, **249**, 143
synthesis, crystal structure and magnetic properties of the chiral iron(II) chain $[Fe(bpym)(NCS)_2]_n$ (bpym = 2,2′-bipyrimidine), **250**, 81
stopped-flow mechanistic study of bromide substitution by an organonitrile at an iron(II) phosphinic centre; a π-electron driven process, **250**, 311
the solvent-initiated photochemistry of tris(*N*,*N*-diethyldithiocarbamato)iron(III), **250**, 385
synthesis of a new 4Fe–4S cluster with a biomimetic bulky thiolate ligand as model for the $[Fe_4S_4]^{2+/3+}$ states of high potential iron–sulfur proteins, **251**, 119
vibrational analysis and resonance Raman spectra of polycrystalline and matrix-isolated $[CpFe(CO)_2]_2$, **251**, 157
reactivity of bis(diphenylphosphino)methane at a di-iron centre: thermally induced rearrangements of dimetallacyclopentenone complexes $[Fe_2(CO)_5\{\mu\text{-}\sigma:\eta^3\text{-}C(O)CRCR\}(\mu\text{-dppm})]$, **251**, 167
application of the chiral auxiliary $[(\eta^5\text{-}C_5H_5)Fe(CO)(PPh_3)]$ to the stereoselective formation of 4-substituted-1,4-dihydronicotinoyl complexes, **251**, 265
magnetic susceptibility studies on the diiron forms of the metalloprotein purple acid phosphatase from bovine spleen and kidney bean, **252**, 13
solution thermochemical study of ligand substitution reaction of novel pyrrolyl-substituted tertiary phosphine ligands in the $L_2Fe(CO)_3$ system, **252**, 107
an unusual iron-oxo tetranuclear species: $Li_2(HDPhF)_2Fe_4O_4(DPhF)_6 \cdot 4$toluene. A ubiquitous side product in the chemistry of iron/formamidine compounds, **252**, 293
kinetics of associative reactions of $Fe_5C(CO)_{15}$ with P-donor nucleophiles, **252**, 311
one-step syntheses of Ph_3P-substituted selenido carbonyl iron and ruthenium clusters. Part 2. Crystal structures of $Fe_2(\mu_2\text{-}Se_2)(CO)_{6-n}(PPh_3)_n$ ($n = 1$ or 2), $Fe_3(\mu_3\text{-}Se)_2(CO)_8(PPh_3)$ and $Ru_4(\mu_4\text{-}Se)_2(\mu\text{-}CO)_2(CO)_8(PPh_3)$, and HPLC behaviour of the iron derivatives, **252**, 367
Iron(III) complexes
diiron(III) complexes of some relevance to the purple acid phosphatases, **243**, 1
Iron–sulfur cluster
phenylalanine 48 of *Chromatium vinosum* high potential iron protein is essential for stability of the oxidized $[Fe_4S_4]$ cluster. Site-directed mutagenesis and NMR studies as a probe of cluster chemistry, **251**, 285
Iron-sulfur protein
protein determinants of metal site reduction potentials: site-directed mutagenesis studies of *Clostridium pasteurianum* rubredoxin, **242**, 245
Isocyanate complexes

highly diastereoselective formation and structural characterization of [2+2] cycloadducts from the phosphenium complexes $Cp(OC)_2M{=}P(Ph)(o\text{-Tol})$ (M = Mo, W) and isocyanates, **244**, 147
Isocyanide complexes
the effect of axial coordination and ligand strain on the multielectron-transfer chemistry of d^8d^8 rhodium isocyanide complexes: UV-vis-IR spectroelectrochemical studies, **243**, 219
synthesis and crystal structure of mixed-ligand Tc(I) complexes, with dimethylphenylphosphine and t-butylisonitrile, **245**, 251
Isocyanothiol complexes
self-assembled monolayers of dithiols, diisocyanides, and isocyanothiols on gold: 'chemically sticky' surfaces for covalent attachment of metal clusters and studies of interfacial electron transfer, **242**, 115
Isomerism of amides
isomerism of amides coordinated to platinum. X-ray crystal structure of dichloro-bisacetamide-platinum(II), **251**, 111
Isomers
reactions of the dirhenium(II) complexes $Re_2X_4(dppm)_2$ (X = Cl, Br; dppm = $Ph_2PCH_2PPh_2$) with isocyanides. VI. Further studies on isomers of the edge-sharing bioctahedral species $[Re_2Cl_3(\mu\text{-dppm})_2(CO)(CNxyl)_2]^+$, **242**, 81
Isomer salts
structures of fluorobenzylphosphonic acid isomers and their calcium salts, **253**, 77
Isonitrile complexes
excitation-energy dependent photochemistry and resonance Raman spectra of $Cr(CNPh)_6$, **242**, 17
Isoorotic complexes
spectral and magnetic properties, and biological activity of several coordination compounds of dinegative isoorotato and 2-thioisoorotato ligands. Crystal structure of the tetrameric complex $[Cu_4(isoorotato^{2-})_4(NH_3)_4(H_2O)_2]\cdot 4H_2O$, **241**, 61
Isopropenylbenzene complexes
the activation of C–H bonds via Ru–Ru bond fission, **241**, 11
Isoquinolinium
direct intercalation of pyridinium-derivative cations into the α-zirconium phosphate interlayer by a redox reaction and fluorescence behavior of the intercalation compounds, **245**, 101
Isothiocyanate complexes
isothiocyanato complexes of rhenium VI. Synthesis, characterization and structures of *cis*-and *trans*-$[ReCl_2(NCS)(Me_2PhP)_3]$, **244**, 109
Izidine alkaloid
silylcyclocarbonylation (SiCCa) of alkynylamines catalyzed by rhodium complexes, **251**, 299

Ketoalcoholate complexes
modelling transition state analogues and enzyme-inhibitor complexes of zinc-containing class II aldolases and metalloproteases, **250**, 271
Ketostabilized ylides
reactivity of carbonyl stabilized ylides with Zeise's salt. Synthesis, characterization of mono- and bis-ylidic Pt(II) derivatives and X-ray crystal structure of the $\{PtCl_2[C(H)COCH_3(PPh_2\text{-}o\text{-}C_6H_4)]\}[PPh_3CH_2COCH_3]$ complex, **245**, 157
Kinetic isotope effect
kinetic study of the reaction of tetramethylplatinum(IV) complexes with acids, **241**, 81
Kinetic measurements
kinetics, mechanism and thermodynamics of iron carbon bond dissociation in organo-iron porphyrin complexes, **243**, 19
Kinetics
azide binding and active site dynamics of position-82 variants of ferricytochrome *c*, **242**, 171
h^+- and CN^--induced dissociation of Ni^{2+}-complexes with tetra-*N*-substituted 1,4,8,11-tetraazacyclotetradecanes, **246**, 41
Kinetics and mechanism
kinetic study of the reaction of tetramethylplatinum(IV) complexes with acids, **241**, 81
kinetic studies on the reduction of the R2 protein of *E. coli* ribonucleotide reductase by $[Co(sep)]^{2+}$ and $[Co(9\text{-}aneN_3)_2]^{2+}$, **242**, 165
charge transfer rate constants for the reduction of cobaltocenium at accumulated N-Si electrodes, **242**, 311
the uranyl unit as electrophilic catalyst of acyl transfer reactions, **246**, 181
kinetics and mechanism of incorporation of nickel(II) into N_4 macrocycles of the cyclam type: how many steps and intermediates are involved?, **246**, 267
the reaction of acetone with $[Cu(en)_2]^{2+}$: the crystal structure of the copper(II)-β-aminoketone complex initially formed and the kinetics of its base-catalysed conversion to the copper(II) complex of *trans*[14]dieneN$_4$, **246**, 395
the kinetic influence of increasing steric hindrance to metallation by zinc(II) which accompanies the inclusion of 5,10,15,20-*meso*(tetraphenyl)porphyrin into capped and quadruply bridged closely spaced bis-porphyrin structures, **247**, 195
kinetic study of anation reaction of *meso*-tetrakis-(*p*-sulfonatophenyl)porphinatodiaquaruthenate(III) with thiocyanate ion in aqueous solution, **248**, 23
the kinetics of the sequential steps in the Hg^{2+}-assisted chloride release from some *trans*-$[CrCl_2(NH_2R)_4]^+$ complexes (R = Et, Pr, Bu) and the X-ray structure of *trans*-$[CrCl_2(NH_2Et)_4]Cl$, **248**, 93
equilibrium and kinetic studies on complexes of 10-[2,3-dihydroxy-(1-hydroxymethyl)-propyl]-1,4,7,10-tetraazacyclododecane-1,4,7-triacetate, **249**, 191
stopped-flow mechanistic study of bromide substitution by an organonitrile at an iron(II) phosphinic centre; a π-electron driven process, **250**, 311
substitution reaction mechanisms of dihydrido-ruthenium(II) phosphine complexes: hydride basicity and molecular hydrogen intermediates, **250**, 351
the solvent-initiated photochemistry of tris(*N*,*N*-diethyldithiocarbamato)iron(III), **250**, 385
kinetics and mechanism of Cu^{2+} incorporation into homo- and heteroditopic bis-macrocycles studied by the stopped-flow/photodiode-array technique, **251**, 177
kinetics and mechanism of complex formation: the reaction of nickel(II) with 1,4,7-triazacyclononane-*N*,*N*′,*N*″-triacetic acid, **251**, 347
kinetics of associative reactions of $Fe_5C(CO)_{15}$ with P-donor nucleophiles, **252**, 311

Lanthanide complexes
monazite- and zircon-type structures of seven mixed $(Ln/Ln)PO_4$ compounds, **244**, 247
synthesis, spectroscopic and single-crystal structural investigations of several lanthanide hexacyanoruthenate(II) tetrahydrates, **244**, 273
azaoxa macrocyclic complexes of lanthanide(III) thiocyanates. Crystal structures of the tris-thiocyanato(1,7,10,16-tetraoxa-4,13-diazacyclooctadecane) lanthanide(III) complexes (Ln = Eu or Yb), **245**, 223
photophysical properties of lanthanide dinuclear complexes with *p*-nitro-calix[8]arene, **246**, 195
synthesis and coordination properties of 6,6′-bis(diphenylphosphinomethyl)-2,2′-bipyridine-*N*,*N*′,*P*,*P*′-tetraoxide, **247**, 29
lanthanide(III) complexes with a podand Schiff base containing an N_4O_3 coordination site, **247**, 143
structural investigations of several $LnVO_4$ compounds, **248**, 85
macrocyclic complexes of lanthanides in identical ligand frameworks. Part 2. Synthesis of lanthanide(III) and yttrium(III) complexes of an 18-membered hexaaza macrocycle , **249**, 93

synthesis, crystal structures and magnetic behavior of polymeric lanthanide complexes with benzenehexacarboxylic acid (mellitic acid), **249**, 183
recognition of metal complex guests: supramolecular extraction of water-soluble lanthanide complexes by biological lasalocid ionophore, **251**, 1
formation of very large rings in polymeric lanthanide complexes of *N,N'-p*-phenylenedimethylenebis(pyrrolidin-2-one), **251**, 141
FT-IR and fluorometric investigation of rare-earth and metal ion solvation. Part 16. Solid state and solution study of acetonitrile-coordinated lanthanide solvates $[Ln(CH_3CN)_9](AlCl_4)_3$, **252**, 221
lanthanide(III) complexation with ligands as possible contrast enhancing agents for MRI, **252**, 299
structural analyses of two hexacyanoruthenate(II) complexes, **253**, 97
Lasalocid ionophore
recognition of metal complex guests: supramolecular extraction of water-soluble lanthanide complexes by biological lasalocid ionophore, **251**, 1
Laser flash photolysis
nanosecond laser flash photolysis of thiophenolate-capped cadmium sulfide particles in acetonitrile, **242**, 253
Lattice interaction
four-site four-electron model for Bi(III)–Bi(V) mixed valence complex, **250**, 189
Lead complexes
new bivalent germanium, tin and lead compounds with M–O bond, **241**, 9
coordination chemistry of bis-thiohydroxamic acids: synthesis and characterization of their lead(II) complexes and stability constant determination, **243**, 79
pyrazolonato complexes of lead. Crystal structures of bis(1-phenyl-3-methyl-4-acetyl pyrazolonato)lead(II) and bis(1-phenyl-3-methyl-4-butanoylpyrazolonato)lead(II), **250**, 173
Ligand binding
azide binding and active site dynamics of position-82 variants of ferricytochrome *c*, **242**, 171
Ligand field spectra
the synthesis and structure of bis(1,4,7-trithiacyclodecane)-ruthenium(II) perchlorate: the *meso* diastereoisomer, **244**, 73
Ligand reactivity
convergent synthesis of an octadecaruthenium metallodendrimer, **252**, 9
Ligand substitution
solution thermochemical study of ligand substitution reaction of novel pyrrolyl-substituted tertiary phosphine ligands in the $L_2Fe(CO)_3$ system, **252**, 107
Linkage isomerism
linkage isomerism in exchange coupled dinuclear Ni(II) complexes with three azide bridges; tris(μ-1,1-azido) versus tris(μ-1,3-azido) binding. Crystal structures of $[L_2Ni_2(\mu\text{-}1,1\text{-}N_3)_3]ClO_4$ and $[L_2Ni_2(N_3)_2\text{-}(\mu\text{-}1,3\text{-}N_3)_2]$ (L = 1,4,7-trimethyl-1,4,7-triazacyclononane), **252**, 195
Lipoic acid complexes
the interaction of transition metals with the coenzyme α-lipoic acid: synthesis, structure and characterization of copper and zinc complexes, **252**, 319
Lipophilic complexes
iron-59 complexes of lipophilic hexadentate phenolate-derivatized cyclohexanetriamine ligands, **242**, 201
Lithium
comparison of the use of gel threads and microcarrier beads in Li^+ transport studies of human neuroblastoma SH-SY5Y cells, **251**, 201
Long-lived ^{3}MLCT excited-state
photophysical properties of tricarbonyl(histidine)(diimine)-rhenium(I) complexes in aqueous solution, **242**, 179
Low-spin complexes
EPR spectra for high- and low-spin Co^{II} encapsulated complexes, **241**, 5
Luminescence
unusual electrochemical and spectroscopic behavior in a ligand-bridged binuclear complex of ruthenium(II): tetrakis(2,2'-bipyridine)-(μ-2,4,6-tris(2-pyridyl)triazine)diruthenium(II), **241**, 1
preparation, luminescence and interactions with Li^+, Na^+ and UO_2^{2+} of two new metallocalix[4]arene complexes of iridium(I), **242**, 137
luminescent platinum(II) bis(1,1-dithiolate) complexes, **242**, 225
dinuclear Ru^{II} and/or Os^{II} complexes of bis-bipyridine bridging ligands containing adamantane spacers: synthesis, luminescence properties, intercomponent energy and electron transfer processes, **242**, 281
photophysical properties of lanthanide dinuclear complexes with *p*-nitro-calix[8]arene, **246**, 195
solution structures of luminescent chelates of europium(III) with 2,6-bis[*N,N*-bis(carboxymethyl)aminomethyl]-4-benzoylphenol, **247**, 209
spectroscopic properties and ligand field parameters of bis(hydrotris(1-pyrazolyl)borato) trivalent metal complexes: anomalous covalency in the metal–pyrazolyl nitrogen bond and energy level splittings due to anisotropic π bonding, **249**, 135
photoinduced intercomponent energy transfer in covalently-linked dinuclear complexes containing Ru(II)–bipyridine and Ru(II)–biquinoline chromophores and aromatic and aliphatic spacers, **251**, 255
luminescence of Eu^{3+} and Tb^{3+} complexes of new macrobicyclic ligands derived from *p*-tert-butylcalix[4]arene, **252**, 19
FT-IR and fluorometric investigation of rare-earth and metal ion solvation. Part 16. Solid state and solution study of acetonitrile-coordinated lanthanide solvates $[Ln(CH_3CN)_9](AlCl_4)_3$, **252**, 221
Luminescence spectroscopy
blue–green ultramarine-type zeolites with dimeric tellurium colour centres, **252**, 39
Lutetium complexes
synthesis and characterization of the yttrium(III) and lutetium(III) complexes of 1,4,7-tris(carbamoylmethyl)-1,4,7-triazacyclononane (TCMT). Crystal structure of $[Y(TCMT)(CF_3SO_3)_2(H_2O)](CF_3SO_3)$, **246**, 99
crystal structure and solution dynamics of the lutetium(III) chelate of DOTA, **246**, 423

Macrocycle
macrocyclic heterodinuclear NiMn and CuMn complexes: crystal structure and electrochemical behaviour, **246**, 13
Macrocycle complexes
structural properties of *trans*-chloro(4-acetylpyridine)(1,4,8,11-tetraazacyclotetradecane)ruthenium(II) tetrafluoroborate, *trans*-[RuCl(cyclam)(4-acpy)](BF_4), by X-ray diffraction and NMR spectroscopy, **245**, 215
H^+- and CN^--induced dissociation of Ni^{2+}-complexes with tetra-*N*-substituted 1,4,8,11-tetraazacyclotetradecanes, **246**, 41
study of the reactions of palladium(II) macrocyclic tetraamine complexes with hydroxyl and methyl radicals, **246**, 59
μ_2-N pseudohalide as mediator of magnetic exchange in dicobalt(II) complexes, **246**, 73
the mononuclear barium and dinuclear copper(II) complexes of a 24-membered bibracchial tetraimine Schiff base macrocycle derived from tris(2-aminoethyl)amine and 2,5-diformylfuran, **246**, 81
tetra- and pentamanganese(II) macrocyclic complexes with bridging carboxylate groups: product control by pretreatment of manganese acetate solutions, **246**, 171
tetranuclear Ag(I) complexes with an octagonal Ag_4S_4 core: building large structures from small macrocycles, **246**, 207
macrocycles with a single pendant arm: synthesis of *N*-R-(1,4,7-triazacyclononane) [L, R = 4-but-1-ene; L', R = 3-prop-1-ene]: Synthe-

sis of the Cu^{I} complex [CuL]I and synthesis and crystal structure of the Cu^{II} complex $[CuL_2][BPh_4]_2$ and the μ-hydroxy bridged Cu^{II} dimer $[LCu(\mu\text{-}OH)_2CuL][BPh_4]_2$, **246**, 343
Macrocycle ligand complexes
the synthesis and structure of bis(1,4,7-trithiacyclodecane)-ruthenium(II) perchlorate: the *meso* diastereoisomer, **244**, 73
Macrocyclic complexes
macrocyclic catecholate complexes as ligands. Synthesis, structural characterization and properties of the $[MH_2ETC]$ and $\{[Ni(ETC)]Cu\}^{2-}$ complexes (M = Co, Ni; H_4ETC = the macrocyclic catechol, 2,3-ethylene-5,6:13,14-di(5′-methylbzo)-9,10-(4′,5′-diolbzo)-[14]-1,4,8,11-[N_4]-7,12-diene), **243**, 255
macrocyclic dinuclear complexes self-assembled from $(en)Pd(NO_3)_2$ and pyridine-based bridging ligands, **246**, 53
^{7}Li, ^{6}Li, ^{23}Na and ^{133}Cs multinuclear NMR studies of adducts formed with shift reagent, $TmDOTP^{5}$, **246**, 331
the effect of ligand structure on surface enhanced Raman scattering by Fe(II) macrocyclic complexes: $[Fe^{II}TPC]^{2+}$ and $[Fe^{II}DPC]$, **247**, 11
thermodynamics of Gd(III) complexation by macrocyclic and acyclic polyamino carboxylates, **249**, 13
Macrocyclic ligand complexes
azaoxa macrocyclic complexes of lanthanide(III) thiocyanates. Crystal structures of the tris-thiocyanato(1,7,10,16-tetraoxa-4,13-diazacyclooctadecane) lanthanide(III) complexes (Ln = Eu or Yb), **245**, 223
synthesis, structure and complexing capabilities of *N,N′,N″,N‴*-tetrakis(3-hydroxypropyl)cyclam, **246**, 1
synthesis, crystal structures, and ring size effects on thermodynamic stability of divalent metal complexes of $[14]aneN_3O$, **246**, 89
the crystal structure of a macrocycle containing pyridine and piperazine subunits, and of a Cu(I) complex of its diprotonated cation, **246**, 119
synthesis and complexation of macrocycles containing two pyrazolone sub-units, **246**, 217
helical hexaazamacrocyclic ligands containing pyridyl and (+ or −)-*trans*-diaminocyclohexyl groups: effect of ligand constraints upon metal ion binding, **246**, 301
the interaction of transition and post-transition metal ions with 14- and 16-membered *trans* N_2X_2-donor macrocycles (X = NH, O, S): stabilities and X-ray structures, **246**, 371
solution ^{1}H NMR and X-ray crystal structures of Ca^{2+}, Zn^{2+} and Cd^{2+} complexes with 12- and 13-membered macrocycles, dioxotetraazacycloalkanediacetic acids, **246**, 401
crystal structure and solution dynamics of the lutetium(III) chelate of DOTA, **246**, 423
properties of transition metal complexes with 15-, 16- and 17-membered macrocycles, dioxocyclopentaaminetriacetic acids, in aqueous solutions and structures of the ligands in the solid state, **248**, 231
hydrophobic effects in the stabilisation of copper(I) by the macrocyclic ligands 16,17,19,20-tetramethyl-2,6,9,13-tetraaza[14]paracyclophane and 14,15,17,18-tetramethyl-2,5,8,11-tetraaza[12]paracyclophane, **252**, 123
lanthanide(III) complexation with ligands as possible contrast enhancing agents for MRI, **252**, 299
Macrocyclic thioether complexes
crown thioether complexes of vanadium(II), vanadium(III) and vanadium(IV): X-ray crystal structure of $[VCl_3([9]aneS_3)]$, **251**, 13
Magnesium complexes
protolysis and Mg^{2+} binding of Methylthymol Blue, **241**, 13
electrochemistry and spectroscopy of magnesium octaethyltetraazaporphyrin and magnesium octakis(methylthio)tetraazaporphyrin, **246**, 361
reactions between primary amines and magnesium or zinc dialkyls: intermediates in metal imide formation, **251**, 273
Magnetic circular dichroism
characterization of a plant paraperoxidase from *Curcurbita pepo* using magnetic circular dichroism: direct evidence for cyanide ligation in the ferric resting state, **243**, 317
spectroscopic properties and ligand field parameters of bis(hydrotris(1-pyrazolyl)borato) trivalent metal complexes: anomalous covalency in the metal–pyrazolyl nitrogen bond and energy level splittings due to anisotropic π bonding, **249**, 135
magnetic circular dichroism spectroscopy of the hexacyano complexes of Ru(III) and Os(III), **249**, 231
Magnetic exchange
macrocyclic heterodinuclear NiMn and CuMn complexes: crystal structure and electrochemical behaviour, **246**, 13
Magnetic interaction
ligand behaviour of a bis-pyridazinecarboxamide copper(II) complex towards nickel(II) β-diketonates. X-ray crystal structure of $Cu(bpdpn)Ni(hfacac)_2$ (H_2bpdpn = *N,N′*-bis-(3′-pyridazinecarboxamide)-1,3-propane, Hhfacac = hexafluoroacetylacetone), a heterometallic bridged complex, **245**, 231
syntheses, structures and magnetic properties of the tricyanoethenolate adducts of quadridentate Schiff base manganese(III) complexes, **247**, 57
Magnetic properties
synthesis, spectroscopic, magnetic and electrochemical properties of Cu(II) and Fe(III) complexes with the new ligand *N,N′*-[1,1′-dithiobis(phenyl)]bis(5′-methoxysalicylaldimine), **244**, 25
binuclear chromium(III) complexes bridged by hydroxide and acetate groups, **247**, 35
synthesis, crystal structure and magnetic properties of the chiral iron(II) chain $[Fe(bpym)(NCS)_2]_n$ (bpym = 2,2′-bipyrimidine), **250**, 81
synthesis, crystal structure and magnetic properties of the first structurally characterized 1,2-dithiocroconato-containing Cu(II) complex, $\{[Cu(bpca)(H_2O)]_2[Cu(1,2\text{-}dtcr)_2]\}\cdot 2H_2O$, **250**, 219
polynuclear copper(II) complexes with μ_2-1,1-azide bridges. Structural and magnetic properties, **250**, 227
$[Cr(bipy)(C_2O_4)_2]^{-}$ — a versatile building block for the design of heteropolymetallic systems 2. Syntheses and crystal structures of $CuCr_2(bipy)_2(\mu\text{-}C_2O_4)_2(C_2O_4)_2(H_2O)_2\cdot 1^{1}/_{2}H_2O$ and $(AgCr(bipy)(\mu\text{-}C_2O_4)_2(H_2O)_2)_2$ and magnetic properties of the copper(II) derivative, **251**, 309
Magnetic resonance imaging
lanthanide(III) complexation with ligands as possible contrast enhancing agents for MRI, **252**, 299
Magnetic susceptibility
synthesis, crystal structures and magnetic behavior of polymeric lanthanide complexes with benzenehexacarboxylic acid (mellitic acid), **249**, 183
synthesis and characterization of $SrCu_2(O_2CR)_3(bdmap)_3$ and $Bi_2(O_2CCH_3)_4(bdmap)_2(H_2O)$ (R = CH_3, CF_3; bdmap = 1,3-bis(dimethylamino)-2-propanolato), **250**, 163
magnetic susceptibility studies on the diiron forms of the metalloprotein purple acid phosphatase from bovine spleen and kidney bean, **252**, 13
linkage isomerism in exchange coupled dinuclear Ni(II) complexes with three azide bridges; tris(μ-1,1-azido) versus tris(μ-1,3-azido) binding. Crystal structures of $[L_2Ni_2(\mu\text{-}1,1\text{-}N_3)_3]ClO_4$ and $[L_2Ni_2(N_3)_2\text{-}(\mu\text{-}1,3\text{-}N_3)_2]$ (L = 1,4,7-trimethyl-1,4,7-triazacyclononane), **252**, 195
Magnetism
magnetic properties of dodecanuclear mixed valence iron clusters, **243**, 295
a new polymeric compound containing copper(II)-chloranilate chains: synthesis, crystal structure and magnetic properties of $[Cu(DCMB)(CA)]_n$ (DCMB = 3,3′-dicarbomethoxy-2,2′-bipyridyl; CA = dianion of 3,6-dichloro-2,5-dihydroxy-1,4-benzoquinone), **244**, 165

the mononuclear barium and dinuclear copper(II) complexes of a 24-membered bibracchial tetraimine Schiff base macrocycle derived from tris(2-aminoethyl)amine and 2,5-diformylfuran, **246**, 81
a structural and magnetochemical study of some copper(II) complexes containing the ligands 1,4,7-triazacyclononane-*N*-acetate (L^1) and *N*-(2-hydroxybenzyl)-1,4,7-triazacyclononane (HL^2), **246**, 387
structure and magnetism of nickel(II) and manganese(II) complexes of a nitronyl nitroxide carboxylic acid, **248**, 139
ground state electron transfer between TCNE and one or more 16-electron species containing vanadium, osmium, ruthenium or cobalt, **251**, 239
Main group metal complexes
photoredox decomposition of tin(II), lead(II), antimony(III) and bismuth(III) iodide complexes in solution, **248**, 107
Manganese complexes
macrocyclic heterodinuclear NiMn and CuMn complexes: crystal structure and electrochemical behaviour, **246**, 13
tetra- and pentamanganese(II) macrocyclic complexes with bridging carboxylate groups: product control by pretreatment of manganese acetate solutions, **246**, 171
electron spin resonance and electrospray ionization mass spectroscopic studies of the interaction of alkali and alkaline earth cations with manganese bis(μ-oxo) dimers, **246**, 311
syntheses, structures and magnetic properties of the tricyanoethenolate adducts of quadridentate Schiff base manganese(III) complexes, **247**, 57
catalytic oxidation of benzylic amines to imines by M(TPP)CL (M = Fe, Mn) followed by reduction to secondary amines, **247**, 71
alkyl-dependent photochemistry of Mn(R)$(CO)_3$(R′-DAB) (R = Me, Bz; R′ = iPr, pTol): homolysis of the Mn–R bond for R = Bz and release of CO for R = Me, **247**, 215
oxidation of propane-1,2-diol by acidic manganese(V) and manganese(VI), **248**, 81
structure and magnetism of nickel(II) and manganese(II) complexes of a nitronyl nitroxide carboxylic acid, **248**, 139
properties and dynamics of the σ(M′–Re)π^* excited state of photoreactive dinuclear L_nM'–Re$(CO)_3$(α-diimine) (L_nM' = Ph_3Sn, $(CO)_5Mn$, $(CO)_5Re$; α-diimine = bpy′, iPr-PyCa, iPr-DAB) complexes studied by time-resolved emission and absorption spectroscopies, **250**, 5
pitfalls in limiting studies of reactivity to a family of compounds, **250**, 265
synthesis and reactivity of the (benzothiophene)tricarbonylmanganese cation, **253**, 39
Manganese(III) complexes
synthesis and characterization of a manganese(III) complex with a new unsymmetrical chelating ligand, **249**, 251
Mass spectrometry
isothiocyanato complexes of rhenium VI. Synthesis, characterization and structures of *cis*-and *trans*-[$ReCl_2$(NCS)$(Me_2PhP)_3$], **244**, 109
Matrix isolation
vibrational analysis and resonance Raman spectra of polycrystalline and matrix-isolated [$CpFe(CO)_2]_2$, **251**, 157
Mechanism
H^+- and CN^--induced dissociation of Ni^{2+}-complexes with tetra-*N*-substituted 1,4,8,11-tetraazacyclotetradecanes, **246**, 41
Mellitic acid complexes
synthesis, crystal structures and magnetic behavior of polymeric lanthanide complexes with benzenehexacarboxylic acid (mellitic acid), **249**, 183
Mercaptopyridine complexes
morphological variation in self-assembled copper(I) paddle-wheel complexes, **252**, 281
Mercury complexes
4-amino-6-methoxy-2-methylthiopyrimidine and Hg(II) system: solution and solid state studies on metalated and N-coordinated species. Crystal structure of [$Hg_2(HL)_2(\mu$-Cl$)_2Cl_2$], **247**, 203
Mercury compounds
importance of steric effects upon the synthesis of {(η_6-arene)RuCl}-*C*,*N*-cyclometallated amines, **249**, 63
Metal cations
stability constants for complexes of the siderophore desferrioxamine B with selected heavy metal cations, **244**, 179
Metal cluster topology
metal cluster topology 18. Flattening of hypoelectronic indium and thallium deltahedra in intermetallic phases containing alkali metals, **252**, 115
Metal complexes
volume of activation for the self-exchange reaction of cytochrome *c*, **242**, 185
binuclear metal assemblies inside an oxa-aza macrocyclic receptor, **246**, 125
metal complexes of a calix[4]arene diamide: syntheses, crystal structures and molecular mechanics calculations on [Fe(L^1–2H)][$FeCl_4$] and [Er(L^1–2H)(picrate)] (L^1 = 5,11,17,23-tetra-*tert*-butyl-25,27-bis(diethylcarbamoylmethoxy)calix[4]arene), **246**, 133
helical hexaazamacrocyclic ligands containing pyridyl and (+ or −)-*trans*-diaminocyclohexyl groups: effect of ligand constraints upon metal ion binding, **246**, 301
solution ^{1}H NMR and X-ray crystal structures of Ca^{2+}, Zn^{2+} and Cd^{2+} complexes with 12- and 13-membered macrocycles, dioxotetraazacycloalkanediacetic acids, **246**, 401
two novel types of metal complexes derived from tripod amines and acetylacetone, **246**, 413
equilibrium and kinetic studies on complexes of 10-[2,3-dihydroxy-(1-hydroxymethyl)-propyl]-1,4,7,10-tetraazacyclododecane-1,4,7-triacetate, **249**, 191
ternary complexes in solution with hydrogen phosphate and methyl phosphate as ligands, **250**, 185
slow paramagnetic relaxation and magnetic splittings in Mössbauer spectra observed for mixed-metal assemblies {$NBu_4MFe(ox)_3\}_x$ (NBu_4^+ = tetra(n-butyl)ammonium ion; ox^{2-} = oxalate ion; M = Zn^{2+}, Ni^{2+}, Mn^{2+}), **253**, 47
Metal-dependent protein conformation
aspects of the demetalation and remetalation of ceruloplasmin, **250**, 75
Metal hydride complexes
an M–H...H–C hydrogen bonding interaction, **250**, 69
Metal hydrogen–carbon hydrogen interaction
an M–H...H–C hydrogen bonding interaction, **250**, 69
Metal ion complexes
study of protonation of 1,4,7-tris(2-hydroxyethyl)-1,4,7-triazacyclononane, and its complexes with metal ions, by crystallography, polarography, potentiometry, molecular mechanics and NMR, **246**, 159
^{7}Li, ^{6}Li, ^{23}Na and ^{133}Cs multinuclear NMR studies of adducts formed with shift reagent, $TmDOTP^5$, **246**, 331
Metallacrown ether complexes
an NMR spectroscopic study of the binding of alkali metal cations and methanol by *cis*-Mo$(CO)_4${$Ph_2P(CH_2CH_2O)_nCH_2CH_2PPh_2$-P,P′} ($n$ = 4, 5) metallacrown ethers. The X-ray crystal structures of *cis*-Mo$(CO)_4${$Ph_2P(CH_2CH_2O)_4CH_2CH_2PPh_2$-P,P′}·MeOH and *cis*-Mo$(CO)_4${$Ph_2P(CH_2CH_2)_4CH_2CH_2PPh_2$-P,P′}·$H_2O$, **246**, 229
Metallacycle complexes
formation of very large rings in polymeric lanthanide complexes of *N*,*N*′-*p*-phenylenedimethylenebis(pyrrolidin-2-one), **251**, 141
Metallamacrocycle
synthesis and characterization of palladium(II) and rhodium(I) complexes coordinated with bis(diphenylphosphinomethyl) sulfide, **245**, 243
Metallocane complexes

synthesis and characterization of oxa and thia metallocanes substituted with phosphorodithioate ligands and crystal and molecular structure of 1,3,6-trithia-2-arsocane dimethylphosphorodithioate, **253**, 31

Metallocene
the linear and non-linear optical properties of some conjugated ferrocene compounds with potent heterocyclic acceptors, **242**, 43

Metalloderivative complexes
local stabilities of horse cytochrome c metalloderivatives as probed by tryptic digestion and electrospray mass spectrometry, **242**, 261

Metalloenzyme-inhibitor modelling
modelling transition state analogues and enzyme-inhibitor complexes of zinc-containing class II aldolases and metalloproteases, **250**, 271

Metalloimmunoassay
electrochemical behavior of some bioorganometallic complexes, **250**, 379

Metallomacrocycles
the uranyl unit as electrophilic catalyst of acyl transfer reactions, **246**, 181

Metalloporphyrin complexes
spectroelectrochemical characterization of nitridorhenium porphyrins, **251**, 105

Metalloporphyrins
metal complexes with tetrapyrrole ligands. 71. Heteroaggregation of cationic metal mono- and bisporphyrinates with anionic metal porphyrinates or indigosulfonates, **251**, 227

Metalloprotein
protein determinants of metal site reduction potentials: site-directed mutagenesis studies of *Clostridium pasteurianum* rubredoxin, **242**, 245
kinetics of electron transfer in *Pseudomonas aeruginosa* cytochrome cd_1-nitrite reductase, **243**, 25

Metalloprotein complexes
magnetic susceptibility studies on the diiron forms of the metalloprotein purple acid phosphatase from bovine spleen and kidney bean, **252**, 13

Metalloregulatory protein
affinity of CUP2, a copper-dependent transcription factor, for DNA sequences upstream of the yeast metallothionein gene, **242**, 233

Metal–metal bond complexes
unusual 1,1-2,2-isomers of $Mo_2Cl_4(PR_3)_2(R'CN)_2$. Compounds with $R = CH_2CH_2CN$ and $R' = CH_3$, CH_3CH_2 and $CH(CH_3)_2$, **247**, 105
synthesis and structure of *trans*-[di(μ-acetato)dichlorodi-(μ-bis-(diphenylphosphino)methylamine)dimolybdenum(II)] and the structure of bis(diphenylphosphino)methylamine, **252**, 251
syntheses and structures of di(carboxylato)hexakis(acetonitrile)-dimolybdenum(II) bis(tetrafluoroborate) and *trans*-[di(μ-acetato)-di(acetonitrile)di(μ-bis(diphenylphosphino)-amine)dimolybdenum(II)] bis(tetrafluoroborate), **252**, 257

Metal–metal charge transfer
heterobi-, tri- and tetra-metallic cyanide-bridged complexes based on pentacarbonylcyanochromate(0) and penta-, *cis*-tetra- and *fac*-triammineruthenium(III) groups: optical metal–metal charge transfer and electrochemical characteristics, **248**, 51

Metal–metal interaction
a very strong metal–metal interaction in a dinuclear ruthenium(II) complex with the dianion of 2,3-dihydroxy-but-2-enal as a compartmental bridging ligand, **251**, 9

1-Methyl-2(3*H*)-imidazolinethione
complexes of Ag(I) with 1-methyl-2(3*H*)-imidazolinethione. The crystal structure of tris[1-methyl-2(3*H*)-imidazolinethione]-silver(I) nitrate, **241**, 117

Methyl complexes
methylnickel compounds containing trimethylphosphine and salicylaldiminato(*N*:*O*) ligands, **248**, 111

1-Methylcytosinato complexes
heteronuclear μ-1-methylcytosinato-*N*3,*N*4 complexes containing very short Pt→Cu dative bonds, **252**, 167

1-Methylcytosine
palladium-1-methylcytosine compounds: crystal structure of the tris(nucleobase) complex $[(NH_3)Pd(1\text{-}MeC\text{-}N3)_3](ClO_4)_2 \cdot H_2O$. Role of intramolecular H bonding in stabilizing the head–tail–head rotamer, **248**, 175

Methylene-bridged complexes
experimental and theoretical studies of the single- and double-CO loss photoproducts of $[CpCo(CO)]_2(\mu\text{-}CH_2)$, **252**, 405

Methyl phosphate complexes
ternary complexes in solution with hydrogen phosphate and methyl phosphate as ligands, **250**, 185

Methylthymol Blue complexes
protolysis and Mg^{2+} binding of Methylthymol Blue, **241**, 13

Metmyoglobin
^1H NMR studies of pyridine binding to metmyoglobin, **249**, 239

Microcarrier beads
comparison of the use of gel threads and microcarrier beads in Li^+ transport studies of human neuroblastoma SH-SY5Y cells, **251**, 201

Microperoxidase
reactions of ferric porphyrins and thiols. The reaction of the haem octapeptide, *N*-acetylmicroperoxidase-8, with cysteine, **248**, 115

Mixed complexes
monazite- and zircon-type structures of seven mixed $(Ln/Ln)PO_4$ compounds, **244**, 247

Mixed ligand complexes
the synthesis, characterization and substitution reactions of the mixed ligand technetium(I) nitrosyl complex *trans–trans*-$[(NO)(NCCH_3)Cl_2(PPh_3)_2Tc]$, **244**, 121
trinuclear iridium and rhodium complexes: the solution to a puzzle involving the multiple coordination possibilities of 1,8-naphthyridine-2-one ligands, **250**, 241

Mixed-valence complexes
intramolecular electron transfer in cyanide-bridged ruthenium dimers, **243**, 135
magnetic properties of dodecanuclear mixed valence iron clusters, **243**, 295
amplification of metal-to-metal communication in the ruthenium(IV)–ruthenium(III) mixed-valence state of binuclear β-diketonato-ruthenium complexes by inserting thiophene and anthracene units into acetylene linkers, **245**, 87
axial ligand effects on redox properties of a strongly-coupled bis-macrocyclic diiron compound, **246**, 241
four-site four-electron model for Bi(III)–Bi(V) mixed valence complex, **250**, 189

MLCT excited state
syntheses, absorption spectra, electrochemistry and MLCT excited-state properties of $[Ru(imin)_n(bpy)_{3-n}](PF_6)_2$ ($n = 0$–3, imin = 2-(*N*-methylformimidoyl)pyridine) complexes, **247**, 155

MOCVD
preliminary study of $[Ni(en)_3](CF_3CO_2)_2$ and $Ni(en)(hfpd)_2$ as precursors for metalorganic chemical vapour deposition: structural properties and thermal behaviours (en = ethylenediamine, hfpd = hexafluoropentadionato(−)), **248**, 15

Molecular catalysis
complexation of nucleotides and molecular catalysis of ATP-hydrolysis by a protonated hexaaza macrocyclic ligand, **251**, 365

Molecular dynamics
complexation of the *p*-t-butyl-calix[4]arene anion with alkali metal cations in polar, non-aqueous solvents: experimental and theoretical studies, **246**, 275

Molecular hydrogen complexes
substitution reaction mechanisms of dihydrido-ruthenium(II) phosphine complexes: hydride basicity and molecular hydrogen intermediates, **250**, 351

Molecular mechanics
study of protonation of 1,4,7-tris(2-hydroxyethyl)-1,4,7-triazacyclononane, and its complexes with metal ions, by crystallography, polarography, potentiometry, molecular mechanics and NMR, **246**, 159
crystal structures of complexes of ammonium and potassium hexafluorophosphate with dibenzo-18-crown-6. Molecular mechanics studies on the uncomplexed macrocycle, **252**, 383
Molecular mechanics calculations
metal complexes of a calix[4]arene diamide: syntheses, crystal structures and molecular mechanics calculations on [Fe(L^1–2H)][$FeCl_4$] and [Er(L^1–2H)(picrate)] (L^1 = 5,11,17,23-tetra-*tert*-butyl-25,27-bis(diethylcarbamoylmethoxy)calix[4]arene), **246**, 133
Molecular orbital calculations
electrochemical and spectroscopic behavior of dicobalt cofacial diporphyrins. The redox sites revisited, **248**, 181
Molecular recognition
substrate induced phosphorescence from cyclodextrin lumophore host-guest complexes1, **243**, 239
Molecular wires
synthesis and spectroelectrochemical characterization of binuclear complexes of bis(bipyridine)ruthenium and pentaammineruthenium bridged with α,ω-dipyridylcyanines, **251**, 29
Molybdenum/tungsten complexes
uptake of ethylene by sulfur-bridged cubane-type molybdenum/tungsten–nickel clusters $[M_3NiS_4(H_2O)_{10}]^{4+}$ (M_3 = Mo_3, Mo_2W, MoW_2, W_3): syntheses, structures and ^1H NMR spectra, **251**, 207
Molybdenum complexes
photochemically reactive polymers: synthesis and photochemistry of polyamides containing $Cp_2Mo_2(CO)_6$ molecules along the polymer backbone, **242**, 303
synthesis, reactivity and redox properties of dinuclear molybdenum–sulfur complexes, **243**, 147
a study of the geometry of the $[Re_2Br_8]^{2-}$, $[Re_2I_8]^{2-}$ and $[Mo_2Cl_8]^{4-}$ ions in the lowest $^1A_{2u}$ excited state by the application of the sum-over-states method to resonance Raman band intensities, **243**, 249
nitro-substituted benzoates of dimolybdenum: the Mo_2^{4+} δ to ligand charge transfer band, **243**, 283
study of complexation of mono *N*-alkylcyclen and mono *N*-alkylcyclam with hexacarbonyl metal $M(CO)_6$ (M = Cr, Mo). Specific N^1,N^7-dissymmetric dialkylation of cyclen, **244**, 105
highly diastereoselective formation and structural characterization of [2+2] cycloadducts from the phosphenium complexes $Cp(OC)_2M{=}P(Ph)(o\text{-Tol})$ (M = Mo, W) and isocyanates, **244**, 147
transition metal complexes with sulfur ligands. Part CXIV. Alkylation, substitution reactions, electrochemistry and structure of nitrosyl and carbonyl complexes with the [Mo('S_4')] fragment ('S_4'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−)), **244**, 213
complexes of tert-butyl diphenylphosphinomethyl ketone *N*-phenylhydrazone, *Z*-$PPh_2CH_2C(Bu^t){=}NNHPh$, with molybdenum, palladium or platinum: crystal structure of *cis*-[$PdCl_2${*Z*-$PPh_2CH_2C(Bu^t){=}NNHPh$}$_2$], **245**, 59
synthesis and characterization of organomolybdenum and organotungsten halides containing the η^5-pentaphenylcyclopentadienyl ligand η^5-$C_5Ph_5Mo(CO)_3X \cdot nCH_2Cl_2$ and η^5-$C_5Ph_5W(CO)_3X$ (X = Cl, Br, I). The X-ray molecular structure of η^5-$C_5Ph_5Mo(CO)_3I \cdot 0.5CH_2Cl_2$, **245**, 109
investigations into the syntheses and structures of clusters of the Mo–O–REO_3^{2-} systems (E = P and As), **245**, 177
an NMR spectroscopic study of the binding of alkali metal cations and methanol by *cis*-$Mo(CO)_4${$Ph_2P(CH_2CH_2O)_nCH_2CH_2PPh_2$-P,P′} ($n$ = 4, 5) metallacrown ethers. The X-ray crystal structures of *cis*-$Mo(CO)_4${$Ph_2P(CH_2CH_2O)_4CH_2CH_2PPh_2$-P,P′}·MeOH and *cis*-$Mo(CO)_4${$Ph_2P(CH_2CH_2)_4CH_2CH_2PPh_2$-P,P′}·$H_2O$, **246**, 229
unusual 1,1-2,2-isomers of $Mo_2Cl_4(PR_3)_2(R'CN)_2$. Compounds with R = CH_2CH_2CN and R′ = CH_3, CH_3CH_2 and $CH(CH_3)_2$, **247**, 105
preparation and characterization of the first series of molybdenum(III) ammine complexes, *fac*-[$MoX_3(NH_3)_3$] (X = Cl, Br, I). Spectrochemical parameters for molybdenum(III), **247**, 189
new molybdenum(0)–fullerene complexes resulting from interaction of C_{60} with tetracarbonyldiacetyldihydrazonemolybdenum(0) and dicarbonyldiacetyldihydrazonebis(triphenylphosphine)-molybdenum(0), **248**, 67
structural evidence for the oxathiolium cation. Synthesis and structure of 3,5-di-tert-butyl-1,2-oxathiolium aquatetrachloro-oxomolybdate(V), **248**, 103
syntheses and structural characterization of quadruple-bonded complexes $Mo_2X_2Tp_2$ (X = Cl or Br; Tp = $HBpz_3$, pz = pyrazolyl); transformation of η^2-Tp to η^3-Tp, **249**, 115
synthesis, reactions and characterization of μ-alkyne molybdenum complexes containing a functionally substituted cyclopentadienyl ligand. The crystal structure of [(η^5-$MeO_2CC_5H_4$)$(CO)_2$Mo]$_2$(μ-η^2,η^2-C_2H_2), **249**, 175
synthesis and characterization of mononuclear bis[organohydrazido(2−)]molybdenum(VI) complexes. Crystal structures of [$Mo(NNMePh)_2(acac)_2$] and [$Mo(NNPh_2)_2(acac)_2$], **249**, 245
the synthesis, fluctionality and structural characterization of $ReMo_3H_4(CO)_{12}$, **250**, 15
multinucleating ligands from multiple palladium(0)-catalysed cross-coupling reactions — synthesis and characterisation of a trinuclear cyclometallated ruthenium(II) complex and a hexanuclear EPR-active molybdenum complex, **250**, 29
structural studies on $[Mo_3S_4]^{4+}$ and $[Mo_3S_4Cu]^{4+}$ complexes with tripodal ligands providing various N_xO_y ($x+y=3$) donor sets, **250**, 35
reactivity, variable temperature solution ^1H NMR studies and MO calculations of dimolybdenum allenylidene complexes of the type [(η^5-$C_5H_5)_2Mo_2(CO)_4$(μ,η^2(4e)-C=C=CR1R2)], **250**, 119
the solid state structure and the solution isomerization of $Mo_2Cl_6(THF)_3$, **251**, 101
synthesis and structure of *trans*-[di(μ-acetato)dichlorodi-(μ-bis(diphenylphosphino)methylamine)dimolybdenum(II)] and the structure of bis(diphenylphosphino)methylamine, **252**, 251
syntheses and structures of di(carboxylato)hexakis(acetonitrile)-dimolybdenum(II) bis(tetrafluoroborate) and *trans*-[di(μ-acetato)-di(acetonitrile)di(μ-bis(diphenylphosphino)amine)-dimolybdenum(II)] bis(tetrafluoroborate), **252**, 257
Monofunctionalization
highly selective monofunctionalization of zirconacyclopentanes and dialkylzirconocene complexes, **252**, 91
Mössbauer spectroscopy
biologically significant iron(III) oxyhydroxy polymers: Mössbauer spectroscopic study of ferritin and hemosiderin in pancreas tissue of β-thalassemia/hemoglobin E disease, **243**, 121
slow paramagnetic relaxation and magnetic splittings in Mössbauer spectra observed for mixed-metal assemblies {$NBu_4MFe(ox)_3$}$_x$ (NBu_4^+ = tetra(n-butyl)ammonium ion; ox^{2-} = oxalate ion; M = Zn^{2+}, Ni^{2+}, Mn^{2+}), **253**, 47
Multidentate amine complexes
the crystal structure of potassium *trans*(O_6)-1,3-propanediamine-*N*,*N*′-diacetato-*N*,*N*′-di-3-propionatocobaltate(III) trihydrate and consideration of ring strain, K*trans*(O_6)-[Co(1,3-pddadp)]·$3H_2O$, **248**, 89
Multidentate ligand complexes
effect of ligand donors on the catalytic properties of metal complexes. Copper(II) complexes as catalysts for the oxidation of 3,5-di-tert-butylcatechol, **249**, 85
Multidentate N,O-ligand
iron-59 complexes of lipophilic hexadentate phenolate-derivatized cyclohexanetriamine ligands, **242**, 201

Multinuclear magnetic resonance
reaction of sulfur diimides with organoboranes — studied by multinuclear magnetic resonance in solution, **250**, 327
Multinuclear NMR
^{7}Li, ^{6}Li, ^{23}Na and ^{133}Cs multinuclear NMR studies of adducts formed with shift reagent, $TmDOTP^{5}$, **246**, 331
Multiple pathways
a method to analyze multi-pathway effects on protein mediated donor-acceptor coupling interactions, **243**, 167
Multiply-bonded complexes
synthesis of a multiply-bonded ditungsten hydride complex, $W_2(\mu\text{-}H)(\mu\text{-}O_2CC_6H_5)Cl_4(dppm)_2$, **244**, 151
Multireceptor complexes
structures of the multireceptor vaulted cyclidene complexes, **246**, 109
Mutagenesis
the pH dependence of intramolecular electron transfer in azurins, **243**, 127
Myoglobin
characterization of a plant paraperoxidase from *Curcurbita pepo* using magnetic circular dichroism: direct evidence for cyanide ligation in the ferric resting state, **243**, 317

Nanocomposites
di- and polynuclear complexes as precursors to nanocomposite materials: an overview, **251**, 151
Naphthalene-substituted complexes
coordination site preference study of Cp^*Ru^+ in monosubstituted naphthalene complexes, **249**, 157
Naphthalocyanine complexes
photoreduction of zinc- and aluminium-2,3-naphthalocyanine in the presence of azaferrocene and under irradiation with red light ($\lambda > 600$ nm), **249**, 111
N-donor complexes
pitfalls in limiting studies of reactivity to a family of compounds, **250**, 265
Negative *U*
four-site four-electron model for Bi(III)–Bi(V) mixed valence complex, **250**, 189
Neocuproine complexes
the crystal and molecular structure of [neocuproine-bis(3-thiocyano-2,4-pentanedionato)nickel(II)], **249**, 105
N-Glycoside complexes
successful isolation and X-ray crystal structure of {tris(*N*-*L*-rhamnosyl-2-aminoethyl)amine}(sulfate)nickel(II) hydrate trimethanol solvate: $[Ni((L\text{-}Rha)_3\text{-}tren)(SO_4)]\cdot H_2O\cdot 3CH_3OH$, **249**, 1
Nickel
nickel(II) complexes of 15-membered tetraaza macrocycles with a primary amine or carboxylate pendant: structural characterization of a one-dimensional chain compound, **246**, 65
Nickel complexes
tetrahedral versus square-planar NiS_4 core in solid-state bis(dithioimidodiphosphinato)nickel(II) chelates. Crystal and molecular structures of $Ni[(SPR_2)(SPPh_2)N]_2$ (R = Ph, Me), **241**, 47
self-assembled monolayers of dithiols, diisocyanides, and isocyanothiols on gold: 'chemically sticky' surfaces for covalent attachment of metal clusters and studies of interfacial electron transfer, **242**, 115
macrocyclic catecholate complexes as ligands. Synthesis, structural characterization and properties of the $[MH_2ETC]$ and $\{[Ni(ETC)]Cu\}^{2-}$ complexes (M = Co, Ni; H_4ETC = the macrocyclic catechol, 2,3-ethylene-5,6:13,14-di(5′-methylbzo)-9,10-(4′,5′-diolbzo)-[14]-1,4,8,11-[N_4]-7,12-diene), **243**, 255
a structurally characterized azide-bridged dinuclear nickel(II) cryptate, **244**, 7
conformationally flexible arsine ligands: two forms of bis[1,1′-bis(dimethylarsino)ferrocene]dibromonickel(II), **244**, 131
synthesis and crystal structure of [1,1,2,2-tetramethylguanidinium][Ni(dmit)$_2$]$_2$ and [hexamethylguanidinium][Ni(dmit)$_2$]$_2$ (dmit = 1,3-dithiole-2-thione-4,5-dithiolate). Intermolecular orbital overlap integral calculations and electrical conductivities, **245**, 27
synthesis and spectroscopic characterization of bivalent metal complexes of 2,6-diacetylpyridine bis(octanoylhydrazone). X-ray crystal structure of a nickel(II) complex, **245**, 43
ligand behaviour of a bis-pyridazinecarboxamide copper(II) complex towards nickel(II) β-diketonates. X-ray crystal structure of Cu(bpdpn)Ni(hfacac)$_2$ (H_2bpdpn = *N*,*N*′-bis-(3′-pyridazinecarboxamide)-1,3-propane, Hhfacac = hexafluoroacetylacetone), a heterometallic bridged complex, **245**, 231
synthesis, structure and complexing capabilities of *N*,*N*′,*N*″,*N*‴-tetrakis(3-hydroxypropyl)cyclam, **246**, 1
macrocyclic heterodinuclear NiMn and CuMn complexes: crystal structure and electrochemical behaviour, **246**, 13
H^+- and CN^--induced dissociation of Ni^{2+}-complexes with tetra-*N*-substituted 1,4,8,11-tetraazacyclotetradecanes, **246**, 41
a new cyclam with a triphenylphosphine-pendant and its metal complexes, **246**, 151
kinetics and mechanism of incorporation of nickel(II) into N_4 macrocycles of the cyclam type: how many steps and intermediates are involved?, **246**, 267
the reduction of carbon dioxide employing 1,4,7,10-tetramethyl-1,4,7,10 tetraazacyclododecane nickel(II) as a electron relay catalyst, **246**, 295
synthesis, structure and magnetic properties of several nickel–azido complexes with tetraammines as blocking ligands, **247**, 85
synthesis, crystal structure and magnetic properties of the tetranuclear complex $[Ni_4(OCH_3)_4(dbm)_4(CH_3OH)_4]_2(C_2H_5)_2O$, **247**, 231
crystal structures of *trans*-di(2-fluorobenzoato-*O*)di-(1,3-diaminopropane-*N*,*N*′)nickel(II) and its copper(II) analogue. Variation in the coordination modes, **248**, 1
preliminary study of $[Ni(en)_3](CF_3CO_2)_2$ and Ni(en)(hfpd)$_2$ as precursors for metalorganic chemical vapour deposition: structural properties and thermal behaviours (en = ethylenediamine, hfpd = hexafluoropentadionato(−)), **248**, 15
aqueous syntheses and crystal structures of the hexa- and pentacoordinated nickel(II) isothiocyanato derivatives of bulky triamines: $(H_2Et_5dien)_2[Ni(NCS)_6]$, $[Ni(Me_5dien)(NCS)_2]$ and $[Ni(Me_4Etdien)(NCS)_2]$, **248**, 59
methylnickel compounds containing trimethylphosphine and salicylaldiminato(*N*:*O*) ligands, **248**, 111
structure and magnetism of nickel(II) and manganese(II) complexes of a nitronyl nitroxide carboxylic acid, **248**, 139
successful isolation and X-ray crystal structure of {tris(*N*-*L*-rhamnosyl-2-aminoethyl)amine}(sulfate)nickel(II) hydrate trimethanol solvate: $[Ni((L\text{-}Rha)_3\text{-}tren)(SO_4)]\cdot H_2O\cdot 3CH_3OH$, **249**, 1
the crystal and molecular structure of [neocuproine-bis(3-thiocyano-2,4-pentanedionato)nickel(II)], **249**, 105
neutral and cationic nickel(II) complexes of phosphino-amines: $[NiCl_2(PMe_2Ph)(PNMe_2)]$ and $[NiCl(PMe_2Ph)(PNMe_2)]PF_6$ ($PNMe_2$ = *N*,*N*′-dimethyl-2-(diphenylphosphino)aniline), **249**, 131
reaction of nickel(II) and palladium(II) with tetraphenyldiphosphine, **249**, 237
light induced sulfur-dealkylation of phosphino-thioether nickel(0) complexes, **250**, 283
metal-mediated oxidation of guanines in DNA and RNA: a comparison of cobalt(II), nickel(II) and copper(II) complexes, **251**, 193
uptake of ethylene by sulfur-bridged cubane-type molybdenum/tungsten–nickel clusters $[M_3NiS_4(H_2O)_{10}]^{4+}$ (M_3 = Mo_3, Mo_2W, MoW_2, W_3): syntheses, structures and ^1H NMR spectra, **251**, 207
modeling the bonding changes in chlorophyll cation radicals: resonance Raman spectroscopy of nickel(II) methyl pyropheophorbide *a*, **252**, 179

competing nickel-catalysed dimerisation and degenerate isomerisation of propene, **252**, 229
coordination of donor solvent molecules to nickel square-planar complexes, **253**, 1
Nickel(II) complexes
kinetics and mechanism of complex formation: the reaction of nickel(II) with 1,4,7-triazacyclononane-*N*,*N*′,*N*″-triacetic acid, **251**, 347
linkage isomerism in exchange coupled dinuclear Ni(II) complexes with three azide bridges; tris(μ-1,1-azido) versus tris(μ-1,3-azido) binding. Crystal structures of $[L_2Ni_2(\mu\text{-}1,1\text{-}N_3)_3]ClO_4$ and $[L_2Ni_2(N_3)_2\text{-}(\mu\text{-}1,3\text{-}N_3)_2]$ (L = 1,4,7-trimethyl-1,4,7-triazacyclononane), **252**, 195
Nickel methyl pyropheophorbide *a* complexes
modeling the bonding changes in chlorophyll cation radicals: resonance Raman spectroscopy of nickel(II) methyl pyropheophorbide *a*, **252**, 179
Nicotinoyl complexes
application of the chiral auxiliary $[(\eta^5\text{-}C_5H_5)Fe(CO)(PPh_3)]$ to the stereoselective formation of 4-substituted-1,4-dihydronicotinoyl complexes, **251**, 265
N(imide)–Pd(II) bonding
two novel complexes of glutarimide with palladium(II) *trans*-$K_2[Pd(C_5H_6NO_2)_2Cl_2]\cdot 4.5H_2O$ and *trans*-$KNa[Pd(C_5H_6NO_2)_2Cl_2]\cdot 6H_2O$. Crystal structures and vibrational spectra, **248**, 159
Niobium complexes
crystal structure of the zerovalent niobium complex $Nb(\eta\text{-}C_6H_5Me)_2$, **244**, 269
dibridged bimetallic complexes derived from bent niobocene and Group 6 metal carbonyls. Transmetallation of the PMe_2H ligand and crystal structure of $Cp_2Nb(\mu\text{-}PPh_2)(\mu\text{-}CO)Cr(CO)_3(PMe_2H)$, **247**, 263
synthesis and problematic crystal structures of $[Al(CH_3CN)_6][MCl_6]_3(CH_3CN)_3$ (M = Ta, Nb or Sb), **250**, 359
Nitric oxide
exogenous ligand binding to *Pseudomonas stutzeri* nitrous oxide reductase, **242**, 239
Nitrido complexes
molecular structure of $[W(N)(O\text{-}2,6\text{-}C_6H_3{}^iPr_2)_3]_2$: a metal-nitrido compound with a cyclic diyne structure, **243**, 177
spectroelectrochemical characterization of nitridorhenium porphyrins, **251**, 105
Nitrile complexes
coordination and reactivity of benzyloxycarbonyl-Ala(CN)-OR (R = H, CH_3) in complexes of platinum(II), **245**, 269
unusual 1,1-2,2-isomers of $Mo_2Cl_4(PR_3)_2(R'CN)_2$. Compounds with R = CH_2CH_2CN and R′ = CH_3, CH_3CH_2 and $CH(CH_3)_2$, **247**, 105
syntheses and structures of di(carboxylato)hexakis(acetonitrile)-dimolybdenum(II) bis(tetrafluoroborate) and *trans*-[di(μ-acetato)-di(acetonitrile)di(μ-bis(diphenylphosphino)amine)-dimolybdenum(II)] bis(tetrafluoroborate), **252**, 257
Nitrite complexes
synthesis, structure, and spectroscopic properties of (nitrito-*O*,*O*′)[tris[2-(1-methyl)imidazolyl]methoxymethane]copper(II), Cu(II)(TIMM)$(NO_2)_2$, **243**, 33
Nitrite reductase
kinetics of electron transfer in *Pseudomonas aeruginosa* cytochrome cd_1-nitrite reductase, **243**, 25
Nitroaryl complexes
reactions of functionalised aryl groups σ-bound to ruthenium(II), **251**, 65
Nitro complexes
synthesis and characterization of the first series of isolable (nitro)ruthenium(III) complexes: a decomposition mechanism of the (nitro)ruthenium(III) moiety, **245**, 167
Nitrogen,sulfur chelating ligand complexes
trinuclear copper(II) coordination compounds with the new ligand 1,9-bis-(3-amino-4*H*-1,2,4-triazol-5-yl)-3,7-dithianonane; X-ray structures and magnetochemistry, **248**, 35
Nitronyl nitroxide complexes
structure and magnetism of nickel(II) and manganese(II) complexes of a nitronyl nitroxide carboxylic acid, **248**, 139
Nitro-substituted benzoate complexes
nitro-substituted benzoates of dimolybdenum: the Mo_2^{4+} δ to ligand charge transfer band, **243**, 283
Nitrosyl complexes
the synthesis of nitrosyl complexes of technetium with sulfur-containing cores, **241**, 95
the synthesis, characterization and substitution reactions of the mixed ligand technetium(I) nitrosyl complex *trans–trans*-$[(NO)(NCCH_3)Cl_2(PPh_3)_2Tc]$, **244**, 121
transition metal complexes with sulfur ligands. Part CXIV. Alkylation, substitution reactions, electrochemistry and structure of nitrosyl and carbonyl complexes with the [Mo('S_4')] fragment ('S_4'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−)), **244**, 213
Nitrous oxide reductase
exogenous ligand binding to *Pseudomonas stutzeri* nitrous oxide reductase, **242**, 239
N-ligand complexes
synthesis and spectroscopic characterization of new Cu(I) complexes containing triaryl-, tricycloalkylphosphines and heterocyclic anionic or neutral N-donor ligands. Crystal and molecular structure of $[(Cy_3P)_2(pzH)Cu]ClO_4\cdot CH_3OH$ (Cy = cyclohexyl, pzH = pyrazole), **249**, 215
N-Methyl-*d*-aspartate
increased NMDA affinity of the H780Q mutant of the NMDA receptor, **243**, 15
NMR analysis
synthesis and characterisation of a novel ruthenium organometallic *cis*-$[Ru(bpy)_2(npp)(Cl)]\cdot BF_4$ where bpy = 2,2′-bipyridyl and npp = 4-(*N*-pyrrolyl)pyridine, **244**, 277
NMR and EPR
synthesis of a new 4Fe–4S cluster with a biomimetic bulky thiolate ligand as model for the $[Fe_4S_4]^{2+/3+}$ states of high potential iron–sulfur proteins, **251**, 119
NMR spectroscopy
molecular structures of tri-*N*-pyrrolylboranes and the dynamic behaviour of tri-*N*-indolylboranes in solution, **241**, 87
synthesis and characterization of palladium(II) and rhodium(I) complexes coordinated with bis(diphenylphosphinomethyl) sulfide, **245**, 243
new molybdenum(0)–fullerene complexes resulting from interaction of C_{60} with tetracarbonyldiacetyldihydrazonemolybdenum(0) and dicarbonyldiacetyldihydrazonebis(triphenylphosphine)-molybdenum(0), **248**, 67
do aromatic transition states lower barriers to silatropic shifts? A synthetic, NMR spectroscopic, and computational study, **251**, 355
NMR study
synthesis and protonation behaviour of the macrocycle 2,6,10,13,17,21-hexaaza[22]metacyclophane. Thermodynamic and NMR studies on the interaction of 2,6,10,13,17,21-hexaaza[22]metacyclophane and on the open-chain polyamine 4,8,11,15-tetraazaoctadecane-1,18-diamine with ATP, ADP and AMP, **246**, 287
NMR two-dimensional exchange spectroscopy
^{1}H NMR studies of pyridine binding to metmyoglobin, **249**, 239
^{15}N NMR
association of mononuclear and dinuclear platinum tetraamine cations with nucleotides studied by ^{15}N NMR relaxation, **245**, 265
Non-linear optics
the linear and non-linear optical properties of some conjugated ferrocene compounds with potent heterocyclic acceptors, **242**, 43
Normal coordinate analysis

vibrational analysis and resonance Raman spectra of polycrystalline and matrix-isolated $[CpFe(CO)_2]_2$, **251**, 157
Nuclear magnetic resonance imaging
thermodynamics of Gd(III) complexation by macrocyclic and acyclic polyamino carboxylates, **249**, 13
Nucleic acids
single-stranded nucleic acids as templates for porphyrin assembly formation, **246**, 7
Nucleobase complexes
ternary complex of cisplatin with glycine and 1-methyluracil: *cis*-$[(NH_3)_2Pt(glyH\text{-}N)(1\text{-}MeU\text{-}N^3)]ClO_4 \cdot H_2O$, **247**, 79
palladium-1-methylcytosine compounds: crystal structure of the tris(nucleobase) complex $[(NH_3)Pd(1\text{-}MeC\text{-}N3)_3](ClO_4)_2 \cdot H_2O$. Role of intramolecular H bonding in stabilizing the head–tail–head rotamer, **248**, 175
a rigid cytidine–$Ru^{II}(bpy)_3$ conjugate. A potential precursor for non-covalent electron transfer modeling, **251**, 135
Nucleophilic addition
synthesis and reactivity of the (benzothiophene)tricarbonylmanganese cation, **253**, 39
Nucleotide complexation
complexation of nucleotides and molecular catalysis of ATP-hydrolysis by a protonated hexaaza macrocyclic ligand, **251**, 365
Nucleotide complexes
association of mononuclear and dinuclear platinum tetraamine cations with nucleotides studied by ^{15}N NMR relaxation, **245**, 265

O-coordination complexes
influence of ancillary ligands in the coordination mode of P and As carbonyl stabilized ylides on Pt(II) systems. X-ray structure of *trans*-$[Pt(PPh_3)_2(CF_3)\{OC(OCH_3)=C(H)(PPh_3)\}][BF_4] \cdot 0.5CH_2Cl_2$, **252**, 355
Olefin complexes
η^2 complexes of $[Ru^{II}(hedta)]^-$: sensitivity of the ^1H NMR chemical shifts of the olefinic protons to alpha ring substituents, **253**, 65
Oligonuclear complexes
trinuclear copper(II) coordination compounds with the new ligand 1,9-bis-(3-amino-4*H*-1,2,4-triazol-5-yl)-3,7-dithianonane; X-ray structures and magnetochemistry, **248**, 35
One-dimensional chain complexes
studies of the oxovanadium(IV)–oxalate system: syntheses and crystal structures of binuclear $(Ph_4P)_2[(VO)_2(H_2O)_2(C_2O_4)_3] \cdot 4H_2O$ and of the one-dimensional chain material, $(Ph_4P)[VOCl(C_2O_4)]$, **250**, 303
One-dimensional complexes
syntheses, structures and magnetic properties of the tricyanoethenolate adducts of quadridentate Schiff base manganese(III) complexes, **247**, 57
Oocyte
increased NMDA affinity of the H780Q mutant of the NMDA receptor, **243**, 15
Optical activity
helical hexaazamacrocyclic ligands containing pyridyl and (+ or −)-*trans*-diaminocyclohexyl groups: effect of ligand constraints upon metal ion binding, **246**, 301
Optically active complexes
optically active chromium(III) complexes. VIII. Chiroptical and epimeric forms of chloro(1,2-diaminoethane)(1,4,8-triazaoctane)chromium(III) complexes and the structural characterization of some pentachloroantimonate(III) salts , **247**, 19
Optical sensing
substrate induced phosphorescence from cyclodextrin lumophore host-guest complexes1, **243**, 239
Organic conductors
synthesis and crystal structure of [1,1,2,2-tetramethylguanidinium]$[Ni(dmit)_2]_2$ and [hexamethylguanidinium]$[Ni(dmit)_2]_2$ (dmit = 1,3-dithiole-2-thione-4,5-dithiolate). Intermolecular orbital overlap integral calculations and electrical conductivities, **245**, 27
Organoarsenate complexes
investigations into the syntheses and structures of clusters of the Mo–O–REO_3^{2-} systems (E = P and As), **245**, 177
Organoborane complexes
reaction of sulfur diimides with organoboranes — studied by multinuclear magnetic resonance in solution, **250**, 327
Organodiazene complexes
the synthesis and characterization of $[MCl_3(N{=}NC_5H_4NH)(HN{=}NC_5H_4N)]$ from $[MO_4]^-$ (where M = Re, Tc) organodiazenido, organodiazene-chelate complexes. The X-ray structure of $[ReCl_3(N{=}NC_5H_4NH)(HN{=}NC_5H_4N)]$, **252**, 421
the synthesis, characterization and X-ray crystal structure of the rhenium organodiazenido, organodiazene complex $[ReCl_2(PPh_3)(N{=}NC_5H_4N)(HN{=}NC_5H_4N)]$, **252**, 427
Organodiazenido complexes
the synthesis and characterization of $[MCl_3(N{=}NC_5H_4NH)(HN{=}NC_5H_4N)]$ from $[MO_4]^-$ (where M = Re, Tc) organodiazenido, organodiazene-chelate complexes. The X-ray structure of $[ReCl_3(N{=}NC_5H_4NH)(HN{=}NC_5H_4N)]$, **252**, 421
the synthesis, characterization and X-ray crystal structure of the rhenium organodiazenido, organodiazene complex $[ReCl_2(PPh_3)(N{=}NC_5H_4N)(HN{=}NC_5H_4N)]$, **252**, 427
Organohydrazido complexes
synthesis and characterization of mononuclear bis[organohydrazido(2−)]molybdenum(VI) complexes. Crystal structures of $[Mo(NNMePh)_2(acac)_2]$ and $[Mo(NNPh_2)_2(acac)_2]$, **249**, 245
1,2-Organolithiation
reaction of sulfur diimides with organoboranes — studied by multinuclear magnetic resonance in solution, **250**, 327
Organometallic
the linear and non-linear optical properties of some conjugated ferrocene compounds with potent heterocyclic acceptors, **242**, 43
Organometallic amphiphiles
organometallic amphiphiles: novel mechanisms for redox chemical control of aggregation behavior, **250**, 59
Organometallic compounds
bond dissociation energies in organometallic compounds, **252**, 265
Organometallic macromolecules
organometallic silicon-based dendrimers with peripheral Si–cyclopentadienyl, Si–Co and Si–Fe σ-bonds, **251**, 5
Organonickel complexes
competing nickel-catalysed dimerisation and degenerate isomerisation of propene, **252**, 229
Organonitrile complexes
stopped-flow mechanistic study of bromide substitution by an organonitrile at an iron(II) phosphinic centre; a π-electron driven process, **250**, 311
Organopalladium complexes
electrochemistry of dimeric organopalladium(II) complexes containing bridging [pyridin-2-yl(phenyl)methyl-*C*,*N*]$^-$ and [bis(pyridin-2-yl)phenylmethyl-*C*,*N*,*N*′]$^-$ groups, **251**, 185
Organophosphate complexes
studies of the oxovanadium–organophosphonate system. The synthesis and crystal structure of $(Et_3NH)_2[(VO)_2(acac)_2(O_3PCH_2PO_3)]$, **252**, 431
Organophosphonate complexes
investigations into the syntheses and structures of clusters of the Mo–O–REO_3^{2-} systems (E = P and As), **245**, 177
Organophosphorus complexes
the reaction of diiodotriorganophosphorus compounds with dicobalt octacarbonyl; isolation of a new isomeric form of $[R_3PI][CoI_3(PR_3)]$, **247**, 257
Organosilicon complexes

reduction of a diruthenium bridging vinylidene species $Cp_2Ru_2(\mu$-$C{=}CH_2)(CO)(\mu$-$CO)(MeCN)$ by hydrosilane leading to a vinyl complex $Cp_2Ru_2(\mu$-$CH{=}CH_2)(CO)_2(SiR_3)$ and vinylsilane: a model system for production of an olefinic product from a vinylidene intermediate, **250**, 177
Organotin complexes
properties and dynamics of the $\sigma(M'$–$Re)\pi^*$ excited state of photoreactive dinuclear L_nM'–$Re(CO)_3(\alpha$-diimine) ($L_nM' = Ph_3Sn$, $(CO)_5Mn$, $(CO)_5Re$; α-diimine = bpy′, iPr-PyCa, iPr-DAB) complexes studied by time-resolved emission and absorption spectroscopies, **250**, 5
Orthovanadate commplexes
structural investigations of several $LnVO_4$ compounds, **248**, 85
Osmium complexes
dinuclear Ru^{II} and/or Os^{II} complexes of bis-bipyridine bridging ligands containing adamantane spacers: synthesis, luminescence properties, intercomponent energy and electron transfer processes, **242**, 281
electron transfer barriers for ground- and excited-state redox couples: *trans*-dioxo(1,4,8,11-tetramethyl-1,4,8,11-tetraazacyclotetradecane)osmium(VI)/osmium(V), **243**, 39
synthesis of new thiol derivatives of $[Os_3(CO)_{12}]$; crystal structure of $[Os_3(CO)_{10}(\mu$-$H)\{\mu$-$SC(CH_3)_3\}]$, **247**, 131
$[Os_3(H)_2(CO)_{10}]$ derivatives containing the short bite ligands bis(diphenylphosphino)methane and 2-(diphenylphosphino)pyridine, **248**, 257
magnetic circular dichroism spectroscopy of the hexacyano complexes of Ru(III) and Os(III), **249**, 231
comparing the spectroscopic and electrochemical properties of ruthenium and osmium complexes of the tridentate polyazine ligands 2,2′:6′,2″-terpyridine and 2,3,5,6-tetrakis(2-pyridyl)pyrazine, **250**, 155
benzynechromium tricarbonyl. Further synthetic studies, **251**, 53
ground state electron transfer between TCNE and one or more 16-electron species containing vanadium, osmium, ruthenium or cobalt, **251**, 239
Outer-sphere
outer-sphere electron transfer in methylene chloride: concentration, salt, and temperature dependences of the oxidation of *trans*-ReX_2(*cis*-1,2-bis(diphenylphosphino)ethylene)$_2$ (X = Cl, Br) by the clathrochelate $[Co($1,2-cyclohexanedionedioximate$)_3$-$(BButyl)_2]BF_4$, **242**, 159
Outer-sphere complexes
coordination of monocarboxylates in lanthanide(III) complexes, **245**, 51
Oxa-aza macrocycle complexes
binuclear metal assemblies inside an oxa-aza macrocyclic receptor, **246**, 125
Oxalate complexes
studies of the oxovanadium(IV)–oxalate system: syntheses and crystal structures of binuclear $(Ph_4P)_2[(VO)_2(H_2O)_2(C_2O_4)_3]\cdot 4H_2O$ and of the one-dimensional chain material, $(Ph_4P)[VOCl(C_2O_4)]$, **250**, 303
slow paramagnetic relaxation and magnetic splittings in Mössbauer spectra observed for mixed-metal assemblies $\{NBu_4MFe(ox)_3\}_x$ (NBu_4^+ = tetra(n-butyl)ammonium ion; ox^{2-} = oxalate ion; $M = Zn^{2+}$, Ni^{2+}, Mn^{2+}), **253**, 47
Oxalato complexes
$[Cr(bipy)(C_2O_4)_2]^-$ — a versatile building block for the design of heteropolymetallic systems 2. Syntheses and crystal structures of $CuCr_2(bipy)_2(\mu$-$C_2O_4)_2(C_2O_4)_2(H_2O)_2\cdot 1^1/_2H_2O$ and $(AgCr(bipy)(\mu$-$C_2O_4)_2(H_2O)_2)_2$ and magnetic properties of the copper(II) derivative, **251**, 309
chiral recognition of tris(oxalato)cobaltate(III) anions by bovine serum albumin, **252**, 1
Oxathiolium complexes
structural evidence for the oxathiolium cation. Synthesis and structure of 3,5-di-tert-butyl-1,2-oxathiolium aquatetrachloro-oxomolybdate(V), **248**, 103
Oxazoline complexes
coordination and reactivity of benzyloxycarbonyl-Ala(CN)-OR (R = H, CH_3) in complexes of platinum(II), **245**, 269
synthesis and characterization of a manganese(III) complex with a new unsymmetrical chelating ligand, **249**, 251
Oxidation
vanadium bromoperoxidase-catalyzed oxidation of thiocyanate by hydrogen peroxide, **243**, 201
in situ oxidation of a copper(I) complex to produce a hydroxy-bridged dinuclear copper(II) complex. Structural, magnetic and electrochemical properties, **244**, 87
catalytic oxidation of benzylic amines to imines by M(TPP)CL (M = Fe, Mn) followed by reduction to secondary amines, **247**, 71
oxidation of propane-1,2-diol by acidic manganese(V) and manganese(VI), **248**, 81
effect of ligand donors on the catalytic properties of metal complexes. Copper(II) complexes as catalysts for the oxidation of 3,5-di-tert-butylcatechol, **249**, 85
the electrocatalysis of hydrogen sulfite oxidation by iron(II) complexes of 1,10-phenanthrolines, **249**, 143
metal-mediated oxidation of guanines in DNA and RNA: a comparison of cobalt(II), nickel(II) and copper(II) complexes, **251**, 193
Oxidative addition
intramolecular C–H activation and oxidative addition reactions of iridium complexes containing arylamines with bulky substituents on nitrogen; X-ray structures of $[Ir^I(C_6H_4CH_2NEt_2$-2-$C,N)(cod)]$ and $[Ir^{III}(C_6H_4CH_2NEt(CHMe)$-2-$C,N,C')I(cod)]$ (cod = cycloocta-1,5-diene), **252**, 55
Oxidized blue copper sites
electronic structure of the oxidized and reduced blue copper sites: contributions to the electron transfer pathway, reduction potential, and geometry, **243**, 67
Oxime complexes
synthesis and crystal structure of a thallium(I) hydrogen benzothiazolylcyanoximate complex with 18-crown-6: the thallium atom is in the center of the crown ether cavity, **249**, 151
(μ-Oxo)bis{tris(2-pyridylmethyl)aminechromium(III)} dimers
physical properties and hydrolysis kinetics of (μ-oxo)bis{tris(2-pyridylmethyl)aminechromium(III)} dimers with complementary sulfate or molybdate bridging ligands, **242**, 1
Oxo-bridged complexes
chemical and electrochemical investigation of $Cs_4[Ru_2(SO_4)_2(\mu$-$SO_4)_2(\mu$-$O)_2]\cdot 2H_2O$, **244**, 191
Oxo complexes
chiral ruthenium(IV)-oxo complexes. Structure, reactivities of $[Ru(terpy)(N\frown N)O]^{2+}$ ($N\frown N$ = *N,N,N′,N′*-tetramethyl-1,2-diaminocyclohexane) and $[Ru(Me_3tacn)(cbpy)O]^{2+}$ (cbpy = (−)-3,3′-[(4*S-trans*)-1,3-dioxolane-4,5-dimethyl]-2,2′-bipyridine), **242**, 105
oxidation of DNA by *trans*-dioxoruthenium(VI) complexes: self-inhibition of DNA cleavage by metal complexes, **242**, 219
electron transfer barriers for ground- and excited-state redox couples: *trans*-dioxo(1,4,8,11-tetramethyl-1,4,8,11-tetraazacyclotetradecane)osmium(VI)/osmium(V), **243**, 39
investigations into the syntheses and structures of clusters of the Mo–O–REO_3^{2-} systems (E = P and As), **245**, 177
electron spin resonance and electrospray ionization mass spectroscopic studies of the interaction of alkali and alkaline earth cations with manganese bis(μ-oxo) dimers, **246**, 311
syntheses of monooxo–technetium(V) and –rhenium(V) complexes of the (*o*-hydroxyphenyl)diphenylphosphine ligand (POH). Crystal structure of $[TcOCl(PO)_2]$, **247**, 119

structural evidence for the oxathiolium cation. Synthesis and structure of 3,5-di-tert-butyl-1,2-oxathiolium aquatetrachloro-oxomolybdate(V), **248**, 103

an unusual iron-oxo tetranuclear species: $Li_2(HDPhF)_2Fe_4O_4(DPhF)_6 \cdot 4$toluene. A ubiquitous side product in the chemistry of iron/formamidine compounds, **252**, 293

Oxovanadate complexes

solvatothermal synthesis and crystal structure of (Ph_4P)-$[(VO_2)_4(CH_3CO_2)_4Cl]$, **252**, 435

Oxovanadium

primary photophysical processes of discrete pseudotetrahedral oxovanadium centers dispersed in a silica xerogel matrix, **243**, 185

Oxovanadium complexes

studies of the oxovanadium(IV)–oxalate system: syntheses and crystal structures of binuclear $(Ph_4P)_2[(VO)_2(H_2O)_2(C_2O_4)_3] \cdot 4H_2O$ and of the one-dimensional chain material, $(Ph_4P)[VOCl(C_2O_4)]$, **250**, 303

studies of the oxovanadium–organophosphonate system. The synthesis and crystal structure of $(Et_3NH)_2[(VO)_2(acac)_2(O_3PCH_2PO_3)]$, **252**, 431

Oxygen donor ligand complexes

complexes of bismuth(III) chloride with oxygen donor ligands. Structural characterization of $BiCl_3 \cdot 3THF$, $BiCl_3 \cdot$diglyme and $BiCl_3 \cdot$diethylcarbitol, **249**, 41

Oxygen quenching

substrate induced phosphorescence from cyclodextrin lumophore host-guest complexes1, **243**, 239

Paddle-wheel complexes

morphological variation in self-assembled copper(I) paddle-wheel complexes, **252**, 281

Palladium

peptide hydrolysis promoted by polynuclear and organometallic complexes of palladium(II) and platinum(II), **243**, 9

Palladium complexes

synthesis and properties of ruthenium and palladium iodide complexes of phosphorus, arsenic and antimony ligands, **244**, 65

π-2-methylallylpalladium(II) complexes containing a nine-membered chelate ring with an azine diphosphine ligand: crystal structure of $[(\eta^3\text{-}2\text{–}MeC_3H_4)Pd\{E,Z\text{–}PPh_2CH_2C(Bu^t)=N\text{–}N=C(Bu^t)\text{-}CH_2PPh_2\}]Cl$, **244**, 115

complexes of tert-butyl diphenylphosphinomethyl ketone *N*-phenylhydrazone, $Z\text{-}PPh_2CH_2C(Bu^t)=NNHPh$, with molybdenum, palladium or platinum: crystal structure of *cis*-$[PdCl_2\{Z\text{-}PPh_2CH_2C\text{-}(Bu^t)=NNHPh\}_2]$, **245**, 59

synthesis and characterisation of a heterodinuclear ruthenium(II)–palladium(II) complex with two different cyclometallating sites, **245**, 69

synthesis and characterization of palladium(II) and rhodium(I) complexes coordinated with bis(diphenylphosphinomethyl) sulfide, **245**, 243

synthesis and complexation studies of mesocyclic and macrocyclic polythioethers. XIV. Crown thioether complexes of palladium(II) and platinum(II), **246**, 31

macrocyclic dinuclear complexes self-assembled from $(en)Pd(NO_3)_2$ and pyridine-based bridging ligands, **246**, 53

study of the reactions of palladium(II) macrocyclic tetraamine complexes with hydroxyl and methyl radicals, **246**, 59

novel geometries exhibited by three palladium(II) macrocyclic complexes: crystal and solution structures, **246**, 349

electrochemical reduction of the bis(1,2,6,7-tetracyano-3,5-dihydro-3,5-diimino-pyrrolizinido)palladium(II) complex: syntheses and properties of its radical monoanion as the tetraethylammonium salt, **247**, 75

synthesis and characterization of novel palladium(II) complexes with ferrocenes bearing podand N-heterocyclic coordination sites, **248**, 129

syntheses, structures and properties of palladium(II) complexes with photochromic 4-methoxyazobenzene, **248**, 147

two novel complexes of glutarimide with palladium(II) *trans*-$K_2[Pd(C_5H_6NO_2)_2Cl_2] \cdot 4.5H_2O$ and *trans*-$KNa[Pd\text{-}(C_5H_6NO_2)_2Cl_2] \cdot 6H_2O$. Crystal structures and vibrational spectra, **248**, 159

palladium-1-methylcytosine compounds: crystal structure of the tris(nucleobase) complex $[(NH_3)Pd(1\text{-}MeC\text{-}N3)_3](ClO_4)_2 \cdot H_2O$. Role of intramolecular H bonding in stabilizing the head–tail–head rotamer, **248**, 175

reaction of nickel(II) and palladium(II) with tetraphenyldiphosphine, **249**, 237

coordination modes of the novel bifunctional nitrogen ligands 8-(2-pyridyl)quinoline and 8-(6-methyl-2-pyridyl)quinoline towards palladium and platinum. X-ray crystal structures of (8-(2-pyridyl)quinoline)Pd(Me)Cl, (8-(2-pyridyl)quinoline)-Pd(C(O)-Me)Cl and (8-(2-pyridyl)quinoline)$Pd(PEt_3)Cl_2$, **250**, 87

evidence for C–C coupling between two mutually *cis* carbon ligands, η^3-crotyl and aryl in organopalladium(II) complexes, **250**, 149

comparison in halide binding ability between the unsaturated clusters $[Pd_3(\mu\text{-dppm})_3(CO)]^{2+}$ and $[PdPtCo(\mu\text{-dppm})_2(CO)_3(CN^tBu)]^+$ (dppm = $Ph_2PCH_2PPh_2$), **250**, 337

synthesis and characterisation of Pd(II) allyl complexes derived from the diterpene carvone, **250**, 365

electrochemistry of dimeric organopalladium(II) complexes containing bridging [pyridin-2-yl(phenyl)methyl-*C*,*N*]$^-$ and [bis(pyridin-2-yl)phenylmethyl-*C*,*N*,*N'*]$^-$ groups, **251**, 185

model reactions for the synthesis of organometallic dendrimers containing platinum and palladium, **251**, 319

methyl-, acetyl- and allyl-palladium and -platinum complexes containing the novel chiral phosphorus-imine 2-(diphenylphosphino)-benzylidene-*S*(−)-α-methyl-benzylamine ligand, **252**, 141

amine-thioether and amine-pyridine complexes of palladium(II) and the reactivity of the methyl complexes towards CO and allenes, **252**, 203

methyl-, acetyl- and allyl-palladium and -platinum complexes containing novel terdentate PNS and NN'S ligands, **252**, 339

hydrolytic species of the ion *cis*-diaqua(ethylenediamine)-palladium(II) complex and of *cis*-dichloro(ethylenediamine)-palladium(II): fitting its equilibrium models in aqueous media with or without chloride ion, **253**, 23

Para-azacyclophane complexes

hydrophobic effects in the stabilisation of copper(I) by the macrocyclic ligands 16,17,19,20-tetramethyl-2,6,9,13-tetraaza-[14]paracyclophane and 14,15,17,18-tetramethyl-2,5,8,11-tetraaza-[12]paracyclophane, **252**, 123

Paramagnetic complexes

trinuclear iridium and rhodium complexes: the solution to a puzzle involving the multiple coordination possibilities of 1,8-naphthyridine-2-one ligands, **250**, 241

Paramagnetic relaxation

slow paramagnetic relaxation and magnetic splittings in Mössbauer spectra observed for mixed-metal assemblies $\{NBu_4MFe(ox)_3\}_x$ (NBu_4^+ = tetra(n-butyl)ammonium ion; ox^{2-} = oxalate ion; $M = Zn^{2+}, Ni^{2+}, Mn^{2+}$), **253**, 47

Paraquat complexes

a study of pseudo 1-D copper(I) halide systems exhibiting anomalous copper(II) character: physical characterization of (paraquat)-Cu_2X_4 (X = Cl, Br, I), **248**, 73

Pd-catalyzed cross-coupling

synthesis of (porphinato)zinc(II)–spacer–(porphinato)iron(III) chloride complexes: a modular approach to fixed-distance electron-transfer model compounds through the efficacy of metal-mediated cross-coupling, **242**, 211

P-donor substituent complexes
kinetics of associative reactions of $Fe_5C(CO)_{15}$ with P-donor nucleophiles, **252**, 311
Pendant-arm macrocycle complexes
novel geometries exhibited by three palladium(II) macrocyclic complexes: crystal and solution structures, **246**, 349
Pentafluorophenyl complexes
synthesis and structure of $Co_3(\mu_3\text{-}S)(C_6F_5)(CO)_8$, a cobalt carbonyl cluster with an aryl–metal sigma bond, **251**, 35
Pentamethylcyclopentadienyl complexes
pentamethylcyclopentadienylrhodium bis-carboxylates: monohapto carboxylate coordination, dihapto carboxylate coordination, and water coordination to Cp*Rh, **245**, 7
coordination site preference study of Cp^*Ru^+ in monosubstituted naphthalene complexes, **249**, 157
Peptide complexes
fast atom bombardment studies of amino acid and peptide complexes of the uranyl ion: ligand attachment, dissociation and fragmentation, **241**, 105
Peptide hydrolysis
peptide hydrolysis promoted by polynuclear and organometallic complexes of palladium(II) and platinum(II), **243**, 9
Perchlorate salts
complexation properties of polyazaphosphorus macrocycles, **246**, 47
Phenantholine complexes
effect of guest/host interactions on photoinduced electron transfer reactions, **252**, 333
Phenanthrene diimine complexes
excited state properties of $Rh(phi)_2(phen)^{3+}$ and related complexes: a strong photooxidant, **243**, 101
Phenanthroline
excited state properties of $Rh(phi)_2(phen)^{3+}$ and related complexes: a strong photooxidant, **243**, 101
Phenanthroline complexes
the crystal and molecular structure of μ-imidazolatobis [bis(1–10 phenanthroline)copper(II)] nitrate, **243**, 327
the electrocatalysis of hydrogen sulfite oxidation by iron(II) complexes of 1,10-phenanthrolines, **249**, 143
photo-substitution reactions of $Cr(CO)_4$(1,10-phenanthroline). Mechanistic information from entering nucleophile, irradiation wavelength and pressure dependences, **251**, 341
Phenolate bridge complexes
coordination chemistry of mixed pyridine–phenol ligands. The crystal structure of $[Zn(L^1)_2(BPh_2)][BPh_4]$ (HL^1 = 6-(2-hydroxyphenyl)-2,2′-bipyridine), the first example of a phenolate bridge between a transition metal and boron, **241**, 125
Phosphametallacycle complexes
highly diastereoselective formation and structural characterization of [2+2] cycloadducts from the phosphenium complexes $Cp(OC)_2M{=}P(Ph)(o\text{-Tol})$ (M = Mo, W) and isocyanates, **244**, 147
Phosphate anion complexes
transition metal cation and phosphate anion electrochemical recognition in water by new polyaza ferrocene macrocyclic ligands, **246**, 143
Phosphate complexes
monazite- and zircon-type structures of seven mixed (Ln/Ln)PO_4 compounds, **244**, 247
direct intercalation of pyridinium-derivative cations into the α-zirconium phosphate interlayer by a redox reaction and fluorescence behavior of the intercalation compounds, **245**, 101
Phosphate ester hydrolysis
supramolecular complexes of transition-metal(II) ions for the hydrolysis of phosphate esters and of DNA, **251**, 125
Phosphenium complexes
highly diastereoselective formation and structural characterization of [2+2] cycloadducts from the phosphenium complexes $Cp(OC)_2M{=}P(Ph)(o\text{-Tol})$ (M = Mo, W) and isocyanates, **244**, 147
Phosphine complexes
synthesis and properties of ruthenium and palladium iodide complexes of phosphorus, arsenic and antimony ligands, **244**, 65
Phosphine-sulfide complexes
synthesis and characterization of palladium(II) and rhodium(I) complexes coordinated with bis(diphenylphosphinomethyl) sulfide, **245**, 243
Phosphinoamine complexes
preparation, characterization and crystal structure of $Fe((OPPh_2)_2N)_3$, **241**, 111
neutral and cationic nickel(II) complexes of phosphino-amines: $[NiCl_2(PMe_2Ph)(PNMe_2)]$ and $[NiCl(PMe_2Ph)(PNMe_2)]PF_6$ ($PNMe_2$ = *N*,*N*′-dimethyl-2-(diphenylphosphino)aniline), **249**, 131
Phosphino-thioether complexes
light induced sulfur-dealkylation of phosphino-thioether nickel(0) complexes, **250**, 283
Phosphite complexes
synthesis, structure and reactivity of a novel bis(phosphite) tetrarhodium decacarbonyl hydroformylation catalyst precursor, **242**, 125
Phosphorane compounds
six-coordinate phosphorus compounds. Crystal structures and dynamic NMR studies of phosphoranes containing chelating ligands, **250**, 21
Phosphorescence
substrate induced phosphorescence from cyclodextrin lumophore host-guest complexes1, **243**, 239
Phosphorodithioate complexes
synthesis and characterization of oxa and thia metallocanes substituted with phosphorodithioate ligands and crystal and molecular structure of 1,3,6-trithia-2-arsocane dimethylphosphorodithioate, **253**, 31
Phosphorus
reactivity of carbonyl stabilized ylides with Zeise's salt. Synthesis, characterization of mono- and bis-ylidic Pt(II) derivatives and X-ray crystal structure of the $\{PtCl_2[C(H)COCH_3(PPh_2\text{-}o\text{-}C_6H_4)]\}[PPh_3CH_2COCH_3]$ complex, **245**, 157
Phosphorus macrocycles
complexation properties of polyazaphosphorus macrocycles, **246**, 47
Photochemistry
excitation-energy dependent photochemistry and resonance Raman spectra of $Cr(CNPh)_6$, **242**, 17
photochemistry of deca(acetonitrile) dirhodium(II) cation: evidence for kilosecond-lived photoinduced charge separation, **242**, 91
photochemically reactive polymers: synthesis and photochemistry of polyamides containing $Cp_2Mo_2(CO)_6$ molecules along the polymer backbone, **242**, 303
photoinduced arene deligation of a dicationic bis(arene)–iron(II) complex, **247**, 5
alkyl-dependent photochemistry of $Mn(R)(CO)_3(R'\text{-DAB})$ (R = Me, Bz; R′ = iPr, pTol): homolysis of the Mn–R bond for R = Bz and release of CO for R = Me, **247**, 215
photoredox decomposition of tin(II), lead(II), antimony(III) and bismuth(III) iodide complexes in solution, **248**, 107
properties and dynamics of the $\sigma(M'\text{–}Re)\pi^*$ excited state of photoreactive dinuclear $L_nM'\text{–}Re(CO)_3(\alpha\text{-diimine})$ (L_nM' = Ph_3Sn, $(CO)_5Mn$, $(CO)_5Re$; α-diimine = bpy′, iPr-PyCa, iPr-DAB) complexes studied by time-resolved emission and absorption spectroscopies, **250**, 5
the solvent-initiated photochemistry of tris(*N*,*N*-diethyldithiocarbamato)iron(III), **250**, 385
photochemical reactions of transition metal organyl complexes with olefins. XIV. Molecular structure of an intermediate of the light-induced [6+4]-cycloadditions of dienes to tricarbonyl(η^6-1,3,5-cycloheptatriene)chromium(0), **251**, 95

experimental and theoretical studies of the single- and double-CO loss photoproducts of $[CpCo(CO)]_2(\mu\text{-}CH_2)$, **252**, 405

Photochromic ligand complexes

syntheses, structures and properties of palladium(II) complexes with photochromic 4-methoxyazobenzene, **248**, 147

Photolysis

time-resolved near UV circular dichroism and absorption studies of carbonmonoxymyoglobin photolysis intermediates, **242**, 149

the reduction of carbon dioxide employing 1,4,7,10-tetramethyl-1,4,7,10 tetraazacyclododecane nickel(II) as a electron relay catalyst, **246**, 295

the effect of solvent mobility on $Cr(NH_3)_2(NCS)_4^-$ photolysis, **247**, 1

photo-substitution reactions of $Cr(CO)_4$(1,10-phenanthroline). Mechanistic information from entering nucleophile, irradiation wavelength and pressure dependences, **251**, 341

Photophysics

primary photophysical processes of discrete pseudotetrahedral oxovanadium centers dispersed in a silica xerogel matrix, **243**, 185

tuning of the photostability of bis(2,2′-biquinoline)ruthenium(II) complexes containing pyridyltriazole ligands by variation of pH, **245**, 237

effect of guest/host interactions on photoinduced electron transfer reactions, **252**, 333

Photoreduction

photoreduction of zinc- and aluminium-2,3-naphthalocyanine in the presence of azaferrocene and under irradiation with red light ($\lambda > 600$ nm), **249**, 111

Photosubstitution

photoinduced arene deligation of a dicationic bis(arene)–iron(II) complex, **247**, 5

photo-substitution reactions of $Cr(CO)_4$(1,10-phenanthroline). Mechanistic information from entering nucleophile, irradiation wavelength and pressure dependences, **251**, 341

Photosynthesis

engineering photosynthesis: synthetic redox proteins, **243**, 213

Photosystem II

tetra- and pentamanganese(II) macrocyclic complexes with bridging carboxylate groups: product control by pretreatment of manganese acetate solutions, **246**, 171

Phthalocyanine complexes

reaction of carbon dioxide with tetra-t-butylphthalocyaninato-aluminium(III)-ethylate or -ethoxide, **244**, 137

Physical properties

physical properties and hydrolysis kinetics of (μ-oxo)bis{tris(2-pyridylmethyl)aminechromium(III)} dimers with complementary sulfate or molybdate bridging ligands, **242**, 1

Piperazine complexes

the crystal structure of a macrocycle containing pyridine and piperazine subunits, and of a Cu(I) complex of its diprotonated cation, **246**, 119

Planar N-ligand complexes

synthesis and crystal structure of new Ru(III)–sulfoxide complexes containing a planar N-ligand: *mer,cis*-$RuCl_3$(1Me-Im)$_2$(*S*-DMSO) and [4Et-PyH][*trans*-$RuCl_4$(4Et-Py)(*S*-DMSO)], **253**, 87

Plastocyanin

X-ray magnetic circular dichroism at temperatures < 1 K: demonstration with the blue copper site in plastocyanin, **243**, 229

Platinum

peptide hydrolysis promoted by polynuclear and organometallic complexes of palladium(II) and platinum(II), **243**, 9

Platinum(0) complexes

photoreactivity of buckminsterfullerene-bis(triphenylphosphite)platinum(0) induced by metal-to-ligand charge transfer excitation, **250**, 375

Platinum complexes

kinetic study of the reaction of tetramethylplatinum(IV) complexes with acids, **241**, 81

synthesis and antitumor activity of new *trans*-1*R*,2*R*-diaminocyclohexaneplatinum(II) complexes containing disubstituted sulfide groups, **241**, 101

luminescent platinum(II) bis(1,1-dithiolate) complexes, **242**, 225

a comparison of the solution behavior of Pt(II) complexes of *N,N′*- and *N,N*-ethylenediaminediacetate (edda and uedda), **244**, 15

complexes of tert-butyl diphenylphosphinomethyl ketone *N*-phenylhydrazone, *Z*-$PPh_2CH_2C(Bu^t)$=NNHPh, with molybdenum, palladium or platinum: crystal structure of *cis*-[$PdCl_2${*Z*-$PPh_2CH_2C(Bu^t)$=NNHPh}$_2$], **245**, 59

pH-dependent coordination of the glycinato donors of nitrilotriacetatoplatinate(II), [Pt^{II}(nta)], **245**, 149

reactivity of carbonyl stabilized ylides with Zeise's salt. Synthesis, characterization of mono- and bis-ylidic Pt(II) derivatives and X-ray crystal structure of the {$PtCl_2$[C(H)$COCH_3$(PPh_2-*o*-C_6H_4)]}[$PPh_3CH_2COCH_3$] complex, **245**, 157

reactions of 1,2-diaminoethane-*N,N,N′N′*-tetra(*N*-methylacetamide), L, with potassium tetrachloroplatinate(II). Crystal and molecular structures of $Pt(LH_{-2})Cl_2 \cdot 2H_2O$, a novel platinum(IV) complex containing deprotonated amide ligands, and of ($2H^+$-L)[$PtCl_4$], **245**, 257

association of mononuclear and dinuclear platinum tetraamine cations with nucleotides studied by ^{15}N NMR relaxation, **245**, 265

coordination and reactivity of benzyloxycarbonyl-Ala(CN)-OR (R = H, CH_3) in complexes of platinum(II), **245**, 269

synthesis and complexation studies of mesocyclic and macrocyclic polythioethers. XIV. Crown thioether complexes of palladium(II) and platinum(II), **246**, 31

ternary complex of cisplatin with glycine and 1-methyluracil: *cis*-[$(NH_3)_2$Pt(glyH-*N*)(1-MeU-N^3)]$ClO_4 \cdot H_2O$, **247**, 79

a platinum-195 nuclear magnetic resonance investigation of some dihydroxo bridged binuclear platinum(II) sulfoxide complexes, **247**, 267

preparation and small-angle X-ray scattering study of Pt–pyrimidine greens in aqueous solution, **248**, 121

a new amorphous trinuclear complex of Pt(II) with 1,3-thiazolidine-2-thione: [$Pt_3(ttz)_8$]Cl_6, **248**, 203

aspects of the stereochemistry of bis-guanosine-5′-monophosphate diamine platinum complexes, **248**, 225

coordination modes of the novel bifunctional nitrogen ligands 8-(2-pyridyl)quinoline and 8-(6-methyl-2-pyridyl)quinoline towards palladium and platinum. X-ray crystal structures of (8-(2-pyridyl)quinoline)Pd(Me)Cl, (8-(2-pyridyl)quinoline)-Pd(C(O)-Me)Cl and (8-(2-pyridyl)quinoline)Pd(PEt_3)Cl_2, **250**, 87

breast cancer inhibiting diastereomeric diacetato[1,2-bis(4-fluorophenyl)ethylenediamine]platinum(II) derivatives: synthesis and studies on the relationship between reactivity and antitumor activity, **250**, 203

comparison in halide binding ability between the unsaturated clusters [$Pd_3(\mu\text{-dppm})_3(CO)]^{2+}$ and [$PdPtCo(\mu\text{-dppm})_2(CO)_3$-($CN^tBu$)]$^+$ (dppm = $Ph_2PCH_2PPh_2$), **250**, 337

fluxional behavior in platinum(II) complexes of the tridentate ligand 1,1,1-tris(diphenylphosphinomethyl)ethane. Evidence for the importance of *cis* effects in an associative mechanism, **251**, 89

isomerism of amides coordinated to platinum. X-ray crystal structure of dichloro-bisacetamide-platinum(II), **251**, 111

model reactions for the synthesis of organometallic dendrimers containing platinum and palladium, **251**, 319

synthesis, structure and cytotoxic activity of platinum(II) dimers with bridging imidate ligands in head-to-head arrangement, **252**, 5

trimethylsilyldiazomethane as a diazomethane equivalent in the synthesis of (α-halomethyl)platinum(II) complexes, **252**, 33

reactions of the *cis*-diamminediaquaplatinum(II) cation with histidine and related molecules, **252**, 79

methyl-, acetyl- and allyl-palladium and -platinum complexes containing the novel chiral phosphorus-imine 2-(diphenylphosphino)-benzylidene-*S*(−)-α-methyl-benzylamine ligand, **252**, 141
heteronuclear μ-1-methylcytosinato-*N*3,*N*4 complexes containing very short Pt→Cu dative bonds, **252**, 167
methyl-, acetyl- and allyl-palladium and -platinum complexes containing novel terdentate PNS and NN′S ligands, **252**, 339
influence of ancillary ligands in the coordination mode of P and As carbonyl stabilized ylides on Pt(II) systems. X-ray structure of *trans*-$[Pt(PPh_3)_2(CF_3)\{OC(OCH_3)=C(H)(PPh_3)\}][BF_4]\cdot 0.5CH_2Cl_2$, **252**, 355
synthesis, characterization and X-ray crystal structure determination of platinum(II)-diaminoalkane complexes, **253**, 53

Platinum–gold clusters
the electrochemical reactivity of $[Pt(AuPPh_3)_8]^{2+}$ and $[HPt(AuPPh_3)_8]^{+}$ under dihydrogen, **245**, 133

P-, N-donor complexes
pitfalls in limiting studies of reactivity to a family of compounds, **250**, 265

^{31}P NMR
sulfur in Keggin heteropolyanions. Syntheses and multinuclear NMR characterizations (^{31}P, ^{183}W and ^{95}Mo) of γ-$[PW_{10}M_2S_2O_{38}]^{5-}$ (M=Mo, W), **252**, 101

Poling
the linear and non-linear optical properties of some conjugated ferrocene compounds with potent heterocyclic acceptors, **242**, 43

Polyamide complexes
photochemically reactive polymers: synthesis and photochemistry of polyamides containing $Cp_2Mo_2(CO)_6$ molecules along the polymer backbone, **242**, 303

Polyamine complexes
structural studies on $[Mo_3S_4]^{4+}$ and $[Mo_3S_4Cu]^{4+}$ complexes with tripodal ligands providing various N_xO_y ($x+y=3$) donor sets, **250**, 35

Polyamino carboxylate complexes
thermodynamics of Gd(III) complexation by macrocyclic and acyclic polyamino carboxylates, **249**, 13

Polyaurated complexes
aurophilicity at sulfur centers. Synthesis of the polyaurated species $[S(AuPR_3)_n]^{(n-2)+}$ ($n=2$–6), **244**, 95

Polyaza ferrocene ligands
transition metal cation and phosphate anion electrochemical recognition in water by new polyaza ferrocene macrocyclic ligands, **246**, 143

Polydentate amine alcohol complexes
synthesis and characterization of a VO^{3+} complex of a pentadentate amine alcohol ligand: towards hydrolytically stable ligands forming model complexes for vanadium-dependent haloperoxidases, **244**, 221

Polydentate amine complexes
optically active chromium(III) complexes. VIII. Chiroptical and epimeric forms of chloro(1,2-diaminoethane)(1,4,8-triazaoctane)-chromium(III) complexes and the structural characterization of some pentachloroantimonate(III) salts , **247**, 19

Polydentate ligand complexes
a comparison of the solution behavior of Pt(II) complexes of *N*,*N*′- and *N*,*N*-ethylenediaminediacetate (edda and uedda), **244**, 15
synthesis and coordination properties of 6,6′-bis(diphenylphosphinomethyl)-2,2′-bipyridine-*N*,*N*′,*P*,*P*′-tetraoxide, **247**, 29

Polydentate nitrogen ligand complexes
towards thermally robust homogeneous catalysts: Re, Ir and W complexes of the highly thermally stable ligand, tri-2-pyridylamine, **247**, 93

Polydentate polyazine complexes
comparing the spectroscopic and electrochemical properties of ruthenium and osmium complexes of the tridentate polyazine ligands 2,2′:6′,2″-terpyridine and 2,3,5,6-tetrakis(2-pyridyl)pyrazine, **250**, 155

Polydispersity
the preparation of the mixed alkali metal silanolate $K_4Li_4(OSiMe_3)_x(OCMe_3)_{8-x}$ ($8\geqslant x\geqslant 5.7$) and the effects of mixed alkali metals on the anion induced ring opening polymerization of octamethylcyclotetrasiloxane, **244**, 185

Polyene complexes
synthesis and spectroelectrochemical characterization of binuclear complexes of bis(bipyridine)ruthenium and pentaammineruthenium bridged with α,ω-dipyridylcyanines, **251**, 29

Polyhydride complexes
rhenium polyhydrides stabilized by arsine ligands, **249**, 101

Polyhydroxy complexes
structural studies on $[Mo_3S_4]^{4+}$ and $[Mo_3S_4Cu]^{4+}$ complexes with tripodal ligands providing various N_xO_y ($x+y=3$) donor sets, **250**, 35

Polymeric complexes
a polymeric cadmium(II) complex with an olefinic double-betaine containing metal centers in four different coordination environments, $[\{Cd_3(L)_3I_2(H_2O)_6\}_n](CdI_4)_{2n}\cdot nH_2O$ (L=*cis*-(*p*-$Me_2N^+C_5H_4N)_2C_2(CO_2^-)_2$), **245**, 123
synthesis and X-ray crystal structures of novel silver(I) complexes of (*N*-carboxymethyl)dimethylammonioacetate, **249**, 169
synthesis, crystal structures and magnetic behavior of polymeric lanthanide complexes with benzenehexacarboxylic acid (mellitic acid), **249**, 183
formation of very large rings in polymeric lanthanide complexes of *N*,*N*′-*p*-phenylenedimethylenebis(pyrrolidin-2-one), **251**, 141
formation of polymeric cadmium(II) complexes by interlinkage through 1,4-diazoniobicyclo[2.2.2]octane-1,4-diacetate: $[\{Cd(L)X_2(H_2O)_2\}_n]\cdot nH_2O$ (X=Cl, Br) and $[\{Cd(L)I_2\}_n]\cdot nH_2O$ (L=$^-O_2CCH_2N^+(CH_2CH_2)_3$-$N^+CH_2CO_2^-$), **253**, 15

Polymerization
the preparation of the mixed alkali metal silanolate $K_4Li_4(OSiMe_3)_x(OCMe_3)_{8-x}$ ($8\geqslant x\geqslant 5.7$) and the effects of mixed alkali metals on the anion induced ring opening polymerization of octamethylcyclotetrasiloxane, **244**, 185

Polymetallic complexes
heterobi-, tri- and tetra-metallic cyanide-bridged complexes based on pentacarbonylcyanochromate(0) and penta-, *cis*-tetra- and *fac*-triammineruthenium(III) groups: optical metal–metal charge transfer and electrochemical characteristics, **248**, 51

Polynuclear complexes
polynuclear copper(II) complexes with μ_2-1,1-azide bridges. Structural and magnetic properties, **250**, 227
luminescent tetranuclear copper(I) clusters containing tetradentate N,S Schiff base ligands. X-ray crystal structure of Cu_4L_2 (L=*N*,*N*′-(2,2′-diphenyl)-bis(1,3-diphenyl-4-iminomethyl-5-thiopyrazole)), **251**, 291
hydrolytic species of the ion *cis*-diaqua(ethylenediamine)-palladium(II) complex and of *cis*-dichloro(ethylenediamine)-palladium(II): fitting its equilibrium models in aqueous media with or without chloride ion, **253**, 23

Polynuclear thio complexes
structural studies on $[Mo_3S_4]^{4+}$ and $[Mo_3S_4Cu]^{4+}$ complexes with tripodal ligands providing various N_xO_y ($x+y=3$) donor sets, **250**, 35

Polyoxamide cryptands
strong cooperative protonation and copper(II)-assisted hydrolysis of the novel X-ray characterized polyoxamide cryptand 1,4,7,10,13,16,21,24-octaaza-bicyclo[8.8.8] hexacosan-5,6,14,15,22,23-hexone, **246**, 249

Polypyridine complexes

intramolecular electron-transfer reactions of cytochrome b_5 covalently bonded to ruthenium(II) polypyridine complexes: reorganizational energy and pressure effects, **243**, 193
Polypyridinium receptor complexes
halide anion recognition by new acyclic ruthenium(II) bipyridyl–polypyridinium receptors, **251**, 335
Polypyridyl complexes
a rigid cytidine–$Ru^{II}(bpy)_3$ conjugate. A potential precursor for non-covalent electron transfer modeling, **251**, 135
(Porphinato)iron complexes
synthesis of (porphinato)zinc(II)–spacer–(porphinato)iron(III) chloride complexes: a modular approach to fixed-distance electron-transfer model compounds through the efficacy of metal-mediated cross-coupling, **242**, 211
(Porphinato)zinc complexes
synthesis of (porphinato)zinc(II)–spacer–(porphinato)iron(III) chloride complexes: a modular approach to fixed-distance electron-transfer model compounds through the efficacy of metal-mediated cross-coupling, **242**, 211
Porphyrin complexes
kinetics, mechanism and thermodynamics of iron carbon bond dissociation in organo-iron porphyrin complexes, **243**, 19
syntheses and characterization of the ruthenium carbonyl porphyrin complexes Ru(TPP)(CO)(1-MeIm) and Ru(α-PocPivP)(CO)-(1-MeIm), **243**, 57
bicatalyst electrocatalytic reaction of sulfur oxoanions by water-soluble iron porphyrins and iron(II) tris(1,10-phenanthroline), **244**, 155
synthesis and characterization of superstructured rhodium porphyrins, **244**, 171
characteristics of complexation reaction of tetraphenylporphine with zinc(II) at solid–liquid interface, **245**, 105
catalytic oxidation of benzylic amines to imines by M(TPP)CL (M = Fe, Mn) followed by reduction to secondary amines, **247**, 71
the kinetic influence of increasing steric hindrance to metallation by zinc(II) which accompanies the inclusion of 5,10,15,20-*meso*(tetraphenyl)porphyrin into capped and quadruply bridged closely spaced bis-porphyrin structures, **247**, 195
kinetic study of anation reaction of *meso*-tetrakis-(*p*-sulfonatophenyl)porphinatodiaquaruthenate(III) with thiocyanate ion in aqueous solution, **248**, 23
reactions of ferric porphyrins and thiols. The reaction of the haem octapeptide, *N*-acetylmicroperoxidase-8, with cysteine, **248**, 115
electrochemical and spectroscopic behavior of dicobalt cofacial diporphyrins. The redox sites revisited, **248**, 181
a rigid cytidine–$Ru^{II}(bpy)_3$ conjugate. A potential precursor for non-covalent electron transfer modeling, **251**, 135
metallomacrocycles with metal–metal bonds: synthesis, characterization and electrochemistry of $[(P)SnRe(CO)_5]BF_4$ and $[\{(P)Sn\}_2Re(CO)_4]BF_4$ derivatives, where P = tetra-*p*-tolylporphyrin or tetra-*m*-tolylporphyrin, **252**, 375
Porphyrins
single-stranded nucleic acids as templates for porphyrin assembly formation, **246**, 7
Post-transition metal complexes
the interaction of transition and post-transition metal ions with 14- and 16-membered *trans* N_2X_2-donor macrocycles (X = NH, O, S): stabilities and X-ray structures, **246**, 371
Potentiometry
coordination of monocarboxylates in lanthanide(III) complexes, **245**, 51
Propene
competing nickel-catalysed dimerisation and degenerate isomerisation of propene, **252**, 229
Protein
kinetic studies on the reduction of the R2 protein of *E. coli* ribonucleotide reductase by $[Co(sep)]^{2+}$ and $[Co(9\text{-}aneN_3)_2]^{2+}$, **242**, 165
Protein aromatic side chains
time-resolved near UV circular dichroism and absorption studies of carbonmonoxymyoglobin photolysis intermediates, **242**, 149
Protein complexes
an exchange coupling model for the $Fe_4S_4^{3+}$ polymetallic center present in high potential iron-sulfur proteins, **243**, 91
Protein electrochemistry
protein determinants of metal site reduction potentials: site-directed mutagenesis studies of *Clostridium pasteurianum* rubredoxin, **242**, 245
Protein electron transfer
a method to analyze multi-pathway effects on protein mediated donor-acceptor coupling interactions, **243**, 167
Protein function
site-directed replacement of the invariant lysine 73 of *Saccharomyces cerevisiae* iso-1-cytochrome *c* with all ribosomally encoded amino acids, **242**, 97
Protein–protein complexation
site-directed replacement of the invariant lysine 73 of *Saccharomyces cerevisiae* iso-1-cytochrome *c* with all ribosomally encoded amino acids, **242**, 97
Protolysis
protolysis and Mg^{2+} binding of Methylthymol Blue, **241**, 13
Protonation
study of protonation of 1,4,7-tris(2-hydroxyethyl)-1,4,7-triazacyclononane, and its complexes with metal ions, by crystallography, polarography, potentiometry, molecular mechanics and NMR, **246**, 159
synthesis and protonation behaviour of the macrocycle 2,6,10,13,17,21-hexaaza[22]metacyclophane. Thermodynamic and NMR studies on the interaction of 2,6,10,13,17,21-hexaaza[22]metacyclophane and on the open-chain polyamine 4,8,11,15-tetraazaoctadecane-1,18-diamine with ATP, ADP and AMP, **246**, 287
Pulse radiolysis
electron transfer barriers for ground- and excited-state redox couples: *trans*-dioxo(1,4,8,11-tetramethyl-1,4,8,11-tetraazacyclotetradecane)osmium(VI)/osmium(V), **243**, 39
the pH dependence of intramolecular electron transfer in azurins, **243**, 127
study of the reactions of palladium(II) macrocyclic tetraamine complexes with hydroxyl and methyl radicals, **246**, 59
Purple acid phosphatases
diiron(III) complexes of some relevance to the purple acid phosphatases, **243**, 1
P-ylide complexes
influence of ancillary ligands in the coordination mode of P and As carbonyl stabilized ylides on Pt(II) systems. X-ray structure of *trans*-$[Pt(PPh_3)_2(CF_3)\{OC(OCH_3)=C(H)(PPh_3)\}][BF_4] \cdot 0.5CH_2Cl_2$, **252**, 355
Pyrazinic acid complexes
the roles of N- and O-coordination in the crystal and molecular structures of uranyl complexes with anthranilic and pyrazinic acids, **248**, 241
Pyrazolonato complexes
pyrazolonato complexes of lead. Crystal structures of bis(1-phenyl-3-methyl-4-acetyl pyrazolonato)lead(II) and bis(1-phenyl-3-methyl-4-butanoylpyrazolonato)lead(II), **250**, 173
Pyrazolone complexes
synthesis and complexation of macrocycles containing two pyrazolone sub-units, **246**, 217
Pyrazolyl-borate ligand complexes
imido and amido complexes of hydrotris(pyrazolyl)borate-rhenium, **251**, 325
Pyrazolyl borato complexes
spectroscopic properties and ligand field parameters of bis(hydrotris(1-pyrazolyl)borato) trivalent metal complexes: anomalous cova-

lency in the metal–pyrazolyl nitrogen bond and energy level splittings due to anisotropic π bonding, **249**, 135
Pyrazolyl-bridged dimers
pyrazolyl-bridged iridium dimers. 15. Synthesis of binuclear cyclopentadienyl Ir(III) complexes and the rhodium analogues: reductive access to the bimetal (II) state, **243**, 47
Pyrazolyl iridium
pyrazolyl-bridged iridium dimers. 15. Synthesis of binuclear cyclopentadienyl Ir(III) complexes and the rhodium analogues: reductive access to the bimetal (II) state, **243**, 47
Pyridazine complexes
ligand behaviour of a bis-pyridazinecarboxamide copper(II) complex towards nickel(II) β-diketonates. X-ray crystal structure of Cu(bpdpn)Ni(hfacac)$_2$ (H_2bpdpn = *N*,*N*′-bis-(3′-pyridazinecarboxamide)-1,3-propane, Hhfacac = hexafluoroacetylacetone), a heterometallic bridged complex, **245**, 231
Pyridine
^{1}H NMR studies of pyridine binding to metmyoglobin, **249**, 239
Pyridine-2-carbaldehyde 2′-pyridylhydrazone complexes
synthesis and structural characterisation of a pair of linkage isomers of copper(I) pyridine-2-carbaldehyde 2′-pyridylhydrazone complexes, **249**, 47
Pyridine complexes
syntheses of a new segmental penta-heterocyclic ligand and its dinuclear ruthenium(II) complex, **244**, 3
trivalent mononuclear *mer*-trichlorotris(pyridine)tantalum(III): preparation and structure in three crystalline forms, **245**, 115
the crystal structure of a macrocycle containing pyridine and piperazine subunits, and of a Cu(I) complex of its diprotonated cation, **246**, 119
Pyrimidine complexes
syntheses of a new segmental penta-heterocyclic ligand and its dinuclear ruthenium(II) complex, **244**, 3
preparation and small-angle X-ray scattering study of Pt–pyrimidine greens in aqueous solution, **248**, 121
Pyrrole-derived
the template synthesis and X-ray characterization of pyrrole-derived hexadentate uranyl(VI) Schiff-base macrocyclic complexes, **246**, 23
Pyrrolidine ligand complexes
synthesis and characterisation of chiral Cu(I) complexes with substituted-pyrrolidine-ligands bearing a triethoxysilyl group and preparation of heterogenised catalysts on USY-zeolites, **244**, 79
Pyrrolizinate complexes
electrochemical reduction of the bis(1,2,6,7-tetracyano-3,5-dihydro-3,5-diimino-pyrrolizinido)palladium(II) complex: syntheses and properties of its radical monoanion as the tetraethylammonium salt, **247**, 75
Pyrrolyl complexes
solution thermochemical study of ligand substitution reaction of novel pyrrolyl-substituted tertiary phosphine ligands in the $L_2Fe(CO)_3$ system, **252**, 107

Quadruple-bonded complexes
syntheses and structural characterization of quadruple-bonded complexes $Mo_2X_2Tp_2$ (X = Cl or Br; Tp = $HBpz_3$, pz = pyrazolyl); transformation of η^2-Tp to η^3-Tp, **249**, 115
Quadruple bonding
a study of the geometry of the $[Re_2Br_8]^{2-}$, $[Re_2I_8]^{2-}$ and $[Mo_2Cl_8]^{4-}$ ions in the lowest $^1A_{2u}$ excited state by the application of the sum-over-states method to resonance Raman band intensities, **243**, 249
Quadruply bonded complexes
the synthesis and characterization of α-$W_2Cl_4(dppp)_2$, **245**, 81
Quadruply bonded metal complexes
Zeeman-effect studies of the electronic absorption spectrum of octachlorodirhenate(2-) (Re≡Re) in pulsed 50-Tesla magnetic fields, **243**, 309
Quenching
competitive energy-transfer and reductive quenching of the CT excited states of copper(I) phenanthrolines, **242**, 143
Quinolinium
direct intercalation of pyridinium-derivative cations into the α-zirconium phosphate interlayer by a redox reaction and fluorescence behavior of the intercalation compounds, **245**, 101

Racemate complexes
the phenomenon of conglomerate crystallization. Part 44. The crystallization behavior of [*cis*-Co(tren)$(NO_2)_2$]BF_4 (**I**), [*cis*-Co(tren)$(NO_2)_2]_2SiF_6$ (**II**), the space group of [*cis*-Co(tren)$(NO_2)_2$]I (**III**) and some bio-inorganic observations derived from their stereochemistry, **252**, 391
Radical chain reaction
thermal substitution reactions of the heterodinuclear complex $CpFe(CO)_2Co(CO)_4$ with phosphorus ligands, **242**, 271
Reactivity complexes
reactivity, variable temperature solution ^{1}H NMR studies and MO calculations of dimolybdenum allenylidene complexes of the type [(η^5-$C_5H_5)_2Mo_2(CO)_4$(μ,η^2(4e)-C=C=CR1R2)], **250**, 119
Redox chemistry
transition metal complexes with sulfur ligands. Part CXIV. Alkylation, substitution reactions, electrochemistry and structure of nitrosyl and carbonyl complexes with the [Mo('S_4')] fragment ('S_4'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−)), **244**, 213
iron–hydroxypyridone redox chemistry: kinetic and thermodynamic limitations to Fenton activity, **245**, 199
phenylalanine 48 of *Chromatium vinosum* high potential iron protein is essential for stability of the oxidized [Fe_4S_4] cluster. Site-directed mutagenesis and NMR studies as a probe of cluster chemistry, **251**, 285
Redox properties
reaction of $FcCCo_3(CO)_9$ with 2,3-bis(diphenylphosphino)maleic anhydride (bma). X-ray diffraction structure and redox properties of $Co_3(CO)_6$[μ_2-η^2:η^1-C(Fc)C=C(PPh_2)C(O)OC(O)](μ_2-PPh_2), **250**, 195
synthesis of a new 4Fe–4S cluster with a biomimetic bulky thiolate ligand as model for the $[Fe_4S_4]^{2+/3+}$ states of high potential iron–sulfur proteins, **251**, 119
Redox switching
organometallic amphiphiles: novel mechanisms for redox chemical control of aggregation behavior, **250**, 59
Reduced blue copper sites
electronic structure of the oxidized and reduced blue copper sites: contributions to the electron transfer pathway, reduction potential, and geometry, **243**, 67
Reduction
kinetic studies on the reduction of the R2 protein of *E. coli* ribonucleotide reductase by $[Co(sep)]^{2+}$ and $[Co(9\text{-}aneN_3)_2]^{2+}$, **242**, 165
charge transfer rate constants for the reduction of cobaltocenium at accumulated N-Si electrodes, **242**, 311
Remetalation
aspects of the demetalation and remetalation of ceruloplasmin, **250**, 75
Reorganization energy
reorganization energies and rate constants for electron reactions in glass-forming media and proteins, **243**, 233
Resolution
the resolution of *cis*-$[Ru(phen)_2(CH_3CN)_2]^{2+}$ (phen = 1,10-phenanthroline), and its use in the synthesis of chiral *cis*-$[Ru(phen)_2X_2]^{n+}$ species (n = 0, 2; X = CN^-, Cl^-, py), **249**, 5
Resonance Raman spectroscopy
vibrational analysis and resonance Raman spectra of polycrystalline and matrix-isolated $[CpFe(CO)_2]_2$, **251**, 157

Resonating valence bond
four-site four-electron model for Bi(III)–Bi(V) mixed valence complex, **250**, 189
Rhenium complexes
reactions of the dirhenium(II) complexes $Re_2X_4(dppm)_2$ (X = Cl, Br; dppm = $Ph_2PCH_2PPh_2$) with isocyanides. VI. Further studies on isomers of the edge-sharing bioctahedral species $[Re_2Cl_3(\mu\text{-}dppm)_2(CO)(CNxyl)_2]^+$, **242**, 81
outer-sphere electron transfer in methylene chloride: concentration, salt, and temperature dependences of the oxidation of *trans*-ReX_2(*cis*-1,2-bis(diphenylphosphino)ethylene)$_2$ (X = Cl, Br) by the clathrochelate [Co(1,2-cyclohexanedionedioximate)$_3$-(BButyl)$_2$]BF_4, **242**, 159
photophysical properties of tricarbonyl(histidine)(diimine)-rhenium(I) complexes in aqueous solution, **242**, 179
a study of the geometry of the $[Re_2Br_8]^{2-}$, $[Re_2I_8]^{2-}$ and $[Mo_2Cl_8]^{4-}$ ions in the lowest $^1A_{2u}$ excited state by the application of the sum-over-states method to resonance Raman band intensities, **243**, 249
isothiocyanato complexes of rhenium VI. Synthesis, characterization and structures of *cis*-and *trans*-$[ReCl_2(NCS)(Me_2PhP)_3]$, **244**, 109
synthesis and structural characterization of complexes of the {Cp*Rh} and {MeRe} cores with pyridine-2-thiol ligand types. Structures of MeReO(η^2-2-SC_5H_3N-3-SiMe)$_2$ and (η^5-Me_5C_5)Rh(η^2-2-SC_5H_3N-3-$SiMe_3$)(η^1-2-SC_5H_3N-3-$SiMe_3$), **244**, 199
towards thermally robust homogeneous catalysts: Re, Ir and W complexes of the highly thermally stable ligand, tri-2-pyridylamine, **247**, 93
character and picosecond dynamics of the excited states of [Re(Br)-$(CO)_3$(α-diimine)] complexes as a function of the α-diimine ligand: 4,4′-di-methyl-2,2′-bipyridine, *N*,*N*-di-*p*-tolyl-1,4-diaza-butadiene and *N*,*N*-di-*p*-anisyl-1,4-diaza-butadiene, **247**, 247
ligand exchange reactions starting from $[Re(CO)_3Br_3]^{2-}$. Synthesis, characterization and structures of rhenium(I) tricarbonyl complexes with thiourea and thiourea derivatives, **248**, 193
rhenium polyhydrides stabilized by arsine ligands, **249**, 101
properties and dynamics of the σ(M′–Re)π^* excited state of photoreactive dinuclear L_nM'–Re(CO)$_3$(α-diimine) (L_nM' = Ph_3Sn, $(CO)_5Mn$, $(CO)_5Re$; α-diimine = bpy′, iPr-PyCa, iPr-DAB) complexes studied by time-resolved emission and absorption spectroscopies, **250**, 5
the synthesis, fluctionality and structural characterization of $ReMo_3H_4(CO)_{12}$, **250**, 15
spectroelectrochemical characterization of nitridorhenium porphyrins, **251**, 105
imido and amido complexes of hydrotris(pyrazolyl)borate-rhenium, **251**, 325
metallomacrocycles with metal–metal bonds: synthesis, characterization and electrochemistry of $[(P)SnRe(CO)_5]BF_4$ and $[\{(P)Sn\}_2Re(CO)_4]BF_4$ derivatives, where P = tetra-*p*-tolylporphyrin or tetra-*m*-tolylporphyrin, **252**, 375
the synthesis and characterization of $[MCl_3(N{=}NC_5H_4NH)(HN{=}NC_5H_4N)]$ from $[MO_4]^-$ (where M = Re, Tc) organodiazenido, organodiazene-chelate complexes. The X-ray structure of $[ReCl_3(N{=}NC_5H_4NH)(HN{=}NC_5H_4N)]$, **252**, 421
the synthesis, characterization and X-ray crystal structure of the rhenium organodiazenido, organodiazene complex $[ReCl_2(PPh_3)(N{=}NC_5H_4N)(HN{=}NC_5H_4N)]$, **252**, 427
Rhodium
excited state properties of Rh(phi)$_2$(phen)$^{3+}$ and related complexes: a strong photooxidant, **243**, 101
Rhodium-catalyzed
silylcyclocarbonylation (SiCCa) of alkynylamines catalyzed by rhodium complexes, **251**, 299
Rhodium complexes
photochemistry of deca(acetonitrile) dirhodium(II) cation: evidence for kilosecond-lived photoinduced charge separation, **242**, 91
synthesis, structure and reactivity of a novel bis(phosphite) tetrarhodium decacarbonyl hydroformylation catalyst precursor, **242**, 125
the effect of axial coordination and ligand strain on the multielectron-transfer chemistry of d^8d^8 rhodium isocyanide complexes: UV-vis-IR spectroelectrochemical studies, **243**, 219
synthesis and characterization of superstructured rhodium porphyrins, **244**, 171
synthesis and structural characterization of complexes of the {Cp*Rh} and {MeRe} cores with pyridine-2-thiol ligand types. Structures of MeReO(η^2-2-SC_5H_3N-3-SiMe)$_2$ and (η^5-Me_5C_5)Rh(η^2-2-SC_5H_3N-3-$SiMe_3$)(η^1-2-SC_5H_3N-3-$SiMe_3$), **244**, 199
pentamethylcyclopentadienylrhodium bis-carboxylates: monohapto carboxylate coordination, dihapto carboxylate coordination, and water coordination to Cp*Rh, **245**, 7
synthesis and characterization of palladium(II) and rhodium(I) complexes coordinated with bis(diphenylphosphinomethyl) sulfide, **245**, 243
carbonylation reactions of $Rh(PPh_3)_3Cl$ and $Ru(PPh_3)_3Cl_2$ in the solid state, **249**, 79
trinuclear iridium and rhodium complexes: the solution to a puzzle involving the multiple coordination possibilities of 1,8-naphthyridine-2-one ligands, **250**, 241
valence localization in [M(triphos)(3,5-di-tert-butyl-catecholate)]$^+$ ions (M = Co, Rh or Ir) probed by resonance Raman spectroscopy, **252**, 157
Ring opening
the preparation of the mixed alkali metal silanolate $K_4Li_4(OSiMe_3)_x$-$(OCMe_3)_{8-x}$ ($8 \geqslant x \geqslant 5.7$) and the effects of mixed alkali metals on the anion induced ring opening polymerization of octamethylcyclotetrasiloxane, **244**, 185
Robson-type ligand complexes
magnetic interaction in the keto and enol forms of binuclear copper(II) complexes with a Robson-type ligand. X-ray crystal structure of $[Cu_2(HL)(\mu\text{-}N_3)(H_2O)(C_2H_5OH)(ClO_4)]$, **248**, 135
Rubredoxin complexes
models for the iron-sulfur protein rubredoxin: the use of sterically hindered thiolate ligands to stabilize $[Fe(SR)_4]^{1-}$ complexes; some considerations of the structure of the $[Fe(S\text{-}Cys)_4]$ centers in oxidized rubredoxins, **243**, 333
Ru-modified
tunneling matrix element in Ru-modified blue copper proteins: pruning the protein in search of electron transfer pathways, **243**, 271
Ruthenium complexes
unusual electrochemical and spectroscopic behavior in a ligand-bridged binuclear complex of ruthenium(II): tetrakis(2,2′-bipyridine)-(μ-2,4,6-tris(2-pyridyl)triazine)diruthenium(II), **241**, 1
the activation of C–H bonds via Ru–Ru bond fission, **241**, 11
distortions from trigonal prismatic geometry for several structurally characterized clathrochelate complexes: significance of π-back-bonding on clathrochelate coordination geometry, **241**, 21
basal site substitution in the sulfido-bridged cluster $Ru_3(CO)_9(\mu_3\text{-}S)_2$ by the redox-active diphosphine 4,5-bis(diphenylphosphino)-4-cyclopenten-1,3-dione (bpcd). Synthesis, X-ray structure and electrochemical properties of $Ru_3(CO)_7$(bpcd)(μ_3-S)$_2$, **241**, 71
mononuclear and dinuclear ruthenium(III) and ruthenium(IV) complexes of 1,4-dicyanamido-2,5-dimethylbenzene dianion, **242**, 63
chiral ruthenium(IV)-oxo complexes. Structure, reactivities of $[Ru(terpy)(N\frown N)O]^{2+}$ ($N\frown N$ = *N*,*N*,*N*′,*N*′-tetramethyl-1,2-diaminocyclohexane) and $[Ru(Me_3tacn)(cbpy)O]^{2+}$ (cbpy = (−)-3,3′-[(4*S*-*trans*)-1,3-dioxolane-4,5-dimethyl]-2,2′-bipyridine), **242**, 105
oxidation of DNA by *trans*-dioxoruthenium(VI) complexes: self-inhibition of DNA cleavage by metal complexes, **242**, 219
dinuclear Ru^{II} and/or Os^{II} complexes of bis-bipyridine bridging ligands containing adamantane spacers: synthesis, luminescence

properties, intercomponent energy and electron transfer processes, **242**, 281
bis(2,2′-bipyridine)(1,2-diimino-9,10-anthraquinone)ruthenium(II): a complex containing an exceptionally strong pi-accepting α–α' diimine ligand. I. Synthesis, crystal and electronic structures, **242**, 293
syntheses and characterization of the ruthenium carbonyl porphyrin complexes Ru(TPP)(CO)(1-MeIm) and Ru(α-PocPivP)(CO)-(1-MeIm), **243**, 57
reaction of (η^1-allenyl)dicarbonyl(η^5-cyclopentadienyl)ruthenium with nonacarbonyldiiron: synthesis and characterization of iron-ruthenium mixed-metal products, **243**, 109
intramolecular electron transfer in cyanide-bridged ruthenium dimers, **243**, 135
intramolecular electron-transfer reactions of cytochrome b_5 covalently bonded to ruthenium(II) polypyridine complexes: reorganizational energy and pressure effects, **243**, 193
site-specific modification of α-helical peptides with electron donors and acceptors, **243**, 207
syntheses of a new segmental penta-heterocyclic ligand and its dinuclear ruthenium(II) complex, **244**, 3
synthesis and properties of ruthenium and palladium iodide complexes of phosphorus, arsenic and antimony ligands, **244**, 65
the synthesis and structure of bis(1,4,7-trithiacyclodecane)-ruthenium(II) perchlorate: the *meso* diastereoisomer, **244**, 73
chemical and electrochemical investigation of $Cs_4[Ru_2(SO_4)_2(\mu\text{-}SO_4)_2(\mu\text{-}O)_2]\cdot 2H_2O$, **244**, 191
synthesis and characterisation of a heterodinuclear ruthenium(II)–palladium(II) complex with two different cyclometallating sites, **245**, 69
amplification of metal-to-metal communication in the ruthenium(IV)–ruthenium(III) mixed-valence state of binuclear β-diketonato-ruthenium complexes by inserting thiophene and anthracene units into acetylene linkers, **245**, 87
synthesis and characterization of the first series of isolable (nitro)ruthenium(III) complexes: a decomposition mechanism of the (nitro)ruthenium(III) moiety, **245**, 167
electrospray mass spectrometry of neutral π-hydrocarbon organometallic complexes, **245**, 209
structural properties of *trans*-chloro(4-acetylpyridine)(1,4,8,11-tetraazacyclotetradecane)ruthenium(II) tetrafluoroborate, *trans*-[RuCl(cyclam)(4-acpy)](BF_4), by X-ray diffraction and NMR spectroscopy, **245**, 215
tuning of the photostability of bis(2,2′-biquinoline)ruthenium(II) complexes containing pyridyltriazole ligands by variation of pH, **245**, 237
syntheses of *cis*- and *trans*-tetraamminedichlororuthenium(III) chloride, **247**, 129
syntheses, absorption spectra, electrochemistry and MLCT excited-state properties of $[Ru(imin)_n(bpy)_{3-n}](PF_6)_2$ (n = 0–3, imin = 2-(*N*-methylformimidoyl)pyridine) complexes, **247**, 155
regioselective and stereoselective PPh_3 substitution in the imido-capped cluster $Ru_3(CO)_{10}(\mu_3\text{-NPh})$. Electrochemical properties and X-ray diffraction structures of $Ru_3(CO)_9(PPh_3)(\mu_3\text{-NPh})$ and $Ru_3(CO)_8(PPh_3)_2(\mu_3\text{-NPh})\cdot 1/2CH_2Cl_2$, **247**, 161
kinetic study of anation reaction of *meso*-tetrakis-(*p*-sulfonatophenyl)porphinatodiaquaruthenate(III) with thiocyanate ion in aqueous solution, **248**, 23
heterobi-, tri- and tetra-metallic cyanide-bridged complexes based on pentacarbonylcyanochromate(0) and penta-, *cis*-tetra- and *fac*-triammineruthenium(III) groups: optical metal–metal charge transfer and electrochemical characteristics, **248**, 51
the resolution of *cis*-$[Ru(phen)_2(CH_3CN)_2]^{2+}$ (phen = 1,10-phenanthroline), and its use in the synthesis of chiral *cis*-$[Ru(phen)_2X_2]^{n+}$ species (n = 0, 2; X = CN^-, Cl^-, py), **249**, 5
importance of steric effects upon the synthesis of {(η_6-arene)RuCl}-*C,N*-cyclometallated amines, **249**, 63
carbonylation reactions of $Rh(PPh_3)_3Cl$ and $Ru(PPh_3)_3Cl_2$ in the solid state, **249**, 79
coordination site preference study of Cp^*Ru^+ in monosubstituted naphthalene complexes, **249**, 157
effect of second-sphere coordination 6. Adduct formation of monoammine-, diammine-, triammine- and tetraammineruthenium(II) complexes with 18-crown-6 ether, **249**, 201
magnetic circular dichroism spectroscopy of the hexacyano complexes of Ru(III) and Os(III), **249**, 231
multinucleating ligands from multiple palladium(0)-catalysed cross-coupling reactions — synthesis and characterisation of a trinuclear cyclometallated ruthenium(II) complex and a hexanuclear EPR-active molybdenum complex, **250**, 29
reactions between ruthenium cluster carbonyls and 1,4-diphenylbuta-1,3-diyne, **250**, 129
comparing the spectroscopic and electrochemical properties of ruthenium and osmium complexes of the tridentate polyazine ligands 2,2′:6′,2″-terpyridine and 2,3,5,6-tetrakis(2-pyridyl)pyrazine, **250**, 155
reduction of a diruthenium bridging vinylidene species $Cp_2Ru_2(\mu\text{-}C{=}CH_2)(CO)(\mu\text{-}CO)(MeCN)$ by hydrosilane leading to a vinyl complex $Cp_2Ru_2(\mu\text{-}CH{=}CH_2)(CO)_2(SiR_3)$ and vinylsilane: a model system for production of an olefinic product from a vinylidene intermediate, **250**, 177
substitution reaction mechanisms of dihydrido-ruthenium(II) phosphine complexes: hydride basicity and molecular hydrogen intermediates, **250**, 351
a very strong metal–metal interaction in a dinuclear ruthenium(II) complex with the dianion of 2,3-dihydroxy-but-2-enal as a compartmental bridging ligand, **251**, 9
synthesis and spectroelectrochemical characterization of binuclear complexes of bis(bipyridine)ruthenium and pentaammineruthenium bridged with α,ω-dipyridylcyanines, **251**, 29
benzynechromium tricarbonyl. Further synthetic studies, **251**, 53
reactions of functionalised aryl groups σ-bound to ruthenium(II), **251**, 65
a rigid cytidine–$Ru^{II}(bpy)_3$ conjugate. A potential precursor for non-covalent electron transfer modeling, **251**, 135
photoinduced intercomponent energy transfer in covalently-linked dinuclear complexes containing Ru(II)–bipyridine and Ru(II)–biquinoline chromophores and aromatic and aliphatic spacers, **251**, 255
halide anion recognition by new acyclic ruthenium(II) bipyridyl–polypyridinium receptors, **251**, 335
convergent synthesis of an octadecaruthenium metallodendrimer, **252**, 9
effect of guest/host interactions on photoinduced electron transfer reactions, **252**, 333
one-step syntheses of Ph_3P-substituted selenido carbonyl iron and ruthenium clusters. Part 2. Crystal structures of $Fe_2(\mu_2\text{-}Se_2)(CO)_{6-n}(PPh_3)_n$ (n = 1 or 2), $Fe_3(\mu_3\text{-}Se)_2(CO)_8(PPh_3)$ and $Ru_4(\mu_4\text{-}Se)_2(\mu\text{-}CO)_2(CO)_8(PPh_3)$, and HPLC behaviour of the iron derivatives, **252**, 367
electrocatalytic reduction of carbon dioxide by mixed-metal trimetallic complexes of the form $\{[(bpy)_2Ru(BL)]_2IrCl_2\}^{5+}$ where bpy = 2,2′-bipyridine and BL = 2,3-bis(2-pyridyl)quinoxaline (dpq) or 2,3-bis(2-pyridyl)benzoquinoxaline (dpb), **253**, 7
η^2 complexes of $[Ru^{II}(hedta)]^-$: sensitivity of the ^1H NMR chemical shifts of the olefinic protons to alpha ring substituents, **253**, 65
synthesis and crystal structure of new Ru(III)–sulfoxide complexes containing a planar N-ligand: *mer,cis*-$RuCl_3(1Me\text{-}Im)_2$(*S*-DMSO) and [4Et-PyH][*trans*-$RuCl_4$(4Et-Py)(*S*-DMSO)], **253**, 87
structural analyses of two hexacyanoruthenate(II) complexes, **253**, 97

Ruthenium organometallic
synthesis and characterisation of a novel ruthenium organometallic *cis*-$[Ru(bpy)_2(npp)(Cl)]\cdot BF_4$ where bpy = 2,2′-bipyridyl and npp = 4-(*N*-pyrrolyl)pyridine, **244**, 277

Rutheniun complexes
synthesis and complexation of macrocycles containing two pyrazolone sub-units, **246**, 217

Salicylaldiminato-(*N*:*O*) complexes
methylnickel compounds containing trimethylphosphine and salicylaldiminato(*N*:*O*) ligands, **248**, 111
Salophen complexes
the uranyl unit as electrophilic catalyst of acyl transfer reactions, **246**, 181
Sandwich complex
complexation properties of polyazaphosphorus macrocycles, **246**, 47
sar
EPR spectra for high- and low-spin Co^{II} encapsulated complexes, **241**, 5
SAXS
preparation and small-angle X-ray scattering study of Pt–pyrimidine greens in aqueous solution, **248**, 121
Schiff base complexes
substituent effects on the electrochemical behaviour of iron(II) in Schiff bases derived from ferrocene and their cyclopalladated compounds, **244**, 141
the template synthesis and X-ray characterization of pyrrole-derived hexadentate uranyl(VI) Schiff-base macrocyclic complexes, **246**, 23
two novel types of metal complexes derived from tripod amines and acetylacetone, **246**, 413
lanthanide(III) complexes with a podand Schiff base containing an N_4O_3 coordination site, **247**, 143
syntheses, absorption spectra, electrochemistry and MLCT excited-state properties of $[Ru(imin)_n(bpy)_{3-n}](PF_6)_2$ ($n=0$–3, imin = 2-(*N*-methylformimidoyl)pyridine) complexes, **247**, 155
the preparation, characterization, crystal structure and biological activities of some copper(II) complexes of the 2-benzoylpyridine Schiff bases of *S*-methyl- and *S*-benzyldithiocarbazate, **249**, 207
Schiff base macrocycle complexes
dinuclear silver(I) complexes of 24-membered bibracchial tetraimine Schiff base macrocycles derived from 2,5-diformylthiophene, **250**, 139
Schiff-base polymer complexes
eight-coordinate Schiff-base zirconium polymers: synthesis, characterization and properties, **251**, 81
Second-sphere coordination
effect of second-sphere coordination 6. Adduct formation of monoammine-, diammine-, triammine- and tetraammineruthenium(II) complexes with 18-crown-6 ether, **249**, 201
Selenium complexes
one-step syntheses of Ph_3P-substituted selenido carbonyl iron and ruthenium clusters. Part 2. Crystal structures of $Fe_2(\mu_2\text{-}Se_2)(CO)_{6-n}(PPh_3)_n$ ($n=1$ or 2), $Fe_3(\mu_3\text{-}Se)_2(CO)_8(PPh_3)$ and $Ru_4(\mu_4\text{-}Se)_2(\mu\text{-}CO)_2(CO)_8(PPh_3)$, and HPLC behaviour of the iron derivatives, **252**, 367
Selenocyanate complexes
syntheses and X-ray crystal structures of the bismuth(III) thiocyanate and selenocyanate complexes $[K_3(dmpu)_4][Bi(SCN)_6]$ and $[K_3(dmpu)_4][Bi(SeCN)_6]$ (dmpu = *N*,*N*′-dimethylpropylene urea), **248**, 263
Self-assembled monolayers
self-assembled monolayers of dithiols, diisocyanides, and isocyanothiols on gold: 'chemically sticky' surfaces for covalent attachment of metal clusters and studies of interfacial electron transfer, **242**, 115
Self-assembly
macrocyclic dinuclear complexes self-assembled from $(en)Pd(NO_3)_2$ and pyridine-based bridging ligands, **246**, 53
Semi-empirical calculations
do aromatic transition states lower barriers to silatropic shifts? A synthetic, NMR spectroscopic, and computational study, **251**, 355
Shift reagent complexes
^7Li, ^6Li, ^{23}Na and ^{133}Cs multinuclear NMR studies of adducts formed with shift reagent, $TmDOTP^5$, **246**, 331
Short bite ligands
$[Os_3(H)_2(CO)_{10}]$ derivatives containing the short bite ligands bis(diphenylphosphino)methane and 2-(diphenylphosphino)-pyridine, **248**, 257
Silica xerogel matrix
primary photophysical processes of discrete pseudotetrahedral oxovanadium centers dispersed in a silica xerogel matrix, **243**, 185
Silicon compounds
an improved synthesis of trimethylsilylcyanide and its reaction with trimethylaluminium, **245**, 97
metal selective redox processes in the ternary compound ZrSiTe, **252**, 47
Silicon dendrimers
organometallic silicon-based dendrimers with peripheral Si–cyclopentadienyl, Si–Co and Si–Fe σ-bonds, **251**, 5
Silicon migrations
do aromatic transition states lower barriers to silatropic shifts? A synthetic, NMR spectroscopic, and computational study, **251**, 355
Siloxanes
the preparation of the mixed alkali metal silanolate $K_4Li_4(OSiMe_3)_x(OCMe_3)_{8-x}$ ($8 \geqslant x \geqslant 5.7$) and the effects of mixed alkali metals on the anion induced ring opening polymerization of octamethylcyclotetrasiloxane, **244**, 185
Silver complexes
complexes of Ag(I) with 1-methyl-2(3*H*)-imidazolinethione. The crystal structure of tris[1-methyl-2(3*H*)-imidazolinethione]-silver(I) nitrate, **241**, 117
tetranuclear Ag(I) complexes with an octagonal Ag_4S_4 core: building large structures from small macrocycles, **246**, 207
synthesis, NMR characterisation and crystal structure of the silver(I) annular complex $[Ag_2(\mu\text{-ppye})_2][PF_6]_2 \cdot 2(CH_3)_2CO$ (ppye = 1-(diphenylphosphino)-2-(2-pyridyl)ethane) , **247**, 183
gold and silver complexes of methylenebis(dialkyldithiocarbamates) and the X-ray structure of $CH_2[S_2CN(CH_2Ph)_2]_2$, **249**, 69
synthesis and X-ray crystal structures of novel silver(I) complexes of (*N*-carboxymethyl)dimethylammonioacetate, **249**, 169
dinuclear silver(I) complexes of 24-membered bibracchial tetraimine Schiff base macrocycles derived from 2,5-diformylthiophene, **250**, 139
$[Cr(bipy)(C_2O_4)_2]^-$ — a versatile building block for the design of heteropolymetallic systems 2. Syntheses and crystal structures of $CuCr_2(bipy)_2(\mu\text{-}C_2O_4)_2(C_2O_4)_2(H_2O)_2 \cdot 1^1/_2H_2O$ and $(AgCr(bipy)(\mu\text{-}C_2O_4)_2(H_2O)_2)_2$ and magnetic properties of the copper(II) derivative, **251**, 309
Silyl complexes
mono-η^6 complexes of chromium(II) and chromium(0). Electron demanding substituents, structural and spectroscopic data comparisons, **250**, 317
Silylcyclocarbonylation
silylcyclocarbonylation (SiCCa) of alkynylamines catalyzed by rhodium complexes, **251**, 299
Silyloxide complexes
(Phosphine)gold(I)–silyloxides and –silylthiolates, **251**, 249
Silylthiolate complexes
(Phosphine)gold(I)–silyloxides and –silylthiolates, **251**, 249
Site-directed mutagenesis
site-directed replacement of the invariant lysine 73 of *Saccharomyces cerevisiae* iso-1-cytochrome *c* with all ribosomally encoded amino acids, **242**, 97
azide binding and active site dynamics of position-82 variants of ferricytochrome *c*, **242**, 171
Sol–gel

di- and polynuclear complexes as precursors to nanocomposite materials: an overview, **251**, 151
Solid CD spectra
solid-state circular dichroism spectra of *trans*-diamminetetranitrocobaltate(III) salts and *mer*-triamminetrinitrocobalt(III), **244**, 1
Solid–liquid interface
characteristics of complexation reaction of tetraphenylporphine with zinc(II) at solid–liquid interface, **245**, 105
Solid-state conductivity
new molybdenum(0)–fullerene complexes resulting from interaction of C_{60} with tetracarbonyldiacetyldihydrazonemolybdenum(0) and dicarbonyldiacetyldihydrazonebis(triphenylphosphine)-molybdenum(0), **248**, 67
Solubilization
solubilization of *fac*-tris(amino acidato)cobalt(III) by sulfuric acid and sodium sulfate, **244**, 57
Solution isomerization
the solid state structure and the solution isomerization of $Mo_2Cl_6(THF)_3$, **251**, 101
Solvatothermal synthesis
solvatothermal synthesis and crystal structure of $(Ph_4P)[(VO_2)_4(CH_3CO_2)_4Cl]$, **252**, 435
Solvent dynamics
reorganization energies and rate constants for electron reactions in glass-forming media and proteins, **243**, 233
Spatial structure
influence of the spatial structure of the alkyl chain on the composition of the product of the direct neutralization reaction between aliphatic carboxylic acids and zinc hydroxide, **249**, 17
Spectroelectrochemistry
unusual electrochemical and spectroscopic behavior in a ligand-bridged binuclear complex of ruthenium(II): tetrakis(2,2′-bipyridine)-(μ-2,4,6-tris(2-pyridyl)triazine)diruthenium(II), **241**, 1
the effect of axial coordination and ligand strain on the multielectron-transfer chemistry of d^8d^8 rhodium isocyanide complexes: UV-vis-IR spectroelectrochemical studies, **243**, 219
synthesis and spectroelectrochemical characterization of binuclear complexes of bis(bipyridine)ruthenium and pentaammineruthenium bridged with α,ω-dipyridylcyanines, **251**, 29
spectroelectrochemical characterization of nitridorhenium porphyrins, **251**, 105
Spectrophotometry
coordination of donor solvent molecules to nickel square-planar complexes, **253**, 1
Spectroscopy
the linear and non-linear optical properties of some conjugated ferrocene compounds with potent heterocyclic acceptors, **242**, 43
Stability constants
coordination chemistry of bis-thiohydroxamic acids: synthesis and characterization of their lead(II) complexes and stability constant determination, **243**, 79
stabilities and spectral properties of five-coordinate mixed-ligand copper(II) complexes containing *N*,*N*,*N*′,*N*″,*N*″-pentamethyldiethylenetriamine and α-amino acids, **244**, 51
stability constants for complexes of the siderophore desferrioxamine B with selected heavy metal cations, **244**, 179
helical hexaazamacrocyclic ligands containing pyridyl and (+ or −)-*trans*-diaminocyclohexyl groups: effect of ligand constraints upon metal ion binding, **246**, 301
structural requirements for rapid metal ion ingress into hydroxyethylated tetraaza macrocycles, **246**, 321
copper(II) binary complex equilibria with [*S*]- and [*R*]-2-benzylamino-methylpyrrolidines under physiological conditions, **247**, 175
equilibrium and kinetic studies on complexes of 10-[2,3-dihydroxy-(1-hydroxymethyl)-propyl]-1,4,7,10-tetraazacyclododecane-1,4,7-triacetate, **249**, 191
ternary complexes in solution with hydrogen phosphate and methyl phosphate as ligands, **250**, 185
hydrophobic effects in the stabilisation of copper(I) by the macrocyclic ligands 16,17,19,20-tetramethyl-2,6,9,13-tetraaza[14]-paracyclophane and 14,15,17,18-tetramethyl-2,5,8,11-tetraaza-[12]paracyclophane, **252**, 123
hydrolytic species of the ion *cis*-diaqua(ethylenediamine)-palladium(II) complex and of *cis*-dichloro(ethylenediamine)-palladium(II): fitting its equilibrium models in aqueous media with or without chloride ion, **253**, 23
Stark spectra
dipolar character of ligand-centered transitions in transition metal tris-bipyridyl complexes, **242**, 323
Stereochemistry
aspects of the stereochemistry of bis-guanosine-5′-monophosphate diamine platinum complexes, **248**, 225
Stibine complexes
synthesis and properties of ruthenium and palladium iodide complexes of phosphorus, arsenic and antimony ligands, **244**, 65
Strontium complexes
synthesis and characterization of $SrCu_2(O_2CR)_3(bdmap)_3$ and $Bi_2(O_2CCH_3)_4(bdmap)_2(H_2O)$ (R = CH_3, CF_3; bdmap = 1,3-bis(dimethylamino)-2-propanolato), **250**, 163
Substitution reaction
thermal substitution reactions of the heterodinuclear complex $CpFe(CO)_2Co(CO)_4$ with phosphorus ligands, **242**, 271
Sulfate chelate complexes
successful isolation and X-ray crystal structure of {tris(*N*-*L*-rhamnosyl-2-aminoethyl)amine}(sulfate)nickel(II) hydrate trimethanol solvate: $[Ni((L\text{-Rha})_3\text{-tren})(SO_4)]\cdot H_2O\cdot 3CH_3OH$, **249**, 1
Sulfato-bridged complexes
chemical and electrochemical investigation of $Cs_4[Ru_2(SO_4)_2(\mu\text{-}SO_4)_2(\mu\text{-}O)_2]\cdot 2H_2O$, **244**, 191
a new example of μ_3-sulfato coordination in a Cd(II) complex of 5,7-dimethyl[1,2,4]triazolo[1,5-*a*]pyrimidine (dmtp). Characterisation and biological activity of several metal complexes of dmtp containing the sulfato anion, **247**, 51
Sulfide
nanosecond laser flash photolysis of thiophenolate-capped cadmium sulfide particles in acetonitrile, **242**, 253
Sulfide complexes
structural and electrochemical studies of dicopper complexes of a binucleating ligand involving sulfides and benzimidazoles, **252**, 413
Sulfido-bridged complexes
basal site substitution in the sulfido-bridged cluster $Ru_3(CO)_9(\mu_3\text{-}S)_2$ by the redox-active diphosphine 4,5-bis(diphenylphosphino)-4-cyclopenten-1,3-dione (bpcd). Synthesis, X-ray structure and electrochemical properties of $Ru_3(CO)_7(bpcd)(\mu_3\text{-}S)_2$, **241**, 71
Sulfite reductase
optical and EPR characterization of *Desulfovibrio vulgaris* (Hildenborough) sulfite reductase and ligand adducts, **242**, 25
Sulfonate complexes
correction to: Synthesis and structures of layered metal sulfonate salts, **244**, 253
Sulfoxide complexes
a platinum-195 nuclear magnetic resonance investigation of some dihydroxo bridged binuclear platinum(II) sulfoxide complexes, **247**, 267
Sulfur-bridged complexes
synthesis and structure of $Co_3(\mu_3\text{-}S)(C_6F_5)(CO)_8$, a cobalt carbonyl cluster with an aryl–metal sigma bond, **251**, 35
uptake of ethylene by sulfur-bridged cubane-type molybdenum/tungsten–nickel clusters $[M_3NiS_4(H_2O)_{10}]^{4+}$ (M_3 = Mo_3, Mo_2W, MoW_2, W_3): syntheses, structures and ^1H NMR spectra, **251**, 207
Sulfur-centred complexes

aurophilicity at sulfur centers. Synthesis of the polyaurated species $[S(AuPR_3)_n]^{(n-2)+}$ ($n=2$–6), **244**, 95

Sulfur complexes
- an exchange coupling model for the $Fe_4S_4^{3+}$ polymetallic center present in high potential iron-sulfur proteins, **243**, 91
- synthesis, reactivity and redox properties of dinuclear molybdenum–sulfur complexes, **243**, 147
- synthesis and characterization of chiral $SFeCoM(CO)_8(RCOCp)$ ($M=Mo$, W; $R=H$, CH_3, C_2H_5O) clusters and the crystal structure of $SFeCoW(CO)_8(CH_3COCp)$, **245**, 143
- amino acid induced iron–sulfur cluster interconversions studied by ^1H NMR and Mössbauer spectroscopies, **247**, 113
- synthesis of a new 4Fe–4S cluster with a biomimetic bulky thiolate ligand as model for the $[Fe_4S_4]^{2+/3+}$ states of high potential iron–sulfur proteins, **251**, 119

Sulfur dealkylation
- light induced sulfur-dealkylation of phosphino-thioether nickel(0) complexes, **250**, 283

Sulfur diimide complexes
- reaction of sulfur diimides with organoboranes — studied by multinuclear magnetic resonance in solution, **250**, 327

Sulfur ligand complexes
- transition metal complexes with sulfur ligands. Part CXIV. Alkylation, substitution reactions, electrochemistry and structure of nitrosyl and carbonyl complexes with the [Mo('S_4')] fragment ('S_4'$^{2-}$ = 1,2-bis(2-mercaptophenylthio)ethane(2−)), **244**, 213
- nine- and ten-membered diauracycles with the $C_3S_5^{2-}$ ligand. Crystal structure of $NBu_4[Au_2(\mu\text{-}C_3S_5)(\mu\text{-}CH_2PPh_2CH_2)]$, **249**, 163

Sulfur oxoanions
- bicatalyst electrocatalytic reaction of sulfur oxoanions by water-soluble iron porphyrins and iron(II) tris(1,10-phenanthroline), **244**, 155

Sulfur protein complexes
- models for the iron-sulfur protein rubredoxin: the use of sterically hindered thiolate ligands to stabilize $[Fe(SR)_4]^{1-}$ complexes; some considerations of the structure of the $[Fe(S\text{-}Cys)_4]$ centers in oxidized rubredoxins, **243**, 333

Superconducting
- four-site four-electron model for Bi(III)–Bi(V) mixed valence complex, **250**, 189

Supramolecular extraction
- recognition of metal complex guests: supramolecular extraction of water-soluble lanthanide complexes by biological lasalocid ionophore, **251**, 1

Supramolecules
- macrocyclic dinuclear complexes self-assembled from $(en)Pd(NO_3)_2$ and pyridine-based bridging ligands, **246**, 53

Surface enhanced Raman scattering
- the effect of ligand structure on surface enhanced Raman scattering by Fe(II) macrocyclic complexes: $[Fe^{II}TPC]^{2+}$ and $[Fe^{II}DPC]$, **247**, 11

Tantalum complexes
- trivalent mononuclear *mer*-trichlorotris(pyridine)tantalum(III): preparation and structure in three crystalline forms, **245**, 115

Tautomerism
- iron–hydroxypyridone redox chemistry: kinetic and thermodynamic limitations to Fenton activity, **245**, 199

t-Butylisonitrile
- synthesis and crystal structure of mixed-ligand Tc(I) complexes, with dimethylphenylphosphine and t-butylisonitrile, **245**, 251

Technetium complexes
- the synthesis of nitrosyl complexes of technetium with sulfur-containing cores, **241**, 95
- the synthesis, characterization and substitution reactions of the mixed ligand technetium(I) nitrosyl complex *trans–trans*-$[(NO)(NCCH_3)Cl_2(PPh_3)_2Tc]$, **244**, 121
- synthesis and crystal structure of mixed-ligand Tc(I) complexes, with dimethylphenylphosphine and t-butylisonitrile, **245**, 251
- syntheses of monooxo–technetium(V) and –rhenium(V) complexes of the (*o*-hydroxyphenyl)diphenylphosphine ligand (POH). Crystal structure of $[TcOCl(PO)_2]$, **247**, 119
- the synthesis and characterization of $[MCl_3(N{=}NC_5H_4NH)(HN{=}NC_5H_4N)]$ from $[MO_4]^-$ (where M = Re, Tc) organodiazenido, organodiazene-chelate complexes. The X-ray structure of $[ReCl_3(N{=}NC_5H_4NH)(HN{=}NC_5H_4N)]$, **252**, 421

Teflate complexes
- complexation of $Zn(OTeF_5)_2$ by weakly coordinating solvents and single-crystal X-ray structures of $[Zn(OTeF_5)_2(PhNO_2)_2]_2$ and $Zn(OTeF_5)_2(PhNO_2)_3$, **242**, 71

Tellurium compounds
- metal selective redox processes in the ternary compound ZrSiTe, **252**, 47

Template condensation
- the template synthesis and X-ray characterization of pyrrole-derived hexadentate uranyl(VI) Schiff-base macrocyclic complexes, **246**, 23

Template synthesis
- single-stranded nucleic acids as templates for porphyrin assembly formation, **246**, 7
- Schiff–base template synthesis of tetra-aza macrocycles involving diethylmalonate as a padlock, **246**, 379

Terbium complexes
- luminescence of Eu^{3+} and Tb^{3+} complexes of new macrobicyclic ligands derived from *p*-tert-butylcalix[4]arene, **252**, 19

Terdentate ligand complexes
- methyl-, acetyl- and allyl-palladium and -platinum complexes containing novel terdentate PNS and NN′S ligands, **252**, 339

Ternary complexes
- ternary complex of cisplatin with glycine and 1-methyluracil: *cis*-$[(NH_3)_2Pt(glyH\text{-}N)(1\text{-}MeU\text{-}N^3)]ClO_4\cdot H_2O$, **247**, 79
- ternary complexes in solution with hydrogen phosphate and methyl phosphate as ligands, **250**, 185

Ternary compounds
- metal selective redox processes in the ternary compound ZrSiTe, **252**, 47

Tertiary phosphine complexes
- synthesis and spectroscopic characterization of new Cu(I) complexes containing triaryl-, tricycloalkylphosphines and heterocyclic anionic or neutral N-donor ligands. Crystal and molecular structure of $[(Cy_3P)_2(pzH)Cu]ClO_4\cdot CH_3OH$ (Cy = cyclohexyl, pzH = pyrazole), **249**, 215

Tetraamine complexes
- coordination of donor solvent molecules to nickel square-planar complexes, **253**, 1

Tetraazamacrocycle complexes
- study of complexation of mono *N*-alkylcyclen and mono *N*-alkylcyclam with hexacarbonyl metal $M(CO)_6$ (M = Cr, Mo). Specific N^1,N^7-dissymmetric dialkylation of cyclen, **244**, 105
- Schiff–base template synthesis of tetra-aza macrocycles involving diethylmalonate as a padlock, **246**, 379

Tetrachloroplatinate salt
- reactions of 1,2-diaminoethane-*N*,*N*,*N*′*N*′-tetra(*N*-methylacetamide), L, with potassium tetrachloroplatinate(II). Crystal and molecular structures of $Pt(LH_{-2})Cl_2\cdot 2H_2O$, a novel platinum(IV) complex containing deprotonated amide ligands, and of $(2H^+\text{-}L)[PtCl_4]$, **245**, 257

Tetracyanoethene complexes
- ground state electron transfer between TCNE and one or more 16-electron species containing vanadium, osmium, ruthenium or cobalt, **251**, 239

Tetradentate N,S Schiff base complexes

luminescent tetranuclear copper(I) clusters containing tetradentate N,S Schiff base ligands. X-ray crystal structure of Cu_4L_2 (L = *N*,*N*′-(2,2′-diphenyl)-bis(1,3-diphenyl-4-iminomethyl-5-thiopyrazole)), **251**, 291
Tetradentate phosphine complexes
zero-valent Group 6 complexes of 1,2,4,5-tetrakis(diphenylphosphino)benzene, **248**, 167
Tetramethyl complexes
kinetic study of the reaction of tetramethylplatinum(IV) complexes with acids, **241**, 81
Tetranuclear complexes
synthesis, crystal structure and magnetic properties of the tetranuclear complex $[Ni_4(OCH_3)_4(dbm)_4(CH_3OH)_4]_2(C_2H_5)_2O$, **247**, 231
Tetrapyrrole complexes
one-pot synthesis of corrolates by cobalt catalyzed cyclization of formylpyrroles, **241**, 55
Thallium complexes
synthesis and crystal structure of a thallium(I) hydrogen benzothiazolylcyanoximate complex with 18-crown-6: the thallium atom is in the center of the crown ether cavity, **249**, 151
Thallium deltahedra
metal cluster topology 18. Flattening of hypoelectronic indium and thallium deltahedra in intermetallic phases containing alkali metals, **252**, 115
Thermal analysis
preliminary study of $[Ni(en)_3](CF_3CO_2)_2$ and $Ni(en)(hfpd)_2$ as precursors for metalorganic chemical vapour deposition: structural properties and thermal behaviours (en = ethylenediamine, hfpd = hexafluoropentadionato(−)), **248**, 15
Thermochemistry
metal selective redox processes in the ternary compound ZrSiTe, **252**, 47
solution thermochemical study of ligand substitution reaction of novel pyrrolyl-substituted tertiary phosphine ligands in the $L_2Fe(CO)_3$ system, **252**, 107
Thermodynamics
synthesis and protonation behaviour of the macrocycle 2,6,10,13,17,21-hexaaza[22]metacyclophane. Thermodynamic and NMR studies on the interaction of 2,6,10,13,17,21-hexaaza[22]metacyclophane and on the open-chain polyamine 4,8,11,15-tetraazaoctadecane-1,18-diamine with ATP, ADP and AMP, **246**, 287
thermodynamics of Gd(III) complexation by macrocyclic and acyclic polyamino carboxylates, **249**, 13
Thiazole complexes
synthesis and characterisation of Cu(II) complexes with the 2-acetamido-*N*-(4-methyl-2-thiazolyl) (amtz) ligand. The crystal structure of $[Cu(amtz)_2H_2O](NO_3)_2$, **248**, 209
1,3-Thiazolidine-2-thione–metal complexes
a new amorphous trinuclear complex of Pt(II) with 1,3-thiazolidine-2-thione: $[Pt_3(ttz)_8]Cl_6$, **248**, 203
Thiocyanate
vanadium bromoperoxidase-catalyzed oxidation of thiocyanate by hydrogen peroxide, **243**, 201
Thiocyanate complexes
azaoxa macrocyclic complexes of lanthanide(III) thiocyanates. Crystal structures of the tris-thiocyanato(1,7,10,16-tetraoxa-4,13-diazacyclooctadecane) lanthanide(III) complexes (Ln = Eu or Yb), **245**, 223
the effect of solvent mobility on $Cr(NH_3)_2(NCS)_4^-$ photolysis, **247**, 1
kinetic study of anation reaction of *meso*-tetrakis-(*p*-sulfonatophenyl)porphinatodiaquaruthenate(III) with thiocyanate ion in aqueous solution, **248**, 23
aqueous syntheses and crystal structures of the hexa- and pentacoordinated nickel(II) isothiocyanato derivatives of bulky triamines: $(H_2Et_5dien)_2[Ni(NCS)_6]$, $[Ni(Me_5dien)(NCS)_2]$ and $[Ni(Me_4Etdien)(NCS)_2]$, **248**, 59
syntheses and X-ray crystal structures of the bismuth(III) thiocyanate and selenocyanate complexes $[K_3(dmpu)_4][Bi(SCN)_6]$ and $[K_3(dmpu)_4][Bi(SeCN)_6]$ (dmpu = *N*,*N*′-dimethylpropylene urea), **248**, 263
synthesis, crystal structure and magnetic properties of the chiral iron(II) chain $[Fe(bpym)(NCS)_2]_n$ (bpym = 2,2′-bipyrimidine), **250**, 81
Thioether complexes
tetranuclear Ag(I) complexes with an octagonal Ag_4S_4 core: building large structures from small macrocycles, **246**, 207
Thiolate complexes
the reaction of copper 3-trimethylsilylpyridine-2-thiolate with bis(diphenylphosphino)ethane. Crystal structure of μ-[1,2-bis(diphenylphosphino)ethane]bis(3-trimethylsilylpyridine-2-thiolato-*S*)[1,2-bis(diphenylphosphino)ethane]dicopper(I), $[Cu_2(3\text{-}Me_3Sipyt)_2(dppe)_3]$, **245**, 119
synthesis of new thiol derivatives of $[Os_3(CO)_{12}]$; crystal structure of $[Os_3(CO)_{10}(\mu\text{-}H)\{\mu\text{-}SC(CH_3)_3\}]$, **247**, 131
synthesis of a new 4Fe–4S cluster with a biomimetic bulky thiolate ligand as model for the $[Fe_4S_4]^{2+/3+}$ states of high potential iron–sulfur proteins, **251**, 119
Thiolato complexes
new potentially cytotoxic thiolatogold(I) complexes of 1,1′-bis(diphenylphosphino)ferrocene, **253**, 71
Thiol complexes
synthesis and structural characterization of complexes of the {Cp*Rh} and {MeRe} cores with pyridine-2-thiol ligand types. Structures of $MeReO(\eta^2\text{-}2\text{-}SC_5H_3N\text{-}3\text{-}SiMe)_2$ and $(\eta^5\text{-}Me_5C_5)Rh(\eta^2\text{-}2\text{-}SC_5H_3N\text{-}3\text{-}SiMe_3)(\eta^1\text{-}2\text{-}SC_5H_3N\text{-}3\text{-}SiMe_3)$, **244**, 199
reactions of ferric porphyrins and thiols. The reaction of the haem octapeptide, *N*-acetylmicroperoxidase-8, with cysteine, **248**, 115
Thiophene complexes
amplification of metal-to-metal communication in the ruthenium(IV)–ruthenium(III) mixed-valence state of binuclear β-diketonato-ruthenium complexes by inserting thiophene and anthracene units into acetylene linkers, **245**, 87
dinuclear silver(I) complexes of 24-membered bibracchial tetraimine Schiff base macrocycles derived from 2,5-diformylthiophene, **250**, 139
synthesis and reactivity of the (benzothiophene)tricarbonylmanganese cation, **253**, 39
Thiophenolate-capped complexes
nanosecond laser flash photolysis of thiophenolate-capped cadmium sulfide particles in acetonitrile, **242**, 253
Thiopyrimidine complexes
4-amino-6-methoxy-2-methylthiopyrimidine and Hg(II) system: solution and solid state studies on metalated and N-coordinated species. Crystal structure of $[Hg_2(HL)_2(\mu\text{-}Cl)_2Cl_2]$, **247**, 203
Thiosemicarbazone complexes
synthesis and spectroscopic properties of two pyridine-2-carbaldehyde thiosemicarbazonecopper(II) compounds: $[CuX_2(C_7H_8N_4S)]\cdot H_2O$ (X = Br, Cl). Crystal structure of the bromo complex, **249**, 25
Thiourea ligands
ligand exchange reactions starting from $[Re(CO)_3Br_3]^{2-}$. Synthesis, characterization and structures of rhenium(I) tricarbonyl complexes with thiourea and thiourea derivatives, **248**, 193
Time-resolved absorption spectroscopy
time-resolved near UV circular dichroism and absorption studies of carbonmonoxymyoglobin photolysis intermediates, **242**, 149
alkyl-dependent photochemistry of Mn(R)(CO)$_3$(R′-DAB) (R = Me, Bz; R′ = iPr, pTol): homolysis of the Mn–R bond for R = Bz and release of CO for R = Me, **247**, 215
Time-resolved circular dichroism spectroscopy
time-resolved near UV circular dichroism and absorption studies of carbonmonoxymyoglobin photolysis intermediates, **242**, 149
Tin complexes

new bivalent germanium, tin and lead compounds with M–O bond, **241**, 9
complexation equilibria and structures of dimethyltin(IV) complexes with *N*-methyliminodiacetate, pyridine-2,6-dicarboxylate, ethylenediamine-*N*,*N*′-diacetate and ethylenediamine-*N*,*N*,*N*′,*N*′-tetraacetate, **248**, 215
metallomacrocycles with metal–metal bonds: synthesis, characterization and electrochemistry of $[(P)SnRe(CO)_5]BF_4$ and $[\{(P)Sn\}_2Re(CO)_4]BF_4$ derivatives, where P = tetra-*p*-tolylporphyrin or tetra-*m*-tolylporphyrin, **252**, 375
Titanium complexes
the reactions of trimethylsilylcyanide with titanium(IV) halides, **244**, 259
exchange interactions in $Ti_2Cl_9^{3-}$: a critical analysis, **251**, 15
Toluene complexes
crystal structure of the zerovalent niobium complex $Nb(\eta\text{-}C_6H_5Me)_2$, **244**, 269
Trans–cis photoisomerization
syntheses, structures and properties of palladium(II) complexes with photochromic 4-methoxyazobenzene, **248**, 147
Transition metal complex catalysis
supramolecular complexes of transition-metal(II) ions for the hydrolysis of phosphate esters and of DNA, **251**, 125
Transition metal complexes
transition metal complexes with amidinato ligands: the ubiquitous tris-chelated structural motif, **242**, 31
transition metal cation and phosphate anion electrochemical recognition in water by new polyaza ferrocene macrocyclic ligands, **246**, 143
structural requirements for rapid metal ion ingress into hydroxyethylated tetraaza macrocycles, **246**, 321
properties of transition metal complexes with 15-, 16- and 17-membered macrocycles, dioxocyclopentaaminetriacetic acids, in aqueous solutions and structures of the ligands in the solid state, **248**, 231
Transition metal ion complexes
the interaction of transition and post-transition metal ions with 14- and 16-membered *trans* N_2X_2-donor macrocycles (X = NH, O, S): stabilities and X-ray structures, **246**, 371
Transmetallation
dibridged bimetallic complexes derived from bent niobocene and Group 6 metal carbonyls. Transmetallation of the PMe_2H ligand and crystal structure of $Cp_2Nb(\mu\text{-}PPh_2)(\mu\text{-}CO)Cr(CO)_3(PMe_2H)$, **247**, 263
importance of steric effects upon the synthesis of $\{(\eta_6\text{-arene})RuCl\}$-*C*,*N*-cyclometallated amines, **249**, 63
Triamine complexes
aqueous syntheses and crystal structures of the hexa- and pentacoordinated nickel(II) isothiocyanato derivatives of bulky triamines: $(H_2Et_5dien)_2[Ni(NCS)_6]$, $[Ni(Me_5dien)(NCS)_2]$ and $[Ni(Me_4Etdien)(NCS)_2]$, **248**, 59
Triazine complexes
unusual electrochemical and spectroscopic behavior in a ligand-bridged binuclear complex of ruthenium(II): tetrakis(2,2′-bipyridine)-(μ-2,4,6-tris(2-pyridyl)triazine)diruthenium(II), **241**, 1
Triazolopyrimidine complexes
a new example of μ_3-sulfato coordination in a Cd(II) complex of 5,7-dimethyl[1,2,4]triazolo[1,5-*a*]pyrimidine (dmtp). Characterisation and biological activity of several metal complexes of dmtp containing the sulfato anion, **247**, 51
Tri-bridged amidinato compounds
tri-bridged amidinato compounds of dicobalt 1: $Co_2[PhNC(R)NPh]_3$ with R = H and C_6H_5, **249**, 9
Tricarbaborane compounds
high-yield and facile cluster rearrangements in the eleven-vertex *nido* series of tricarbollides. New parent tricarbaboranes [*nido*-7,8,10-$C_3B_8H_{11}]^-$ and *arachno*-5,6,9-$C_3B_7H_{13}$, **245**, 129
Tricarbollide compounds
high-yield and facile cluster rearrangements in the eleven-vertex *nido* series of tricarbollides. New parent tricarbaboranes [*nido*-7,8,10-$C_3B_8H_{11}]^-$ and *arachno*-5,6,9-$C_3B_7H_{13}$, **245**, 129
Tridentate ligand
synthesis and characterization of palladium(II) and rhodium(I) complexes coordinated with bis(diphenylphosphinomethyl) sulfide, **245**, 243
Tridentate phosphine ligand complexes
fluxional behavior in platinum(II) complexes of the tridentate ligand 1,1,1-tris(diphenylphosphinomethyl)ethane. Evidence for the importance of *cis* effects in an associative mechanism, **251**, 89
Triene complexes
photochemical reactions of transition metal organyl complexes with olefins. XIV. Molecular structure of an intermediate of the light-induced [6+4]-cycloadditions of dienes to tricarbonyl(η^6-1,3,5-cycloheptatriene)chromium(0), **251**, 95
Trimetallic complexes
electrocatalytic reduction of carbon dioxide by mixed-metal trimetallic complexes of the form $\{[(bpy)_2Ru(BL)]_2IrCl_2\}^{5+}$ where bpy = 2,2′-bipyridine and BL = 2,3-bis(2-pyridyl)quinoxaline (dpq) or 2,3-bis(2-pyridyl)benzoquinoxaline (dpb), **253**, 7
Trimethylsilylcyanide complexes
the reactions of trimethylsilylcyanide with titanium(IV) halides, **244**, 259
Tri-*N*-azolylborane compounds
molecular structures of tri-*N*-pyrrolylboranes and the dynamic behaviour of tri-*N*-indolylboranes in solution, **241**, 87
Trinuclear complexes
a new trinuclear copper complex and its reactions with plasmid DNA, **242**, 329
crystal structure of μ_3-oxo-esakis(μ_2-acetate)triaquatrichromium(III) 2,6-dihydroxybenzoate dihydrate, **248**, 99
synthesis, crystal structure and magnetic properties of the first structurally characterized 1,2-dithiocroconato-containing Cu(II) complex, $\{[Cu(bpca)(H_2O)]_2[Cu(1,2\text{-}dtcr)_2]\}\cdot 2H_2O$, **250**, 219
trinuclear iridium and rhodium complexes: the solution to a puzzle involving the multiple coordination possibilities of 1,8-naphthyridine-2-one ligands, **250**, 241
new potentially cytotoxic thiolatogold(I) complexes of 1,1′-bis-(diphenylphosphino)ferrocene, **253**, 71
Triphenylphosphine-pendant cyclam
a new cyclam with a triphenylphosphine-pendant and its metal complexes, **246**, 151
Tripodal amide ligand complexes
preparation and characterization of a vanadium(III) dinitrogen complex supported by a tripodal anionic amide ligand, **250**, 1
Tripod amine complexes
two novel types of metal complexes derived from tripod amines and acetylacetone, **246**, 413
Tris(2,2′-bipyridyl)ruthenium(II)
electron-transfer studies with the CuA domain of *Thermus thermophilus* cytochrome ba_3, **243**, 141
Tris-bipyridyl complexes
dipolar character of ligand-centered transitions in transition metal tris-bipyridyl complexes, **242**, 323
Tumor inhibitor
synthesis and crystal structure of new Ru(III)–sulfoxide complexes containing a planar N-ligand: *mer*,*cis*-$RuCl_3(1Me\text{-}Im)_2(S\text{-}DMSO)$ and [4Et-PyH][*trans*-$RuCl_4(4Et\text{-}Py)(S\text{-}DMSO)$], **253**, 87
Tungsten complexes
molecular structure of $[W(N)(O\text{-}2,6\text{-}C_6H_3{}^iPr_2)_3]_2$: a metal-nitrido compound with a cyclic diyne structure, **243**, 177
highly diastereoselective formation and structural characterization of [2+2] cycloadducts from the phosphenium complexes $Cp(OC)_2M{=}P(Ph)(o\text{-}Tol)$ (M = Mo, W) and isocyanates, **244**, 147

synthesis of a multiply-bonded ditungsten hydride complex, $W_2(\mu\text{-}H)(\mu\text{-}O_2CC_6H_5)Cl_4(dppm)_2$, **244**, 151
the synthesis and characterization of $\alpha\text{-}W_2Cl_4(dppp)_2$, **245**, 81
synthesis and characterization of organomolybdenum and organotungsten halides containing the η^5-pentaphenylcyclopentadienyl ligand $\eta^5\text{-}C_5Ph_5Mo(CO)_3X\cdot nCH_2Cl_2$ and $\eta^5\text{-}C_5Ph_5W(CO)_3X$ (X = Cl, Br, I). The X-ray molecular structure of $\eta^5\text{-}C_5Ph_5Mo(CO)_3I\cdot 0.5CH_2Cl_2$, **245**, 109
towards thermally robust homogeneous catalysts: Re, Ir and W complexes of the highly thermally stable ligand, tri-2-pyridylamine, **247**, 93
Fischer-type alkylidyne tungsten complexes containing strong π donor ligands, **252**, 131

Tunneling
the pH dependence of intramolecular electron transfer in azurins, **243**, 127

Tunneling pathways
a method to analyze multi-pathway effects on protein mediated donor-acceptor coupling interactions, **243**, 167

Tyrosinase
effect of ligand donors on the catalytic properties of metal complexes. Copper(II) complexes as catalysts for the oxidation of 3,5-di-tert-butylcatechol, **249**, 85

Ultramarines
blue–green ultramarine-type zeolites with dimeric tellurium colour centres, **252**, 39

Unsaturated cluster complexes
comparison in halide binding ability between the unsaturated clusters $[Pd_3(\mu\text{-dppm})_3(CO)]^{2+}$ and $[PdPtCo(\mu\text{-dppm})_2(CO)_3(CN^tBu)]^+$ (dppm = $Ph_2PCH_2PPh_2$), **250**, 337

Unsymmetrical ligand
synthesis and characterization of a manganese(III) complex with a new unsymmetrical chelating ligand, **249**, 251

Uracil complexes
spectral and magnetic properties, and biological activity of several coordination compounds of dinegative isoorotato and 2-thioisoorotato ligands. Crystal structure of the tetrameric complex $[Cu_4(isoorotato^{2-})_4(NH_3)_4(H_2O)_2]\cdot 4H_2O$, **241**, 61

Uranyl complexes
fast atom bombardment studies of amino acid and peptide complexes of the uranyl ion: ligand attachment, dissociation and fragmentation, **241**, 105
the uranyl unit as electrophilic catalyst of acyl transfer reactions, **246**, 181
the roles of N- and O-coordination in the crystal and molecular structures of uranyl complexes with anthranilic and pyrazinic acids, **248**, 241

Uranyl(VI) complexes
the template synthesis and X-ray characterization of pyrrole-derived hexadentate uranyl(VI) Schiff-base macrocyclic complexes, **246**, 23

UV spectroscopy
dipolar character of ligand-centered transitions in transition metal tris-bipyridyl complexes, **242**, 323

Valence localization
valence localization in $[M(triphos)(3,5\text{-di-tert-butyl-catecholate})]^+$ ions (M = Co, Rh or Ir) probed by resonance Raman spectroscopy, **252**, 157

Vanadium
vanadium bromoperoxidase-catalyzed oxidation of thiocyanate by hydrogen peroxide, **243**, 201

Vanadium complexes
the role of ligand steric hindrance in determining the stability of very short V–V contacts. Preparation and characterization of a series of V(II) and V(III) amidinates, **244**, 37
synthesis and characterization of a VO^{3+} complex of a pentadentate amine alcohol ligand: towards hydrolytically stable ligands forming model complexes for vanadium-dependent haloperoxidases, **244**, 221
preparation and characterization of a vanadium(III) dinitrogen complex supported by a tripodal anionic amide ligand, **250**, 1
crown thioether complexes of vanadium(II), vanadium(III) and vanadium(IV): X-ray crystal structure of $[VCl_3([9]aneS_3)]$, **251**, 13
ground state electron transfer between TCNE and one or more 16-electron species containing vanadium, osmium, ruthenium or cobalt, **251**, 239

Vanadyl complexes
synthesis, structure and magnetic properties of an asymmetric dinuclear oxocitratovanadate(IV) complex, **251**, 75

Vaulted cyclidene complexes
structures of the multireceptor vaulted cyclidene complexes, **246**, 109

Vibrational analysis
vibrational analysis and resonance Raman spectra of polycrystalline and matrix-isolated $[CpFe(CO)_2]_2$, **251**, 157

Vibrational spectra
two novel complexes of glutarimide with palladium(II) *trans*-$K_2[Pd(C_5H_6NO_2)_2Cl_2]\cdot 4.5H_2O$ and *trans*-$KNa[Pd(C_5H_6NO_2)_2Cl_2]\cdot 6H_2O$. Crystal structures and vibrational spectra, **248**, 159

Vinyl complexes
reduction of a diruthenium bridging vinylidene species $Cp_2Ru_2(\mu\text{-}C{=}CH_2)(CO)(\mu\text{-}CO)(MeCN)$ by hydrosilane leading to a vinyl complex $Cp_2Ru_2(\mu\text{-}CH{=}CH_2)(CO)_2(SiR_3)$ and vinylsilane: a model system for production of an olefinic product from a vinylidene intermediate, **250**, 177

Vinylidene complexes
reduction of a diruthenium bridging vinylidene species $Cp_2Ru_2(\mu\text{-}C{=}CH_2)(CO)(\mu\text{-}CO)(MeCN)$ by hydrosilane leading to a vinyl complex $Cp_2Ru_2(\mu\text{-}CH{=}CH_2)(CO)_2(SiR_3)$ and vinylsilane: a model system for production of an olefinic product from a vinylidene intermediate, **250**, 177

Viologen complexes
ion-pair charge-transfer complexes of a dithiooxalate zinc donor component with viologens. Synthesis, structural and electronic characterization, **247**, 147

Visible spectrum of $Re_2Cl_8^{2-}$
Zeeman-effect studies of the electronic absorption spectrum of octachlorodirhenate(2-) (Re≡Re) in pulsed 50-Tesla magnetic fields, **243**, 309

Voltage-clamp
increased NMDA affinity of the H780Q mutant of the NMDA receptor, **243**, 15

Volume of activation
volume of activation for the self-exchange reaction of cytochrome *c*, **242**, 185

Water-soluble porphyrins
metal complexes with tetrapyrrole ligands. 71. Heteroaggregation of cationic metal mono- and bisporphyrinates with anionic metal porphyrinates or indigosulfonates, **251**, 227

^{183}W NMR
sulfur in Keggin heteropolyanions. Syntheses and multinuclear NMR characterizations (^{31}P, ^{183}W and ^{95}Mo) of $\gamma\text{-}[PW_{10}M_2S_2O_{38}]^{5-}$ (M = Mo, W), **252**, 101

Xanthate complexes
the synthesis of nitrosyl complexes of technetium with sulfur-containing cores, **241**, 95

Xerogels
di- and polynuclear complexes as precursors to nanocomposite materials: an overview, **251**, 151

X-ray magnetic circular dichroism

X-ray magnetic circular dichroism at temperatures < 1 K: demonstration with the blue copper site in plastocyanin, **243**, 229
X-ray photoelectron spectroscopy
a new amorphous trinuclear complex of Pt(II) with 1,3-thiazolidine-2-thione: $[Pt_3(ttz)_8]Cl_6$, **248**, 203

Ylide complexes
reactivity of carbonyl stabilized ylides with Zeise's salt. Synthesis, characterization of mono- and bis-ylidic Pt(II) derivatives and X-ray crystal structure of the $\{PtCl_2[C(H)COCH_3(PPh_2\text{-}o\text{-}C_6H_4)]\}[PPh_3CH_2COCH_3]$ complex, **245**, 157
Yttrium complexes
synthesis and structural characterization of $\{(\eta^5\text{-}C_5Me_4)_2SiMe_2\}YCH(SiMe_3)_2$. Hydrogenation to $[\{(\eta^5\text{-}C_5Me_4)_2SiMe_2\}Y]_2(\mu_2\text{-}H)_2$ and its facile ligand redistribution to $Y_2[\mu_2\text{-}\{(\eta^5\text{-}C_5Me_4)\text{-}SiMe_2(\eta^5\text{-}C_5Me_4)\}]_2(\mu_2\text{-}H)_2$, **242**, 205
synthesis and characterization of the yttrium(III) and lutetium(III) complexes of 1,4,7-tris(carbamoylmethyl)-1,4,7-triazacyclononane (TCMT). Crystal structure of $[Y(TCMT)(CF_3SO_3)_2(H_2O)](CF_3SO_3)$, **246**, 99
macrocyclic complexes of lanthanides in identical ligand frameworks. Part 2. Synthesis of lanthanide(III) and yttrium(III) complexes of an 18-membered hexaaza macrocycle , **249**, 93
Yttrocene complexes
synthesis and structural characterization of $\{(\eta^5\text{-}C_5Me_4)_2SiMe_2\}YCH(SiMe_3)_2$. Hydrogenation to $[\{(\eta^5\text{-}C_5Me_4)_2SiMe_2\}Y]_2(\mu_2\text{-}H)_2$ and its facile ligand redistribution to $Y_2[\mu_2\text{-}\{(\eta^5\text{-}C_5Me_4)\text{-}SiMe_2(\eta^5\text{-}C_5Me_4)\}]_2(\mu_2\text{-}H)_2$, **242**, 205

Zeeman-effect study
Zeeman-effect studies of the electronic absorption spectrum of octachlorodirhenate(2-) (Re≡Re) in pulsed 50-Tesla magnetic fields, **243**, 309
Zeolite
blue–green ultramarine-type zeolites with dimeric tellurium colour centres, **252**, 39
Zeolite complexes
synthesis and characterisation of chiral Cu(I) complexes with substituted-pyrrolidine-ligands bearing a triethoxysilyl group and preparation of heterogenised catalysts on USY-zeolites, **244**, 79
Zero-field splitting
aqueous syntheses and crystal structures of the hexa- and pentacoordinated nickel(II) isothiocyanato derivatives of bulky triamines: $(H_2Et_5dien)_2[Ni(NCS)_6]$, $[Ni(Me_5dien)(NCS)_2]$ and $[Ni(Me_4Etdien)(NCS)_2]$, **248**, 59
Zerovalent complexes
crystal structure of the zerovalent niobium complex $Nb(\eta\text{-}C_6H_5Me)_2$, **244**, 269
zero-valent Group 6 complexes of 1,2,4,5-tetrakis(diphenylphosphino)benzene, **248**, 167
Zinc complexes
coordination chemistry of mixed pyridine–phenol ligands. The crystal structure of $[Zn(L^1)_2(BPh_2)][BPh_4]$ (HL^1 = 6-(2-hydroxyphenyl)-2,2′-bipyridine), the first example of a phenolate bridge between a transition metal and boron, **241**, 125
complexation of $Zn(OTeF_5)_2$ by weakly coordinating solvents and single-crystal X-ray structures of $[Zn(OTeF_5)_2(PhNO_2)_2]_2$ and $Zn(OTeF_5)_2(PhNO_2)_3$, **242**, 71
dipolar character of ligand-centered transitions in transition metal tris-bipyridyl complexes, **242**, 323
characteristics of complexation reaction of tetraphenylporphine with zinc(II) at solid–liquid interface, **245**, 105
ion-pair charge-transfer complexes of a dithiooxalate zinc donor component with viologens. Synthesis, structural and electronic characterization, **247**, 147
the kinetic influence of increasing steric hindrance to metallation by zinc(II) which accompanies the inclusion of 5,10,15,20-*meso*(tetraphenyl)porphyrin into capped and quadruply bridged closely spaced bis-porphyrin structures, **247**, 195
trinuclear copper(II) coordination compounds with the new ligand 1,9-bis-(3-amino-4*H*-1,2,4-triazol-5-yl)-3,7-dithianonane; X-ray structures and magnetochemistry, **248**, 35
influence of the spatial structure of the alkyl chain on the composition of the product of the direct neutralization reaction between aliphatic carboxylic acids and zinc hydroxide, **249**, 17
photoreduction of zinc- and aluminium-2,3-naphthalocyanine in the presence of azaferrocene and under irradiation with red light ($\lambda > 600$ nm), **249**, 111
modelling transition state analogues and enzyme-inhibitor complexes of zinc-containing class II aldolases and metalloproteases, **250**, 271
preparation of the *N*,*N*,*N*′,*N*′-tetramethylethylenediamine complex of hydridozinc chloride. Reactions of zinc hydrides with some organic substrates, **250**, 345
reactions between primary amines and magnesium or zinc dialkyls: intermediates in metal imide formation, **251**, 273
the interaction of transition metals with the coenzyme α-lipoic acid: synthesis, structure and characterization of copper and zinc complexes, **252**, 319
Zinc(II) complexes
synthesis, reactions and structure of a hydroxo-bridged dinuclear Zn(II) complex: modeling the hydrolytic zinc enzymes, **241**, 31
Zirconacyclopentane complexes
highly selective monofunctionalization of zirconacyclopentanes and dialkylzirconocene complexes, **252**, 91
Zirconium complexes
direct intercalation of pyridinium-derivative cations into the α-zirconium phosphate interlayer by a redox reaction and fluorescence behavior of the intercalation compounds, **245**, 101
eight-coordinate Schiff-base zirconium polymers: synthesis, characterization and properties, **251**, 81
compounds containing the $[Zr_6Cl_{18}H_4]^{4-}$ cluster anion, **252**, 239
Zirconium compounds
metal selective redox processes in the ternary compound ZrSiTe, **252**, 47